

Rapport interne LPO/12-06

UMR 6523 Laboratoire de Physique des Océans 	DELAYED MODE QUALITY CONTROL OF OVIDE ARGO DATA FLOAT WMO 6900405	
Date : 11 avril 2012	Auteurs : Lagadec Catherine Thierry Virginie	Archivage : LPO

Liste de diffusion :

LPO


Carole Despinoy (ODE/LPO)

DELAYED MODE QUALITY CONTROL OF OVIDE ARGO DATA

FLOAT WMO 6900405

C. Lagadec - V. Thierry

11 avril 2012



1 Presentation and DMQC summary

Number	Deployment (cycle OD) cycle OD	Last cycle
Provor WMO 6900405	10/06/2006 23h22	162
CTS3 05-S3-36	57.005 N 27.881 W	
Date of control	Float status	Last cycle
March 2012	DEAD	19/11/2010
	Coriolis transmission	11/04/2012

TAB. 1: Status of the float

Warning : Note that all the figures are plotted with the latest QC flag values (the modifications mentionned table 2 are taken into account).

1.1 QC flag checks and interesting profiles

Cycle	Para-meter	Vertical level	Old flag	New flag	Comments	Coriolis transmission
11A 14A,16A 5A	PRES TEMP,PSAL	all 1 surprising	0 1	1 4	density inv.	11/01/08 11/01/08 11/01/08
49A,62A,65A, 66A,72A,73A,	Position		3 or 4	1		30/03/10
all cycles except 0D	PSAL	surface (where PRES inf. 5)	1	4	untrustable data	30/03/10
94A 123 126	TEMP PSAL PSAL PSAL TEMP,PSAL	10 first levels levels 2 to 10 level 1 (400-800m)	3 3 3 4 3	1 1 4 1 1		30/03/10 30/03/10 30/03/10
75A 112	PSAL TEMP,PSAL	1 157 m	1 1	4 4		30/03/10 30/03/10
154	TEMP,PSAL	2 values at bottom	4	1		27/03/12

TAB. 2: Float 6900405. Summary of the modifications of the real-time QC flags and of the interesting or suspicious data.

The resolution is equal to 50 dbar from the surface to 500 dbar, then 60 dbar from 500 to 2000 dbar. Salinity data between 0 and 5 dbar are suspicious because they are acquired when the pump of the CTD is turned off.

1.2 Salinity correction from the OW method

We cannot see any evidence of a drift or bias in the salinity measurement. We thus conclude that it is not necessary to correct the salinity data. Errors bars are maximum value between 0.01 and those determined from the OW method with parameters from the OW configuration 33.

OW CONFIGURATION	33
CONFIG_MAX_CASTS	250
MAP_USE_PV	1
MAP_USE_PV_ELLIPSE	1
MAP_USE_FACTEUR	1
MAPSCALE_LONGITUDE_LARGE	1.6
MAPSCALE_LONGITUDE_SMALL	0.8
MAPSCALE_LATITUDE_LARGE	1
MAPSCALE_LATITUDE_SMALL	0.5
MAPSCALE_PHI_LARGE	0.5
MAPSCALE_PHI_SMALL	0.1
MAPSCALE_AGE	0.69
MAP_P_EXCLUDE	500
MAP_P_DELTA	250
Reference data base	CTD only
Comments	no break point

TAB. 3: Parameters of the OW method.

2 Data





FIG. 1: Profiles position and relationship between cycle number, date and color.




FIG. 2: Battery Voltage and Surface pressure





FIG. 3: θ/S diagrams. (Left panel) Flags are not taken into account. (Right panel) Quality flags are taken into account.

FIG. 4: Temperature section along the float trajectory. Quality flags are not taken into account.






FIG. 5: Salinity section along the float trajectory. Quality flags are not taken into account.




FIG. 6: Pressure as fonction of cycle number and vertical level index along the float trajectory.
Quality flags are taken into account.




FIG. 7: Potential temperature, salinity and potential density sections along the float trajectory (interpolated on standard levels). Quality flags are taken into account.

3 Comparison to the OVIDE 2006 nearest CTD profile




FIG. 8: Comparison of the cycle 0A with the nearest CTD profile done after the float deployment.

4 Cycle 5 - Comparaison to the nearest historical CTD profiles





FIG. 9: Flotteur 6900405, cycle 5. Upper panel : Position of the Argo profile (red) and of the nearest CTD profiles (black). The nearest CTD profile in time is in magenta while the nearest CTD profile in space is in blue. Lower panels : Temperature, salinity and potential density as function of pressure for the Argo profile (stars) and for the nearest CTD profile in time (magenta line) and for the nearest CTD profile in space (blue line). The color of the Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4).

6900405 – Cycle 5



6900405 – Cycle 5 – Date Argo profile 02–Aug–2006
Dates historicals profiles 15–Aug–1998 (blue) and 10–Jun–2006 (magenta)




FIG. 10: Float 6900405, cycle 5. The Argo profile (stars) is compared to the nearest CTD profiles (black line) and to two specific profiles : the nearest profile in time (magenta) and the nearest profile in space (blue). The color of the Argo profile represents the QC flag (green for a QC=1 ; blue for a QC=2 ; orange for a QC=3 and red for a QC=4). (Upper panels) Temperature (left panel), salinity (middle panel) and potential density (right panel) as function of pressure. (Lower panels) θ/S diagrams.

5 Cycle 5 - Comparaison to the nearest ARGO profiles




FIG. 11: Flotteur 6900405, cycle 5. Upper panel : Position of the analysed Argo profile (red) and of the nearest Argo profiles (black). The nearest Argo profile in time is in magenta while the nearest ARGO profile in space is in blue. Lower panels : Temperature, salinity and potential density as function of pressure for the analysed Argo profile (stars) and for the nearest Argo profile in time (magenta line) and for the nearest ARGO profile in space (blue line). The color of the analysed Argo profile represents the QC flag (green for a QC=1 ; blue for a QC=2 ; orange for a QC=3 and red for a QC=4).

6900405 – Cycle 5




FIG. 12: Float 6900405, cycle 5. The analysed Argo profile (stars) is compared to the nearest Argo profiles (black line) and to two specific profiles : the nearest Argo profile in time (magenta) and the nearest Argo profile in space (blue). The color of the analysed Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4). (Upper panels) Temperature (left panel), salinity (middle panel) and potential density (right panel) as function of pressure. (Lower panels) θ /S diagrams.

6 Cycle 14 - Comparaison to the nearest historical CTD profiles





FIG. 13: Flotteur 6900405, cycle 14. Upper panel : Position of the Argo profile (red) and of the nearest CTD profiles (black). The nearest CTD profile in time is in magenta while the nearest CTD profile in space is in blue. Lower panels : Temperature, salinity and potential density as function of pressure for the Argo profile (stars) and for the nearest CTD profile in time (magenta line) and for the nearest CTD profile in space (blue line). The color of the Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4).

6900405 – Cycle 14



6900405 – Cycle 14 – Date Argo profile 31–Oct–2006
Dates historicals profiles 24–Sep–1992 (blue) and 09–Jun–2006 (magenta)




FIG. 14: Float 6900405, cycle 14. The Argo profile (stars) is compared to the nearest CTD profiles (black line) and to two specific profiles : the nearest profile in time (magenta) and the nearest profile in space (blue). The color of the Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4). (Upper panels) Temperature (left panel), salinity (middle panel) and potential density (right panel) as function of pressure. (Lower panels) θ/S diagrams.

7 Cycle 14 - Comparaison to the nearest ARGO profiles





FIG. 15: Flotteur 6900405, cycle 14. Upper panel : Position of the analysed Argo profile (red) and of the nearest Argo profiles (black). The nearest Argo profile in time is in magenta while the nearest ARGO profile in space is in blue. Lower panels : Temperature, salinity and potential density as function of pressure for the analysed Argo profile (stars) and for the nearest Argo profile in time (magenta line) and for the nearest Argo profile in space (blue line). The color of the analysed Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4).

6900405 – Cycle 14



6900405 – Cycle 14 – Date Argo profile 31–Oct–2006
Dates historicals profiles 28–Feb–2007 (blue) and 20–Dec–2006 (magenta)




FIG. 16: Float 6900405, cycle 14. The analysed Argo profile (stars) is compared to the nearest Argo profiles (black line) and to two specific profiles : the nearest Argo profile in time (magenta) and the nearest Argo profile in space (blue). The color of the analysed Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4). (Upper panels) Temperature (left panel), salinity (middle panel) and potential density (right panel) as function of pressure. (Lower panels) θ /S diagrams.

8 Cycle 16 - Comparaison to the nearest historical CTD profiles





FIG. 17: Flotteur 6900405, cycle 16. Upper panel : Position of the Argo profile (red) and of the nearest CTD profiles (black). The nearest CTD profile in time is in magenta while the nearest CTD profile in space is in blue. Lower panels : Temperature, salinity and potential density as function of pressure for the Argo profile (stars) and for the nearest CTD profile in time (magenta line) and for the nearest CTD profile in space (blue line). The color of the Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4).

6900405 – Cycle 16



6900405 – Cycle 16 – Date Argo profile 20–Nov–2006
Dates historicals profiles 26–May–1973 (blue) and 11–Sep–1993 (magenta)




FIG. 18: Float 6900405, cycle 16. The Argo profile (stars) is compared to the nearest CTD profiles (black line) and to two specific profiles : the nearest profile in time (magenta) and the nearest profile in space (blue). The color of the Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4). (Upper panels) Temperature (left panel), salinity (middle panel) and potential density (right panel) as function of pressure. (Lower panels) θ /S diagrams.

9 Cycle 16 - Comparaison to the nearest ARGO profiles





FIG. 19: Flotteur 6900405, cycle 16. Upper panel : Position of the analysed Argo profile (red) and of the nearest Argo profiles (black). The nearest Argo profile in time is in magenta while the nearest ARGO profile in space is in blue. Lower panels : Temperature, salinity and potential density as function of pressure for the analysed Argo profile (stars) and for the nearest Argo profile in time (magenta line) and for the nearest Argo profile in space (blue line). The color of the analysed Argo profile represents the QC flag (green for a QC=1 ; blue for a QC=2 ; orange for a QC=3 and red for a QC=4).

6900405 – Cycle 16



6900405 – Cycle 16 – Date Argo profile 20–Nov–2006
Dates historicals profiles 30–Oct–2007 (blue) and 20–Dec–2006 (magenta)




FIG. 20: Float 6900405, cycle 16. The analysed Argo profile (stars) is compared to the nearest Argo profiles (black line) and to two specific profiles : the nearest Argo profile in time (magenta) and the nearest Argo profile in space (blue). The color of the analysed Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4). (Upper panels) Temperature (left panel), salinity (middle panel) and potential density (right panel) as function of pressure. (Lower panels) θ /S diagrams.

10 Cycle 75 - Comparaison to the nearest historical CTD profiles




FIG. 21: Flotteur 6900405, cycle 75. Upper panel : Position of the Argo profile (red) and of the nearest CTD profiles (black). The nearest CTD profile in time is in magenta while the nearest CTD profile in space is in blue. Lower panels : Temperature, salinity and potential density as function of pressure for the Argo profile (stars) and for the nearest CTD profile in time (magenta line) and for the nearest CTD profile in space (blue line). The color of the Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4).

6900405 – Cycle 75




FIG. 22: Float 6900405, cycle 75. The Argo profile (stars) is compared to the nearest CTD profiles (black line) and to two specific profiles : the nearest profile in time (magenta) and the nearest profile in space (blue). The color of the Argo profile represents the QC flag (green for a QC=1 ; blue for a QC=2 ; orange for a QC=3 and red for a QC=4). (Upper panels) Temperature (left panel), salinity (middle panel) and potential density (right panel) as function of pressure. (Lower panels) θ/S diagrams.

11 Cycle 75 - Comparaison to the nearest ARGO profiles




FIG. 23: Flotteur 6900405, cycle 75. Upper panel : Position of the analysed Argo profile (red) and of the nearest Argo profiles (black). The nearest Argo profile in time is in magenta while the nearest ARGO profile in space is in blue. Lower panels : Temperature, salinity and potential density as function of pressure for the analysed Argo profile (stars) and for the nearest Argo profile in time (magenta line) and for the nearest Argo profile in space (blue line). The color of the analysed Argo profile represents the QC flag (green for a QC=1 ; blue for a QC=2 ; orange for a QC=3 and red for a QC=4).

6900405 – Cycle 75




FIG. 24: Float 6900405, cycle 75. The analysed Argo profile (stars) is compared to the nearest Argo profiles (black line) and to two specific profiles : the nearest Argo profile in time (magenta) and the nearest Argo profile in space (blue). The color of the analysed Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4). (Upper panels) Temperature (left panel), salinity (middle panel) and potential density (right panel) as function of pressure. (Lower panels) θ/S diagrams.

12 Cycle 94 - Comparaison to the nearest historical CTD profiles




FIG. 25: Flotteur 6900405, cycle 94. Upper panel : Position of the Argo profile (red) and of the nearest CTD profiles (black). The nearest CTD profile in time is in magenta while the nearest CTD profile in space is in blue. Lower panels : Temperature, salinity and potential density as function of pressure for the Argo profile (stars) and for the nearest CTD profile in time (magenta line) and for the nearest CTD profile in space (blue line). The color of the Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4).

6900405 – Cycle 94




FIG. 26: Float 6900405, cycle 94. The Argo profile (stars) is compared to the nearest CTD profiles (black line) and to two specific profiles : the nearest profile in time (magenta) and the nearest profile in space (blue). The color of the Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4). (Upper panels) Temperature (left panel), salinity (middle panel) and potential density (right panel) as function of pressure. (Lower panels) θ/S diagrams.

13 Cycle 94 - Comparaison to the nearest ARGO profiles





FIG. 27: Flotteur 6900405, cycle 94. Upper panel : Position of the analysed Argo profile (red) and of the nearest Argo profiles (black). The nearest Argo profile in time is in magenta while the nearest ARGO profile in space is in blue. Lower panels : Temperature, salinity and potential density as function of pressure for the analysed Argo profile (stars) and for the nearest Argo profile in time (magenta line) and for the nearest Argo profile in space (blue line). The color of the analysed Argo profile represents the QC flag (green for a QC=1 ; blue for a QC=2 ; orange for a QC=3 and red for a QC=4).

6900405 – Cycle 94



6900405 – Cycle 94 – Date Argo profile 08–Jan–2009
Dates historicals profiles 18–May–2009 (blue) and 27–Feb–2009 (magenta)




FIG. 28: Float 6900405, cycle 94. The analysed Argo profile (stars) is compared to the nearest Argo profiles (black line) and to two specific profiles : the nearest Argo profile in time (magenta) and the nearest Argo profile in space (blue). The color of the analysed Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4). (Upper panels) Temperature (left panel), salinity (middle panel) and potential density (right panel) as function of pressure. (Lower panels) θ /S diagrams.

14 Cycle 112 - Comparaison to the nearest historical CTD profiles





FIG. 29: Flotteur 6900405, cycle 112. Upper panel : Position of the Argo profile (red) and of the nearest CTD profiles (black). The nearest CTD profile in time is in magenta while the nearest CTD profile in space is in blue. Lower panels : Temperature, salinity and potential density as function of pressure for the Argo profile (stars) and for the nearest CTD profile in time (magenta line) and for the nearest CTD profile in space (blue line). The color of the Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4).

6900405 – Cycle 112



6900405 – Cycle 112 – Date Argo profile 07–Jul–2009
Dates historicals profiles 11–Mar–1975 (blue) and 12–Apr–2002 (magenta)




FIG. 30: Float 6900405, cycle 112. The Argo profile (stars) is compared to the nearest CTD profiles (black line) and to two specific profiles : the nearest profile in time (magenta) and the nearest profile in space (blue). The color of the Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4). (Upper panels) Temperature (left panel), salinity (middle panel) and potential density (right panel) as function of pressure. (Lower panels) θ /S diagrams.

15 Cycle 112 - Comparaison to the nearest ARGO profiles





FIG. 31: Flotteur 6900405, cycle 112. Upper panel : Position of the analysed Argo profile (red) and of the nearest Argo profiles (black). The nearest Argo profile in time is in magenta while the nearest ARGO profile in space is in blue. Lower panels : Temperature, salinity and potential density as function of pressure for the analysed Argo profile (stars) and for the nearest Argo profile in time (magenta line) and for the nearest Argo profile in space (blue line). The color of the analysed Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4).

6900405 – Cycle 112



6900405 – Cycle 112 – Date Argo profile 07–Jul–2009
Dates historicals profiles 27–Jun–2009 (blue) and 27–Jun–2009 (magenta)




FIG. 32: Float 6900405, cycle 112. The analysed Argo profile (stars) is compared to the nearest Argo profiles (black line) and to two specific profiles : the nearest Argo profile in time (magenta) and the nearest Argo profile in space (blue). The color of the analysed Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4). (Upper panels) Temperature (left panel), salinity (middle panel) and potential density (right panel) as function of pressure. (Lower panels) θ/S diagrams.

16 Cycle 123 - Comparaison to the nearest historical CTD profiles





FIG. 33: Flotteur 6900405, cycle 123. Upper panel : Position of the Argo profile (red) and of the nearest CTD profiles (black). The nearest CTD profile in time is in magenta while the nearest CTD profile in space is in blue. Lower panels : Temperature, salinity and potential density as function of pressure for the Argo profile (stars) and for the nearest CTD profile in time (magenta line) and for the nearest CTD profile in space (blue line). The color of the Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4).

6900405 – Cycle 123



6900405 – Cycle 123 – Date Argo profile 25–Oct–2009
Dates historicals profiles 02–Oct–1987 (blue) and 23–Mar–2006 (magenta)




FIG. 34: Float 6900405, cycle 123. The Argo profile (stars) is compared to the nearest CTD profiles (black line) and to two specific profiles : the nearest profile in time (magenta) and the nearest profile in space (blue). The color of the Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4). (Upper panels) Temperature (left panel), salinity (middle panel) and potential density (right panel) as function of pressure. (Lower panels) θ /S diagrams.

17 Cycle 123 - Comparaison to the nearest ARGO profiles





FIG. 35: Flotteur 6900405, cycle 123. Upper panel : Position of the analysed Argo profile (red) and of the nearest Argo profiles (black). The nearest Argo profile in time is in magenta while the nearest ARGO profile in space is in blue. Lower panels : Temperature, salinity and potential density as function of pressure for the analysed Argo profile (stars) and for the nearest Argo profile in time (magenta line) and for the nearest Argo profile in space (blue line). The color of the analysed Argo profile represents the QC flag (green for a QC=1 ; blue for a QC=2 ; orange for a QC=3 and red for a QC=4).

6900405 – Cycle 123



6900405 – Cycle 123 – Date Argo profile 25–Oct–2009
Dates historicals profiles 05–Nov–2007 (blue) and 04–Nov–2009 (magenta)




FIG. 36: Float 6900405, cycle 123. The analysed Argo profile (stars) is compared to the nearest Argo profiles (black line) and to two specific profiles : the nearest Argo profile in time (magenta) and the nearest Argo profile in space (blue). The color of the analysed Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4). (Upper panels) Temperature (left panel), salinity (middle panel) and potential density (right panel) as function of pressure. (Lower panels) θ /S diagrams.

18 Cycle 126 - Comparaison to the nearest historical CTD profiles





FIG. 37: Flotteur 6900405, cycle 126. Upper panel : Position of the Argo profile (red) and of the nearest CTD profiles (black). The nearest CTD profile in time is in magenta while the nearest CTD profile in space is in blue. Lower panels : Temperature, salinity and potential density as function of pressure for the Argo profile (stars) and for the nearest CTD profile in time (magenta line) and for the nearest CTD profile in space (blue line). The color of the Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4).

6900405 – Cycle 126



6900405 – Cycle 126 – Date Argo profile 24–Nov–2009
Dates historicals profiles 22–Nov–1996 (blue) and 29–Mar–2004 (magenta)




FIG. 38: Float 6900405, cycle 126. The Argo profile (stars) is compared to the nearest CTD profiles (black line) and to two specific profiles : the nearest profile in time (magenta) and the nearest profile in space (blue). The color of the Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4). (Upper panels) Temperature (left panel), salinity (middle panel) and potential density (right panel) as function of pressure. (Lower panels) θ /S diagrams.

19 Cycle 126 - Comparaison to the nearest ARGO profiles





FIG. 39: Flotteur 6900405, cycle 126. Upper panel : Position of the analysed Argo profile (red) and of the nearest Argo profiles (black). The nearest Argo profile in time is in magenta while the nearest ARGO profile in space is in blue. Lower panels : Temperature, salinity and potential density as function of pressure for the analysed Argo profile (stars) and for the nearest Argo profile in time (magenta line) and for the nearest Argo profile in space (blue line). The color of the analysed Argo profile represents the QC flag (green for a QC=1 ; blue for a QC=2 ; orange for a QC=3 and red for a QC=4).

6900405 – Cycle 126



6900405 – Cycle 126 – Date Argo profile 24–Nov–2009
Dates historicals profiles 05–Dec–2007 (blue) and 25–Oct–2009 (magenta)




FIG. 40: Float 6900405, cycle 126. The analysed Argo profile (stars) is compared to the nearest Argo profiles (black line) and to two specific profiles : the nearest Argo profile in time (magenta) and the nearest Argo profile in space (blue). The color of the analysed Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4). (Upper panels) Temperature (left panel), salinity (middle panel) and potential density (right panel) as function of pressure. (Lower panels) θ/S diagrams.

20 Cycle 154 - Comparaison to the nearest historical CTD profiles





FIG. 41: Flotteur 6900405, cycle 154. Upper panel : Position of the Argo profile (red) and of the nearest CTD profiles (black). The nearest CTD profile in time is in magenta while the nearest CTD profile in space is in blue. Lower panels : Temperature, salinity and potential density as function of pressure for the Argo profile (stars) and for the nearest CTD profile in time (magenta line) and for the nearest CTD profile in space (blue line). The color of the Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4).

6900405 – Cycle 154



6900405 – Cycle 154 – Date Argo profile 31–Aug–2010
Dates historicals profiles 21–Aug–1978 (blue) and 07–Sep–1978 (magenta)




FIG. 42: Float 6900405, cycle 154. The Argo profile (stars) is compared to the nearest CTD profiles (black line) and to two specific profiles : the nearest profile in time (magenta) and the nearest profile in space (blue). The color of the Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4). (Upper panels) Temperature (left panel), salinity (middle panel) and potential density (right panel) as function of pressure. (Lower panels) θ /S diagrams.

21 Cycle 154 - Comparaison to the nearest ARGO profiles





FIG. 43: Flotteur 6900405, cycle 154. Upper panel : Position of the analysed Argo profile (red) and of the nearest Argo profiles (black). The nearest Argo profile in time is in magenta while the nearest ARGO profile in space is in blue. Lower panels : Temperature, salinity and potential density as function of pressure for the analysed Argo profile (stars) and for the nearest Argo profile in time (magenta line) and for the nearest Argo profile in space (blue line). The color of the analysed Argo profile represents the QC flag (green for a QC=1 ; blue for a QC=2 ; orange for a QC=3 and red for a QC=4).

6900405 – Cycle 154



6900405 – Cycle 154 – Date Argo profile 31–Aug–2010
Dates historicals profiles 19–Mar–2009 (blue) and 07–Jun–2009 (magenta)




FIG. 44: Float 6900405, cycle 154. The analysed Argo profile (stars) is compared to the nearest Argo profiles (black line) and to two specific profiles : the nearest Argo profile in time (magenta) and the nearest Argo profile in space (blue). The color of the analysed Argo profile represents the QC flag (green for a QC=1; blue for a QC=2; orange for a QC=3 and red for a QC=4). (Upper panels) Temperature (left panel), salinity (middle panel) and potential density (right panel) as function of pressure. (Lower panels) θ /S diagrams.

22 OW method, CONFIGURATION # 33




FIG. 45: Figures from the OW method. (Left) Position of the historical and float data. (Right) Comparison, on various θ levels, between the float data and the historical data interpolated at the float position.




FIG. 46: Figures from the OW method. Comparison of the θ /S diagram of the float with the historial database. (left) raw data; (right) corrected data using the OW correction.




FIG. 47: Figures from the OW method. Salinity anomaly : (left) raw data ; (right) corrected data using the OW correction.




FIG. 48: Correction proposed by the OW method.




FIG. 49: Chosed levels by the OW method.