

S2 Table. **Sequences (18S gene) included in the phylogenetic reconstruction and the larval traits of the species.** The list includes information on larval traits of species not considered in the phylogenetic reconstruction, but used to make inferences on closely related species included in our phylogenetic reconstruction but without available data on larval traits (see methods).

SPECIES	18S		Larval Morphology	General larval traits (first zoea)				
	Source	Genbank	Source	Mouth parts development	Trophic status	Pereiopods	Pleopods	Type of development
<b>PASIAPHAEIDAE</b>								
<i>Leptochela bermudensis</i>	[1]	EU868785	[2,3]	Developed	Planktotrophic	Absent	Absent	Extended
<i>L. papulata</i>	[1]	EU868784						
<i>L. carinata</i>	[1]	EU868786						
<i>L. gracilis</i>			[4]	Developed	Planktotrophic	Absent	Absent	Extended
<i>Pasiphaea japonica</i>	[5]	JF346260	[6]	Undeveloped	Primary lecitotrophy	Present	Present	Abbreviated
<i>P. merriami</i>	[1]	EU868796						
<i>P. levicarinata</i>	[5]	JF346261						
<i>P. sirenkoi</i>	[7]	KP725823						
<i>P. sivado</i>	[7]	KP725826	[8]	Undeveloped	Primary lecitotrophy	Present	Present	Abbreviated
<i>P. tarda</i>			[3,8]	Undeveloped	Primary lecitotrophy	Present	Present	Abbreviated
<i>P. telacantha</i>	[7]	KP725828						
<i>Parapasiphae sulcatifrons</i>			[3,8]	Undeveloped	Primary lecitotrophy	Present	Present	Abbreviated
<b>OPLOPHOIDAE</b>								
<i>Janicella spinicauda</i>	[7]	KP075856.1	[3]	Undeveloped	Primary lecitotrophy	Present	Present	Abbreviated
<i>Oplophorus typus</i>	[9]	GQ131929.1	[3]	Undeveloped	Primary lecitotrophy	Present	Present	Abbreviated
<i>O. gracilirostris</i>	[9]	GQ131928	[3]	Undeveloped	Primary lecitotrophy	Present	Present	Abbreviated
<i>O. spinosus</i>			[10]	Undeveloped	Primary lecitotrophy	Present	Present	Abbreviated
<i>Systellapis debilis</i>	[1]	EU868775	[10]	Undeveloped	Primary lecitotrophy	Present	Present	Abbreviated
<i>S. pellucida</i>	[5]	JF346250						
<b>ACANTHEPHYRIDAE</b>								
<i>A. cutirostris</i>	[1]	EU868769						

<i>A. brevirostris</i>			[11]	Developed	Planktotrophic	Absent	Absent	Extended
<i>A. purpurea</i>	[1]	EU868770	[10,12]	Developed	Planktotrophic	Absent	Absent	Extended
<i>A. eximia</i>	[9]	GQ131916						
<i>A. acutifrons</i>			[12]	Developed	Planktotrophic	Absent	Absent	Extended
<i>A. stylorostrata</i>			[12]	Developed	Planktotrophic	Absent	Absent	Extended
<i>Hymenodora glacialis</i>	[9]	GQ131915	[3,13]	Undeveloped	Primary lecithotrophy	Present	Present	Abbreviated
<i>Ephyrina figuerai</i>	[14]	AM087654	[3]					Abbreviated
<i>Meningodora</i> sp.	[9]	GQ131931						
<i>Notostomus gibbosus</i>	[9]	GQ131917	[10]					Extended
<i>Heterogenys microphthalmus</i>	[9]	GQ131932						
NEMATOCARCINIDAE								
<i>Nematocarcinus africanus</i>	[7]	KP725769						
<i>N. lanceopes</i>			[15]	Developed	Planktotrophic	Absent	Absent	Extended
<i>N. cursor</i>	[1]	U868766						
<i>N. rotundus</i>	[1]	EU868765						
<i>N. gracilis</i>	[5]	JF346240						
<i>N. tenuipes</i>	[5]	JF346248						
<i>N. aff combensis</i>	[5]	JF346238						
<i>N. longirostris</i>			[15]	Developed	Planktotrophic	Absent	Absent	Extended
AGOSTOCARIDAE								
<i>Agostocaris</i> sp.	[1]	EU868716						
PSALIDOPODIDAE								
<i>Psalidopus barbouri</i>	[1]	EU868804	[16]*	Undeveloped	Primary lecithotrophy	Present	Present	Abbreviated
CAMPYLYNOTIDAE								
<i>Campylonotus rathbunae</i>	[5]	JF346246	[17]	Developed	Facultative lecithotrophy	Present	Absent	Abbreviated
<i>C. vagans</i>			[18,19]	Developed	Facultative lecithotrophy	Present	Absent	Abbreviated

			[18]	Developed	Facultative lecithotrophy	Present	Absent	Abbreviated
<i>C. capensis</i>								
<i>C. semistriatus</i>			[18]	Developed	Facultative lecithotrophy	Present	Absent	Abbreviated
ALVINOCARIDIDAE								
<i>Alvinocaris longirostris</i>	[5]	JF346247	[20]**			Absent	Absent	Extended
<i>A. muricola</i>	[1]	EU868717	this study	Undeveloped	Primary lecithotrophy	Absent	Absent	Extended
<i>Rimicaris exoculata</i>	[14]	AM087652	this study	Undeveloped	Primary lecithotrophy	Absent	Absent	Extended
<i>R. hybisae</i>	this study	KT210459	[21]***	Undeveloped	Primary lecithotrophy	Absent	Absent	Extended
<i>R. chacei</i>	this study	KT210456						
<i>Mirocaris fortunata</i>	this study	KT210458	this study	Undeveloped	Primary lecithotrophy	Absent	Absent	Extended
<i>Nautilocaris saintlaurentae</i>	this study	KT210457	this study	Undeveloped	Primary lecithotrophy	Absent	Absent	Extended
Outgroups								
Stenopodidae								
<i>Stenopus hispidus</i>	[5]	JF346253						
Hippolytidae								
<i>Hippolyte obliquimanus</i>	[1]	EU868752						
Alpheidae								
<i>Alpheus packardii</i>	[1]	EU868720.1						
Palaemonidae								
<i>Macrobrachium lanchesteri</i>	[7]	KP725756.1						

\*Late embryo

\*\*Analysis of COI sequence of *Alvinocaris* sp. submitted by Koyama *et al.* [20] suggest that the species belong to *A. longirostris* (see COI analysis in the present study). The mouth parts of the larvae are not shown in [20], we assume that they are similar than *A. muricola*. Other traits are observed from the illustration

\*\*\*The mouth parts of the larvae are not shown in [21], we assume that they are similar than *R. exoculata*. Other traits are observed from the illustration.

## References

1. Bracken HD, De Grave S, Felder D (2009) Phylogeny of the infraorder Caridea based on mitochondrial and nuclear genes (Crustacea: Decapoda). In: Martin JW, Crandall KA, Felder D, editors. *Decapod Crustacean Phylogenetics*: CRC Press. pp. 281-305.
2. Gurney R (1936) Notes on some Decapod Crustacea of Bermuda.—III.-V. *Proceedings of the Zoological Society of London* 106: 619-630.
3. Gurney R (1942) Larvae of decapod Crustacea. *Royal Society of London* 129: 1-306.
4. Sekiguchi H (1980) Larvae of *Leptocheila gracilis* Stimpson (Decapoda: Natantia: Pasiphaeidae). *Proceedings of the Japanese Society of Systematic Zoology* 18: 30-46.
5. Li CP, De Grave S, Chan T-Y, Lei HC, Chu KH (2011) Molecular systematics of caridean shrimps based on five nuclear genes: Implications for superfamily classification. *Zoologischer Anzeiger* 250: 270-279.
6. Nanjo N, Konishi K (2009) Complete larval development of the Japanese glass shrimp *Pasiphaea japonica* Omori, 1976 (Decapoda: Pasiphaeidae) under laboratory conditions. *Crustacean Research* 38: 77-89.
7. Aznar-Cormano L, Brisset J, Chan T-Y, Corbari L, Puillandre N, et al. (2015) Hierarchical taxonomic sampling is a necessary but not sufficient condition for resolving inter-families relationships in Caridean decapods. *Genetica* 145: 195-205.
8. Williamson DI (1960) Larval stages of *Pasiphaea sivado* and some other Pasiphaeidae (Decapoda). *Crustaceana* 1: 331-341.
9. Chan T, Lei HC, Li CP, Chu KH (2010) Phylogenetic analysis using rDNA reveals polyphyly of Oplophoridae (Decapoda: Caridea). *Invertebrate Systematics* 24: 172-181.
10. Gurney R, Lebour MV (1941) On the Larvae of certain Crustacea Macrura, mainly from Bermuda. *Journal of the Linnean Society of London, Zoology* 41: 89-181.
11. Hendrickx M, Garcia-Guerrero M (2007) Description of the first zoea of *Acanthephyra brevicarinata* Hanamura, 1984 (Caridea: Oplophoridae) from the deep water of the Gulf of Mexico. *Contributions of the Study of Eastern Pacific Crustaceans* 4: 31-36.
12. Herring PJ (1967) Observations on the early larvae of three species of Acanthephyra (Crustacea, Decapoda, Caridea). *Deep Sea Research and Oceanographic Abstracts* 14: 325-329.
13. Stephensen K (1935) Crustacea Decapoda. The Godthaab Expedition 1928. *Medd Granal* 80: 1-94.
14. Leignel V, Van Wormhoudt A, Buit QT, Ravallec R, LAulier M Molecular phylogenetic relationships between deep-sea shrimp families : Analysis based on rDNA and mtDNA data. Unpublished.
15. Thatje S, Bacardit R, Arntz W (2005) Larvae of the deep-sea Nematocarcinidae (Crustacea: Decapoda: Caridea) from the Southern Ocean. *Polar Biology* 28: 290-302.
16. Martin JW (1985) A late embryo of the deep water shrimp *Psalidopus barboudi* Chace, 1939 (Decapoda: Caridea). *Crustaceana* 59: 299-302.

17. Pike RB, Williamson DI (1966) First zoeal stage of *Campylonotus rathbunae* Schmitt and its bearing on the systematical position of the Campylonotidae (Decapoda, Caridea). *Transactions of the Royal Society of New Zealand, Zoology* 7: 209-213.
18. Thatje S, Bacardit R, Romero MC, Tapella F, Lovrich GA (2001) Description and key to the zoeal stages of the Campylonotidae (Decapoda: Caridea) from the magellan region. *Journal of Crustacean Biology* 21: 492-505.
19. Thatje S, Lovrich GA, Anger K (2004) Egg production, hatching rates, and abbreviated larval development of *Campylonotus vagans* Bate, 1888 (Crustacea: Decapoda: Caridea), in subantarctic waters. *Journal of Experimental Marine Biology and Ecology* 301: 15-27.
20. Koyama S, Nagahama T, Ootsu N, Takayama T, Horii M, et al. (2005) Survival of deep-sea shrimp (*Alvinocaris* sp.) during decompression and larval hatching at atmospheric pressure. *Marine Biotechnology* 7: 272-278.
21. Nye V, Copley JT, Tyler PA (2013) Spatial Variation in the Population Structure and Reproductive Biology of *Rimicaris hybisae* (Caridea: Alvinocarididae) at Hydrothermal Vents on the Mid-Cayman Spreading Centre. *PLoS ONE* 8: e60319.