## Space invaders; biological invasions in marine conservation planning

Authors: Sylvaine Giakoumi, François Guilhaumon, Salit Kark, Antonio Terlizzi, Joachim Claudet, Serena Felline, Carlo Cerrano, Marta Coll, Roberto Danovaro, Simonetta Fraschetti, Drosos Koutsoubas, Jean-Batiste Ledoux, Tessa Mazor, Bastien Mérigot, Fiorenza Micheli and Stelios Katsanevakis

Appendix S1. List of articles included in the qualitative and quantitative synthesis.

Adams VM, Mills M, Jupiter SD, Pressy RL (2011) Improving social acceptability of marine protected area networks: A method for estimating opportunity costs to multiple gear types in both fished and currently unfished areas. Biological Conservation 144: 350-361.

Alessi J, Fiori C (2014) From science to policy—a geostatistical approach to identifying potential areas for cetacean conservation: a case study of bottlenose dolphins in the Pelagos sanctuary (Mediterranean Sea). Journal of Coastal Conservation 18: 449-458.

Allen G (2008) Conservation hotspots of biodiversity and endemism for Indo-Pacific coral reef fishes. Aquatic Conservation: Marine & Freshwater Ecosystems 18: 541-556.

AlRashidi M, Long PR, O'Connell M, Shobrak M, Szekely T (2011) Use of remote sensing to identify suitable breeding habitat for the Kentish Plover and estimate population size along the western coast of Saudi Arabia. Wader Study Group Bulletin 118: 32–39.

Alvarez Romero JG, Pressey RL, Ban NC, TorreCosio J, Aburto Oropeza O (2013) Marine conservation planning in practice: lessons learned from the Gulf of California. Aquatic Conservation: Marine& Freshwater Ecosystems 23: 483–505.

Anadon JD, D'Agrosa C, Gondor A, Gerber LR (2011) Quantifying the Spatial Ecology of Wide-Ranging Marine Species in the Gulf of California: Implications for Marine Conservation Planning. PLoS ONE 6(12): e28400.

Anderson RJ, Bolton JJ, Stegenga H (2009) Using the biogeographical distribution and diversity of seaweed species to test the efficacy of marine protected areas in the warm-temperate Agulhas Marine Province, South Africa. Diversity & Distributions 15: 1017–1027.

Andrello M, Jacobi MN, Manel S, Thullier W, Mouillot D (2015) Extending networks of protected areas to optimize connectivity and population growth rate. Ecography 38: 273–282.

Arakida H, Mitsuhashi H, Kamada M, Koyama K (2011) Mapping the potential distribution of shorebirds in Japan: the importance of landscape-level coastal geomorphology. Aquatic Conservation: Marine & Freshwater Ecosystems 21: 553–563.

Ardron JA, Clark MR, Penney AJ, Hourigan TF, Rowden AA, Dunstan PK, Watling L, Shank TM, Tracey DM, Dunn MR, Parker SJ (2014) A systematic approach towards the identification and protection of vulnerable marine ecosystems. Marine Policy 49: 146–154.

Awad AA, Griffiths CL, Turpie JK (2002) Distribution of South African marine benthic invertebrates applied to the selection of priority conservation areas. Diversity & Distributions 8: 129–145.

Ban N (2009) Minimum data requirements for designing a set of marine protected areas, using commonly available abiotic and biotic datasets. Biodiversity Conservation 18: 1829–1845.

Ban N, Picard CR, Vincent ACJ (2009) Comparing and Integrating Community-Based and Science-Based Approaches to Prioritizing Marine Areas for Protection. Conservation Biology 23(4): 899–910.

Ban NC, Hansen GJA, Jones M, Vincent ACJ (2009) Systematic marine conservation planning in data-poor regions: Socioeconomic data is essential. Marine Policy 33: 794–800.

Ban NC, McDougall C, Beck M, Salomon AK, Cripps K (2014) Applying empirical estimates of marine protected area effectiveness to assess conservation plans in British Columbia, Canada. Biological Conservation 180: 134-148.

Banks SA, Skilleter GA (2007) The importance of incorporating fine-scale habitat data into the design of an intertidal marine reserve system. Biological Conservation 138: 13-29.

Banks SA, Skilleter GA, Possingham HP(2005) Intertidal habitat conservation: identifying conservation targets in the absence of detailed biological information. Aquatic Conservation: Marine & Freshwater Ecosystems 15: 271–288.

Bass D, Anderson P, De Silva, N(2011) Applying thresholds to identify key biodiversity areas for marine turtles in Melanesia. Animal Conservation 14: 1-11.

Beckley LE, Lombard AT (2012) A systematic evaluation of the incremental protection of broadscale habitats at Ningaloo Reef, Western Australia. Marine & Freshwater Research 63: 17-22.

Brown G, Smith C, Alessa L, Kliskey A (2004) A comparison of perceptions of biological value with scientific assessment of biological importance. Applied Geography 24: 161-180.

Campagna C, Sanderson EW, Coppolillo PB, Falabella V, Piola AR, Strindberg S, Croxall JP(2007) A species approach to marine ecosystem conservation. Aquatic Conservation: Marine & Freshwater Ecosystems 17.

Cecere J, Calabrese L, Rocamora G, Catoni C. (2013) Movement Patterns and Habitat Selection of Wedge-tailed Shearwaters (*Puffinuspacificus*) Breeding at Aride Island, Seychelles. Waterbirds 36: 432-437.

Colloca F,Garofalo G, Bitetto I, Facchini MT, Grati F, Martiradonna A, et al. (2015) The Seascape of Demersal Fish Nursery Areas in the North Mediterranean Sea, a First Step Towards the Implementation of Spatial Planning for Trawl Fisheries. PLoS ONE 10(3): e0119590.

Coppa S, Guala I, De Lucia GA, Massaro G, Bressan M (2010) Density and distribution patterns of the endangered species Pinna nobilis within a Posidonia oceanica meadow in the Gulf of Oristano (Italy). Journal of the Marine Biological Association of the United Kingdom 90, 885-894.

Corkeron, P.J. et al. (2011) Spatial models of sparse data to inform cetacean conservation planning: An example from Oman. Endangered Species Research 15: 39-52.

Crossman ND, Ostendorf B, Bryan BA, Nefiodovas A, Wright A (2005) OSS: A Spatial Decision Support System for Optimal Zoning of Marine Protected Areas. MODSIM05 - International Congress on Modelling and Simulation: Advances and Applications for Management and Decision Making, Proceedings, pp 1525-1531

Crossman ND, Perry LM, Bryan BA, Ostendorf B (2007) CREDOS: a conservation reserve evaluation and design optimisation system. Environmental Modelling & Software 22: 449-463

Dalleau M, Andréfouët S, Wabnitz CCC, Payri C, Wantiez L, Pichon M, Friedman K, Vigliola L, Benzoni F (2010) Conservation Biology 24: 541-552

Davis K, Kragt M, Gelcich S, Schilizzi S, Pannell D (2015) Accounting for enforcement costs in the spatial allocation of marine zones. Conservation Biology 29: 226-237

Delavenne J, Metcalfe K, Smith RJ, Vaz S, Martin CS, Dupuis L, Coppin F, Carpentier A (2011). Systematic conservation planning in the eastern English Channel: comparing the Marxan and Zonation decision-support tools. ICES Journal of Marine Science 69: 75-83

DownieAL, von Numers M, BoströmC (2013). Influence of model selection on the predicted distribution of the seagrass Zostera marina. Estuarine, Coastal and Shelf Science 121: 8-19.

Drumm DJ, Loneragan NR, Ellis N, Skilleter GA (2011) The significance of habitat and exposure to the reef-flat macroinvertebrates of Rarotonga, Cook Islands, for conservation planning. Pacific Conservation Biology 17: 320-337.

Dunn DC,HalpinPN (2009) Rugosity-based regional modeling of hard-bottom habitat. Marine Ecology Progress Series 377: 1-11.

Edgar GJ, Banks S, Bensted-Smith R, Calvopiña M, Chiriboga A, Garske LE, Henderson S, Miller KA, Salazar S. (2008) Conservation of threatened species in the Galapagos Marine Reserve through identification and protection of marine key biodiversity areas. Aquatic Conservation: Marine and Freshwater Ecosystems 18.6: 955.

Edwards HJ, Elliot IA, Pressey RL, Mumby PJ (2010) Incorporating ontogenetic dispersal, ecological processes and conservation zoning into reserve design. Biological Conservation 143: 457-470.

Embling CB, Gillibrand PA, Gordona J, Shrimpton J, Stevick PT, Hammond PS (2010) Using habitat models to identify suitable sites for marine protected areas for harbour porpoises (*Phocoenaphocoena*). Biological Conservation 143: 267-279.

Fisher PR, Boren LJ (2012) New Zealand king shag (*Leucocarbocarunculatus*) foraging distribution and use of mussel farms in Admiralty Bay, Marlborough Sounds. Notornis 59: 105-115.

Foster NL, Foggo A, Howell KL (2013) Using Species-Area Relationships to Inform Baseline Conservation Targets for the Deep North East Atlantic. PLoS ONE 8(3): e58941.

Fraschetti S, D'Ambrosio P, Micheli F, Pizzolante F, Bussotti S, Terlizzi A (2009) Design of marine protected areas in a human dominated seascape. Marine Ecology Progress Series 375:13-24

Fuentes MMPB, Blackwood J, Jones B, Kim M, Leis B, Limpus C J, Visconti, P. (2015). A decision framework for prioritizing multiple management actions for threatened marine megafauna. Ecological Applications 25: 200–214.

Game E, Watts M, Wooldridge SA, Possingham H (2008) Planning for persistence in marine reserves: a question of catastrophic importance. Ecological Applications 18: 670–680.

Geselbracht L, Torres R, Cumming GS, Dorfman D, Beck M, Shaw D (2009) Identification of a spatially efficient portfolio of priority conservation sites in marine and estuarine areas of Florida. Aquatic Conservation: Marine &Freshwater Ecosystems 19: 408–420.

Giakoumi S, Grantham HS, Kokkoris GD, Possingham HP (2011) Designing a network of marine reserves in the Mediterranean Sea with limited socio-economic data. Biological Conservation 144: 753-763.

Giakoumi S, Katsanevakis S, Vassilopoulou V, Panayotidis P, Kavadas S, Issaris Y, Kokkali A, Frantzis A, Panou A, Mavromati G (2012) Could European marine conservation policy benefit from systematic conservation planning? Aquatic Conservation: Marine & Freshwater Ecosystems 22:762-775

Giakoumi S, Sini M, Gerovasileiou V, Mazor T, Beher J, Possingham H,P, Abdulla A, Çinar M,E, Dendrinos P, Gucu C, Karamanlidis A,A, Rodic P, Panayotidis P, Taskin E, Jaklin A, Voultsiadou E,

Webster C, Zenetos A, Katsanevakis S (2013) Ecoregion-based conservation planning in the Mediterranean: dealing with large-scale heterogeneity. PLOS ONE 8:e76449.

Gonzalez-Mirelis, G, Lindegarth M, Sköld M (2014) Using vessel monitoring system data to improve systematic conservation planning of a multiple-use marine protected area, the Kosterhavet National Park (Sweden). Ambio 43(2): 162–74.

Grant SM, Hill SL, Fretweel PT (2013) Spatial distribution of management measures, Antarctic krill catch and southern ocean bioregions: Implications for conservation planning. CCAMLR Science, 20: 1-19.

Grantham HS, Game ET, Lombard AT, Hobday AJ, Richardson AJ, et al. (2011) Accommodating Dynamic Oceanographic Processes and Pelagic Biodiversity in Marine Conservation Planning. PLoS ONE 6(2): e16552.

Grech A, Sheppard J, Marsh H (2011) Informing Species Conservation at Multiple Scales Using Data Collected for Marine Mammal Stock Assessments. PLoS ONE 6(3): e17993.

Green A, Smith, SE, Lipsett-Moore G, Groves C, Peterson N, et al. (2009) Designing a resilient network of marine protected areas for Kimbe Bay, Papua New Guinea. Oryx 43: 488-498.

Greenlaw ME, Roff JC, Redden AM, Allard KA (2011) Coastal zone planning: a geophysical classification of inlets to define ecological representation. Aquatic Conservation: Marine & Freshwater Ecosystems 5: 448-461.

Hamel MA, Andréfouët S, Pressey RL (2013). Compromises between international habitat conservation guidelines and small-scale fisheries in Pacific island countries. Conservation Letters, 6: 46–57.

Hansen GJA, Ban NC, Jones ML, Kaufman L, Panes HM, Yasué M, Vincent ACJ (2011) Hindsight in marine protected area selection: a comparison of ecological representation arising from opportunistic and systematic approaches. Biological Conservation 144: 1866-1875.

Jung CA, Swearer SE (2011) Identification of discrete and ecologically relevant types of ichthyohabitat at two spatial scales for process-based marine planning. Aquatic Biology 12: 187–196.

Kaplan K, Montero-Serra I, Vaca-Pita EL, Sullivan PJ, Suárez E, Vinueza L (2014) Applying complementary species vulnerability assessments to improve conservation strategies in the Galapagos Marine Reserve. Biodiversity & Conservation 23: 1509-1528.

Klein CJ, Chan A, Kircher L, Cundiff AJ, Gardner N, Hrovat Y, Scholz A, Kendall BE, Airamé S (2008) Striking a balance between biodiversity conservation and socioeconomic viability in the design of marine protected areas. Conservation Biology 22: 691-700.

Klein CJ, Steinback C, Watts M, Scholz AJ, Possingham HP (2010) Spatial marine zoning for fisheries and conservation. Frontiers in Ecology and the Environment 8: 349-353.

Klein CJ, Tulloch VJ, Halpern BS, Selkoe KA, Watts ME, Steinback C, Scholz A, Possingham H (2013) Trade-offs in marine reserve design: habitat condition, representation, and socioeconomic costs. Conservation Letters 6:324-332.

Knudby A, Jupiter S, Roelfsema C, Lyons M, Phinn S (2013) Mapping Coral Reef Resilience Indicators Using Field and Remotely Sensed Data. Remote Sensing 5: 1311-1334.

Lauer M, Aswani S (2008) Integrating indigenous ecological knowledge and multi-spectral image classification for marine habitat mapping in Oceania. Ocean & Coastal Management 51: 495-504.

Leslie H, Ruckelshaus M, Ball IR, Andelman S, Possingham HP (2003) Using siting algorithms in the design of marine reserve networks. Ecological Applications 13: S185–S198.

Levin N, Tulloch A, Gordon A, Mazor T, Bunnefeld T, Kark S (2013) Incorporating socio-economic and political drivers of international collaboration into marine conservation planning. BioScience 63:547–563

Levy J, Ban N (2013) A method for incorporating climate change modelling into marine conservation planning: An Indo-west Pacific example. Marine Policy 38: 16-24.

Lombard AT, Reyers B, Schonegevel LY, Cooper J, Smith-Adao LB, Nel DC, Froneman PW, Ansorge IJ, Bester MN, Tosh CA, Strauss T, Akkers T, Gon O, Leslie RW, Chown SL (2007) Conserving pattern and process in the Southern Ocean: designing a Marine Protected Area for the Prince Edward Islands. Antartic Science 19: 39-54.

Maiorano L, Bartolino V, Colloca F, Abella A, Belluscio A, et al. (2009) Systematic conservation planning in the Mediterranean: a flexible tool for the identification of no-take marine protected areas. ICES Journal of Marine Science 66: 137–146.

Makino A, Beger M, Klein CJ, Jupiter SD, Possingham HP (2013) Integrated planning for land–sea ecosystem connectivity to protect coral reefs. Biological Conservation 165: 35-42.

Makino A, Yamano H, Beger M, Klein CJ, Yara Y, Possingham HP (2014) Spatio-temporal marine conservation planning to support high-latitude coral range expansion under climate change. Diversity & Distributions 20: 859-871.

Malcolm H, Jordan A, Smith S (2010) Biogeographical and cross-shelf patterns of reef fish assemblages in a transition zone. Marine Biodiversity 40: 181-193.

Malcolm HA, Foulsham E, Pressey RL, Jordan A, Davies PL, Ingleton T, Johnstone N, Hessey S, Smith SDA (2012) Selecting zones in a marine park: Early systematic planning improves cost-efficiency; combining habitat and biotic data improves effectiveness. Ocean & Coastal Management 59: 1-12.

Mallory M, Fontaine A (2004) Key marine habitat sites for migratory birds in Nunavut and the Northwest Territories. Occasional paper of the Canadian Wildlife Service 109: 3-85.

Mazor T, Possingham HP, Kark S (2013) Collaboration among countries in marine conservation can achieve substantial efficiencies. Diversity & Distributions 19:1380-1393

Mazor T, Giakoumi S, Kark S, Possingham HP (2014) Large-scale conservation planning in a multinational marine environment: cost matters. Ecological Applications 24: 1115-1130

Mazor T, Possingham HP, Edelist D, Brokovich E, Kark S (2014) The Crowded Sea: Incorporating Multiple Marine Activities in Conservation Plans Can Significantly Alter Spatial Priorities. PLoS ONE 9(8): e104489.

McClellan CM, Brereton T, Dell'Amico F, Johns DG, Cucknell AC, Patrick SC, Penrose R, Ridoux V, Solandt JL, Stephan E, Votier SC, Williams R, Godley BJ (2014) Understanding the distribution of marine megafauna in the English channel region: identifying key habitats for conservation within the busiest seaway on earth. PLoS ONE 9: e89720.

McGowan J, Hines E, Elliott M, Howar J, Dransfield A, Nur N, Jahncke J (2013) Using seabird habitat modeling to inform marine spatial planning in central California's National Marine Sanctuaries. PLoS ONE 8: e71406.

McInerney CE, Louise AA, Johnson MP, Prodöhl PA (2012) Ecological coherence in marine reserve network design: An empirical evaluation of sequential site selection using genetic structure. Biological Conservation 152: 262-270.

Mellin C, Parrott L, Andréfouët S, Bradshaw CJA, MacNeil MA, Caley MJ (2012) Multi-scale marine biodiversity patterns inferred efficiently from habitat image processing. Ecological Applications 22: 792-803.

Metcalfe K, Vaz S, Engelhard GH, Villanueva MC, Smith RJ, Mackinson S (2015) Evaluating conservation and fisheries management strategies by linking spatial prioritization software and ecosystem and fisheries modelling tools. Journal of Applied Ecology 52: 665–674.

Mills M, Adams VM, Pressey RL, Ban NC, Jupiter SD (2012) Where do national and local conservation actions meet? Simulating the expansion of ad hoc and systematic approaches to conservation into the future in Fiji. Conservation Letters 5:387-398.

Moura RL, Secchin NA, Amado-Filho GM, Francini-Filho RB, Freitas MO, Minte-Vera CV, Bastos AC (2013) Spatial patterns of benthic megahabitats and conservation planning in the Abrolhos Bank. Continental Shelf Research 70: 109-117.

NeelyA, Zajac R (2008) Applying marine protected area design models in large estuarine systems. Marine Ecology Progress Series 373: 11-23.

Parravicini V, Rovere A, Vassallo P, Micheli F, Montefalcone M, Morri C, Bianchi CN (2012) Understanding relationships between conflicting human uses and coastal ecosystems status: A geospatial modeling approach. Ecological Indicators 19: 253-263.

Peckett FJ, Glegg GA, Rodwell LD (2014) Assessing the quality of data required to identify effective marine protected areas. Marine Policy 45: 333-341.

Ramos R, Granadeiro JP, Rodríguez, B., Navarro, J., Paiva, V. H., Bécares, J., Catry, P. (2013). Metapopulation feeding grounds of Cory's shearwater in the subtropical Atlantic Ocean: implications for the definition of Marine Protected Areas based on tracking studies. Diversity & Distributions, 19(10): 1284-1298.

Raymond B, Lea MA, Patterson T, Andrews-Goff V, Sharples R, Charrassin J-B., Hindell MA (2015) Important marine habitat off east Antarctica revealed by two decades of multi-species predator tracking. Ecography 38: 121-129.

Rengstorf AM, Yesson C, Brown C, GrehanAJ (2013) High-resolution habitat suitability modelling can improve conservation of vulnerable marine ecosystems in the deep sea. Journal of Biogeography 40(9): 1702-1714.

Ruiz-Frau A, Possingham HP, Edwards-Jones G, Klein CJ, Segan D, Kaiser MJ (2015) A multidisciplinary approach in the design of marine protected areas: Integration of science and stakeholder based methods. Ocean & Coastal Management 103: 86-93.

Ruiz-Frau A, Kaiser MJ, Edwards-Jones G, Klein CJ, Segan D, Possingham HP (2015) Balancing extractive and non-extractive uses in marine conservation plans. Marine Policy 52: 11-18.

Sala E, Aburto-Oropeza O, Paredes G, Parra I, Barrera JC, Dayton PK (2002) A general model for designing networks of marine reserves. Science 298: 1991-1993

Schlacher TA, Williams A, Althaus F, Schlacher-Hoenlinger MA (2010) High-resolution seabed imagery as a tool for biodiversity conservation planning on continental margins. Marine Ecology 31(1): 200-221.

Schmiing M, Afonso P, Tempera F, Santos R (2013) Predictive habitat modelling of reef fishes with contrasting trophic ecologies. Marine Ecology Progress Series 474: 201-216.

Schmiing M, Diogo H, Serrao Santos R, Afonso P (2014). Marine conservation of multispecies and multi-use areas with various conservation objectives and targets. ICES Journal of Marine Science 72(3): 851-862.

Schofield G, Scott R, Dimadi A, Fossette S, Katselidis KA, Koutsoubas D, Hays GC (2013). Evidence-based marine protected area planning for a highly mobile endangered marine vertebrate. Biological Conservation 161: 101–109.

Shackell NL, Frank KT (2003) Marine fish diversity on the Scotian Shelf, Canada. Aquatic Conservation: Marine and Freshwater Ecosystems 13(4): 305-321.

Shokri MR, Gladstone W (2009) Higher taxa are effective surrogates for species in the selection of conservation reserves in estuaries. Aquatic Conservation: Marine and Freshwater Ecosystems 19(6): 626-636.

Shokri MR, Gladstone W, Jelbart J (2009)The effectiveness of seahorses and pipefish (Pisces: *Syngnathidae*) as a flagship group to evaluate the conservation value of estuarine seagrass beds. Aquatic Conservation: Marine and Freshwater Ecosystems 19(5): 588-595.

Skov H, DurinckJ, Leopold MF, Tasker ML (2007) A quantitative method for evaluating the importance of marine areas for conservation of birds. Biological Conservation 136(3): 362-371.

Smith MA, Walker NJ, Free CM, Kirchhoff MJ, Drew GS, Warnock N, Stenhouse IJ (2014). Identifying marine Important Bird Areas using at-sea survey data. Biological Conservation 172: 180-189.

Stewart RR., Possingham HP (2005). Efficiency, costs and trade-offs in marine reserve system design. Environmental Modeling& Assessment 10(3): 203-213.

Tallis H, Ferdana Z, Gray E (2008) Linking terrestrial and marine conservation planning threats analysis. Conservation Biology 22: 120-130.

Teh LCL, Teh LSL, Jumin R (2013) Combining human preference and biodiversity priorities for marine protected area site selection in Sabah, Malaysia. Biological Conservation 167: 396-404.

Tognelli MF, Fernández M, Marquet PA (2009). Assessing the performance of the existing and proposed network of marine protected areas to conserve marine biodiversity in Chile. Biological Conservation 142(12): 3147-3153.

Tulloch VJ, Possingham HP, Jupiter SD, Roelfsema C, Tulloch AIT, Klein CJ (2013) Incorporating uncertainty associated with habitat data in marine reserve design. Biological Conservation 162: 41-51

Van Wynsberge S, Andréfouët S, Hamel MA, Kulbicki M (2012). Habitats as Surrogates of Taxonomic and Functional Fish Assemblages in Coral Reef Ecosystems: A Critical Analysis of Factors Driving Effectiveness. PLoS ONE 7: e40997

Vila AR, Falabella V, Gálvez M, FaríasA,Droguett D, Saavedra B (2015) Identifying high-value areas to strengthen marine conservation in the channels and fjords of the southern Chile ecoregion. Oryx: 1-9

Vilar CC, Joyeux J-C, Loyola R, Spach HL (2015) Setting priorities for the conservation of marine vertebrates in Brazilian waters. Ocean & Coastal Management 107: 28-36

Villanueva M. C., Vaz S, Ernande B, Gardel L, Coppin F, Carpentier A, Martin C., Eastwood P, Ota Y, Harrop S (2011) The CHARM Project: Defying the Channel's loss by improving communication on ecosystem knowledge across borders. Mer 49: 83-92

Wedding LM, Friedlander AM, Kittinger JN, Watling L, Gaines SD, Bennett M, Hardy SM, Smith CR (2013) From principles to practice: a spatial approach to systematic conservation planning in the deep sea. Proceedings. Biological sciences / The Royal Society 280: 20131684

Weeks R, Russ GR, Bucol AA, Alcala AC (2010) Shortcuts for marine conservation planning: The effectiveness of socioeconomic data surrogates. Biological Conservation 42: 183-205

Weeks R, Aliño PM, Atkinson S, Beldia P, Binson A, Campos WL, Djohani R, Green AL, Hamilton R, Horigue V, Jumin R, Kalim K, Kasasiah A, Kereseka J, Klein C, Laroya L, Magupin S, Masike B, Mohan C, Da Silva Pinto RM, Vave-Karamui A, Villanoy C, Welly M, White AT (2014) Developing Marine Protected Area Networks in the Coral Triangle: Good Practices for Expanding the Coral Triangle Marine Protected Area System. Coastal Management 143: 1236-1244

Williams R, Grand J, Hooker SK, Buckland ST, Reeves RR, Rojas-Bracho L, Sandilands D, Kaschner K (2014) Prioritizing global marine mammal habitats using density maps in place of range maps. Ecography 37: 212-220

Wilson RR, Horne JS, Rode KD, Regehr EV, DurnerGM (2014) Identifying polar bear resource selection patterns to inform offshore development in a dynamic and changing Arctic. Ecosphere 5(10): 1-23.

Winiarski KJ, Miller DL, Paton PWC, McWilliams S(2014). A spatial conservation prioritization approach for protecting marine birds given proposed offshore wind energy development. Biological Conservation 169:79-88.

Wood LJ,DragicevicS (2007) GIS-Based Multicriteria Evaluation and Fuzzy Sets to Identify Priority Sites for Marine Protection. Biodiveristy& Conservation 16(9):539-2568.

Woodhouse S, Lovett A, Dolman P, Fuller R(2000). Using a GIS to select priority areas for conservation. Computers, Environment and Urban Systems 24: 79-93.

Yates KL, SchoemanDS (2015) Incorporating the spatial access priorities of fishers into strategic conservation planning and marine protected area design: reducing cost and increasing transparency. ICES Journal of Marine Science 72(2): 587–594.

Yates KL, Schoeman DS, Klein CJ(2015). Ocean zoning for conservation, fisheries and marine renewable energy: Assessing trade-offs and co-location opportunities. Journal of Environmental Management 152: 201-209.