

Supplementary Material 2

References consulted for the North Atlantic and Mediterranean Sea, including scientific publications, reports, online databases, posters and personal communications,

- Abecasis, D.; Cardigos, F.; Almada, F.; Goncalves, J.M.S.: New records on the ichthyofauna of the Gorringe seamount (Northeastern Atlantic). *Marine Biology Research*, 5, 605-611, 2009.
- Acosta, J.; Ancochea, E.; Canals, M.; Huertas, M.J.; Uchupi, E.: Early Pleistocene volcanism in the Emile Baudot Seamount, Balearic Promontory (western Mediterranean Sea). *Marine Geology*, 207, 247-257, 2004.
- Acosta, J.; Canals, M.; López-Martínez, J.; Munoz, A.; Herranz, P.; Urgeles, R.; Palomo, C.; Casamor, J.L.: The Balearic Promontory geomorphology (western Mediterranean): morphostructure and active processes. *Geomorphology*, 49, 177-204, 2003.
- Aguilar, R.: *The Seamounts of the Gorringe Bank*. OCEANA, Madrid, Spain, 2005.
- Aguilar, R.; Torriente, A.; García, S.: *Propuesta de Áreas Marinas de Importancia Ecológica. Atlántico sur y Mediterráneo español*. OCEANA, Madrid, Spain, 2008.
- Alteriis, G.D.; Passaro, S.; Tonielli, R.: New, high resolution swath bathymetry of Gettysburg and Ormonde Seamounts (Gorringe Bank, eastern Atlantic) and first geological results. *Marine Geophysical Researches*, 24, 223-244, 2005.
- Arístegui, J.; Mendonça, A.; Vilas, J.C.; Espino, M.; Polo, I.; Montero, M.F.; Martins, A.: Plankton metabolic balance at two North Atlantic seamounts. *Deep Sea Research Part II: Topical Studies in Oceanography*, 56, 2646-2655, 2009.
- Arkhipov, A.G.; Sirota, A.A.; Kozlov, D.A.; Shnar, V.N.: Observations on hydrographic structures, ichthyoplankton and fish populations around seamounts of the central-eastern Atlantic. *Archive Of Fishery And Marine Research*, 51, 201-214, 2004.
- Avila, S.P.; Cardigos, F.; Santos, R.S.: Comparison of the community structure of the marine molluscs of the “Banco D. João de Castro” seamount (Azores, Portugal) with that of typical inshore habitats on the Azores archipelago. *Helgoland Marine Research*, 61, 43-53, 2006.

Ávila, S.P.; Cardigos, F.; Santos, R.S.; Vila, Á.; Ardigos, F.C.; João, R.S.S.A.D.; Bank, D.C.: Short communication D. João de Castro bank, a shallow water hydrothermal-vent in the Azores : Checklist of the marine molluscs. Arquipélago. Life and Marine Sciences, 21A, 75-80, 2005.

Avila, S.P.; Malaquias, M.A.E.: Biogeographical Relationships of the Molluscan Fauna of the Ormonde Seamount (Gorringe Bank, Northeast Atlantic Ocean). Journal Molluscan Studies, 69, 145-150, 2003.

Bartsch, I.: Halacaridae (Acari) von der Josephinebank und der Großen Meteorbank aus dem östlichen Nordatlantik. I. Die Halacaridae aus den Schleppnetzproben. Meteor Forschungsergebnisse, D, 13, 51-78, 1973, cited in George, K.H.; Schminke, H.K.: Harpacticoida (crustacea, copepoda) of the Great Meteor seamount, with first conclusions as to the origin of the plateau fauna. Marine Biology, 141, 887-895, 2002.

Bartsch, I.: Notes on ophiuroids from the Great Meteor Seamount (Northeastern Atlantic). Spixania, 31, 233-239, 2008.

Bashmachnikov, I.; Mohn, C.; Pelegrí, J.L.; Martins, A.; Jose, F.; Machín, F.; White, M.: Interaction of Mediterranean water eddies with Sedlo and Seine Seamounts, Subtropical Northeast Atlantic. Deep Sea Research Part II: Topical Studies in Oceanography, 56, 2593-2605, 2009.

Beck, T.; Metzger, T.; Freiwald, A.: Biodiversity Inventorial Atlas of macrobenthic seamount animals. University of Hamburg, Germany, 2006.

Beckmann, A.; and Mohn, C.: The upper ocean circulation at Great Meteor Seamount. Part II: Retention potential of the seamount-induced circulation. Ocean Dynamics 52: 194-204, 2002.

Ben-Avraham, Z.; Harrison, C.G.A.; Klein, E.; Shoham, Y.: Seamount magnetism in the Ionian Sea, eastern Mediterranean. Marine Geophysical Researches, 5, 389-404, 1983.

Bergstad, O.A.; Gjelsvik, G.; Schander, C.; Høines, A.S.: Feeding ecology of Coryphaenoides rupestris from the Mid-Atlantic ridge. PloS one, 5, e10453, 2010.

Bergstad, O.A.; Menezes, G.; Høines, Å.S.: Demersal fish on a mid-ocean ridge: Distribution patterns and structuring factors. Deep Sea Research Part II: Topical Studies in Oceanography, 55, 185-202, 2008.

Bett, B.J.; Watson, S.A.; Gooday, A.J.; Billett, D.S.M.: Ecology of seamount megabenthos: Seine and Sedlo Seamounts (NE Atlantic). Data report for the National Oceanography Centre, DEEPSEAS Group. Southampton, UK, 2004.

Blum, N.: Geochemistry and mineralogy of alkali basalts from Tropic Seamount, Central Atlantic Ocean. *Marine Geology*, 136, 1-19, 1996.

Bo, M.; Bertolino, M.; Bavestrello, G.; Canese, S.; Giusti, M.; Angiolillo, M.; Pansini, M.; Taviani, M.: Role of deep sponge grounds in the Mediterranean Sea: a case study in southern Italy. *Hydrobiologia* 687: 163-177, 2012.

Bo, M.; Bertolino, M.; Borghini, M.; Castellano, M.; Covazzi Harriague, A.; Di Camillo, C.G.; Gasparini, G.; Misic, C.; Povero, P.; Pusceddu, A.; Schroeder, K.; Bavestrello, G.: Characteristics of the Mesophotic Megabenthic Assemblages of the Vercelli Seamount (North Tyrrhenian Sea) (S Bograd, Ed.). *PLoS ONE*, 6, e16357, 2011.

Bongiorni, L.: Microbial biodiversity and functional role in benthic food webs of the Condor seamount, in CONDOR Observatory for long-term study and monitoring of Azorean seamount ecosystems, Final Project Report. Arquivos do DOP, Série Estudos 1/2012, Horta, Portugal, pp.: 92-99, 2011.

Braga-Henriques, A.; Pereira, J.N.; Tempera, F.; Porteiro, F.M.; Pham, C.; Morato, T.; Santos, R.S.: Preliminary analysis of the distribution and structure of the cold-water coral communities on Condor Seamount. Poster presented at the HERMIONE 1st Annual Meeting 11 – 15 April 2011, Estepona, Malaga, Spain, 2011.

Brenke, N.: The benthic community of the Great Meteor Bank. ICES ASC CM:2002/M:30, 1-5 October 2002, Copenhagen, Denmark., 2002.

Buchanan, J.Y.: On oceanic shoals discovered in the S.S. "Dacia" in October, 1883. *Proceedings of the Royal Society of Edinburgh*, 13, 428-443, 1886.

Cardigos, F.; Colaço, A.; Dando, P.; Avila, S.; Sarradin, P.; Tempera, F.; Conceição, P.; Pascoal, A.; Santos, S. R.: Shallow water hydrothermal vent field fluids and communities of the D. João de Castro Seamount (Azores). *Chemical Geology*, 224, 153-168, 2005.

Carpine-Lancre, J.; and Saldanha, L. V. C.: Dom Carlos I, Roi de Portugal, Albert Ier, Prince de Monaco: Souverains Océanographes. Fundação Calouste Gulbenkian, Lisboa, 1992.

Cartes, J.; Huguet, C.; Parra, S.; Sanchez, F.: Trophic relationships in deep-water decapods of Le Danois bank (Cantabrian Sea, NE Atlantic): Trends related with depth and seasonal changes in food quality and availability. Deep Sea Research Part I: Oceanographic Research Papers, 54, 1091-1110, 2007.

Cartes, J.; Serrano, a, Velasco, F.; Parra, S.; Sanchez, F.: Community structure and dynamics of deep-water decapod assemblages from Le Danois Bank (Cantabrian Sea, NE Atlantic): Influence of environmental variables and food availability. Progress In Oceanography, 75, 797-816, 2007.

Cecere, E.; Perrone, C.: First Contribution to the Knowledge of Macrofauna of the Amendolara Sea-Mount (Ionian Sea). Oebalia, 14, 43-67, 1988.

Cherkis, N.Z.; Steinmetz, S.; Schreiber, R.; Thiede, J.; Theiner, J.: Vesteris Seamount: An enigma in the Greenland Basin. Marine Geophysical Researches, 16, 287-301, 1994.

Christiansen, B.; and Wolff, G.: The oceanography, biogeochemistry and ecology of two NE Atlantic seamounts: The OASIS project. Deep-Sea Research Part II. 56: 2579-2581, 2009.

Christiansen, B.; Bashmachnikov, I.; José, F.: The Bathymetry of Sedlo and Seine Seamounts. OASIS report, 2nd edition. Hamburg, Germany, 2002.

Christiansen, B.; Martin, B.; Hirch, S.: The benthopelagic fish fauna on the summit of Seine Seamount, NE Atlantic: Composition, population structure and diets. Deep Sea Research Part II: Topical Studies in Oceanography, 56, 2705-2712, 2009.

Christiansen, S.: Implementation of the EU Habitats Directive Offshore : Natura 2000 sites for reefs and submerged sandbanks. Vol.IV: The Reefs Inventory. WWF, Surrey, UK, 2001.

Coelho, H.; Santos, R.: Enhanced primary production over seamounts: A numerical study. 4th Synposium on the Iberian Atlantic Margin. Thalassas: Vigo, Spain, 2003.

Colaço, A.; Giacomello, E.; Lambardi, P.; Martins, A.; Porteiro, F.M.; Silva, M.; Sousa, A.F.; Tempera, F.; and Menezes, G.: Trophodynamic studies of the Condor seamount, in CONDOR Observatory for long-term study and monitoring of Azorean seamount ecosystems, Final Project Report. Arquivos do DOP, Série Estudos 1/2012, Horta, Portugal, pp.: 191-200, 2011.

Colaço, A.; Raghukumar, C.; Mohandass, C.; Cardigos, F.; Santos, R.S.: Effect of shallow-water venting in Azores on a few marine biota. Cahiers de biologie marine, 47, 359-364, 2006.

Craig, J.; Jamieson, A.J.; Hutson, R.; Zuur, A.F.; Priede, I.G.: Factors influencing the abundance of deep pelagic bioluminescent zooplankton in the Mediterranean Sea. Deep Sea Research Part I: Oceanographic Research Papers, 57, 1474-1484, 2010.

D'Oriano, F.; Angeletti, L.; Capotondi, L.; Laurenzi, M. a, López Correa, M.; Taviani, M.; Torelli, L.; Trua, T.; Vigliotti, L.; Zitellini, N.: Coral Patch and Ormonde seamounts as a product of the Madeira hotspot, Eastern Atlantic Ocean. Terra Nova, 22, 494-500, 2010.

Dekov, V.; Kamenov, G.; Stummeyer, J.; Thiry, M.; Savelli, C.; Shanks, W.; Fortin, D.; Kuzmann, E.; Vertes, a.: Hydrothermal nontronite formation at Eolo Seamount (Aeolian volcanic arc, Tyrrhenian Sea). Chemical Geology, 245, 103-119, 2007.

Denda, A.; Christiansen, B.: Zooplankton at a seamount in the eastern Mediterranean: distribution and trophic interactions. Journal of the Marine Biological Association of the United Kingdom, 91, 33-49, 2010.

Devey, C.W.; Haase, K.M.: The Petrology and Geochemistry of Vesteris Seamount , Greenland Basin — an Intraplate Alkaline Volcano of Non-Plume Origin. Journal of Petrology, 35, 295-328, 1994.

Diekmann, R.; Piatkowski, U.: Species composition and distribution patterns of early life stages of cephalopods at Great Meteor Seamount (subtropical NE Atlantic). Archive Of Fishery And Marine Research, 51, 115-131, 2004.

Dijkstra, H.; Gofas, S.: Pectinoidea (Bivalvia: Propeamussiidae and Pectinidae) from some northeastern Atlantic seamounts. Sarsia: North Atlantic Marine Science, 89, 33-78, 2004.

Duineveld, G.C.A.; Lavaleye, M.S.S.; Berghuis, E.M.: (2004) Particle flux and food supply to a seamount cold-water coral community (Galicia Bank, NW Spain). Marine Ecology Progress Series, 277, 13-23, 2010.

Eckhardt, J.-D.; Glasby, G.P.; Puchelt, H.; Berner, Z.: Hydrothermal manganese crusts from Enarete and Palinuro seamounts in the Tyrrhenian Sea. Marine Georesources; Geotechnology, 15, 175-208, 1997.

Ehrich, S.: Die Fischfauna der Großen Meteorbank. Meteor Forschergeb Reihe D Biol, 25, 1–23, 1977, cited in Fock, H.; Uiblein, F.; Köster, F.; Westernhagen, H.V.: Biodiversity and species-environment relationships of the demersal fish assemblage at the Great Meteor Seamount (subtropical NE Atlantic), sampled by different trawls. Marine Biology, 141, 185-199, 2002.

Ettoumi, B.; Bouhajja, E.; Borin, S.; Daffonchio, D.; Boudabous, A.; and Cherif, A.: Gammaproteobacteria occurrence and microdiversity in Tyrrhenian Sea sediments as revealed by cultivation-dependent and -independent approaches. Systematic; Applied Microbiology 33: 222-231, 2010.

Faggion, O.; Pinna, E.; Savelli, C.; Schreider, A.A.: Geomagnetism and age study of Tyrrhenian seamounts. Geophysical Journal International, 96, 4413-930, 1995.

FishBase: Shcherbachev Yu, N.; Kukuev, E.I.; Shlibanov, V.I.: Composition of the benthic and demersal ichthyocenoses of the submarine mountains in the southern part of the North Atlantic Range. Journal of Ichthyology, 25, 110-125, 1985.

Flach, E.; Muthumbi, A.; Heip, C.: Meiofauna and macrofauna community structure in relation to sediment composition at the Iberian margin compared to the Goban Spur (NE Atlantic). Progress In Oceanography, 52, 433-457, 2002.

Fock, H.; Uiblein, F.; Köster, F.; Westernhagen, H.V.: Biodiversity and species-environment relationships of the demersal fish assemblage at the Great Meteor Seamount (subtropical NE Atlantic), sampled by different trawls. Marine Biology, 141, 185-199, 2002.

Fock, H.O.; Matthiessen, B.; Zidowitz, H.; Westernhagen, H.: Diel and habitat-dependent resource utilisation by deep-sea fishes at the Great Meteor seamount : niche overlap and support for the sound scattering layer interception hypothesis. Marine Ecology Progress Series, 244, 219-233, 2002.

Gage, J. D.: Deep-sea benthic community and environmental impact assessment at the Atlantic Frontier. Continental Shelf Research, 21: 957-986, 2001.

Galil, B.; Zibrowius, H.: First Benthos Samples from Eratosthenes Seamount , Eastern Mediterranean Comments on the Fauna Foraminiferans. Sencembergiana maritima, 28, 111-121, 1998.

- Gamberi, F.; Marani, M.; Landuzzi, V.; Magagnoli, A.; Penitenti, D.; Rosi, M.; Bertagnini, A.; Roberto, A.D.: Sedimentologic and volcanologic investigation of the deep Tyrrhenian Sea : preliminary results of cruise VST02. *Annals of Geophysics*, 49, 2006.
- Gaspard, D.: Brachiopodes actuels récoltés lors de la campagne Seamount 1 au large du Portugal et du golfe hispano-marocain (Atlantique N-E) en 1987. *Geobios*, 36, 285-304, 2003.
- Gaspard, D.: Recent Brachiopods Collected During the "Seamountt 1" Cruise off Portugal and the Ibero-Moroccan Gulf (Northeastern Atlantic) in 1987. *Geobios*, 36, 285-304, 2003 (consulted from SeamoundsOnline).
- Geldmacher, J.; Hoernle, K.; Bogaard, P. V. D.; Duggen, S.; Werner, R.: New $^{40}\text{Ar}/^{39}\text{Ar}$ age and geochemical data from seamounts in the Canary and Madeira volcanic provinces: Support for the mantle plume hypothesis. *Earth and Planetary Science Letters*, 237, 85-101, 2005.
- Geldmacher, J.; Hoernle, K.; Bogaard, P. van den, Zankl, G.; Garbe-Schönberg, D.: Earlier history of the ≥ 70 -Ma-old Canary hotspot based on the temporal and geochemical evolution of the Selvagen Archipelago and neighboring seamounts in the eastern North Atlantic. *Journal of Volcanology and Geothermal Research*, 111, 55-87, 2001.
- George, K.H.; Schminke, H.K.: Harpacticoida (crustacea, copepoda) of the Great Meteor seamount, with first conclusions as to the origin of the plateau fauna. *Marine Biology*, 141, 887-895, 2002.
- Gherardi, M.; Lepore, E.; Sciscioli, M.: Polychaeta of the Macrofauna of the Amendolara Sea-Mount (Ionian Sea): Spatial and Seasonal Variations. *Oebalia*, 14, 5-19, 1988 (consulted from SeamoundsOnline).
- Giacomello, E.; and Menezes, G.: (Eds.) CONDOR Observatory for long-term study and monitoring of Azorean seamount ecosystems, Final Project Report. Arquivos do DOP, Série Estudos 1/2012, Horta, Portugal, 2011.
- Gillet, P.; Dauvin, J.: Polychaetes from the Atlantic seamounts of the southern Azores: biogeographical distribution and reproductive patterns. *Journal of the Marine Biological Association of the UK*, 80, 1019-1029, 2000.

Gillet, P.; Dauvin, J.: Polychaetes from the Irving , Meteor and Plato Seamounts, North Atlantic Ocean : origin and geographical relationships. Journal of the Marine Biological Association of the United Kingdom, 82, 1-5, 2002.

Gofas, S.: Rissoidae (Mollusca: Gastropoda) from northeast Atlantic seamounts. Journal of Natural History, 41, 779-885, 2007.

Gonçalves, J.M.S.; Bispo, J.; Silva, J.A.: Underwater survey of ichthyofauna of eastern Atlantic seamounts : Gettysburg and Ormond (Gorringe Bank). Archive Of Fishery And Marine Research, 51, 233-240, 2004.

Grasshoff, M.: Die Gorgonia und Antipatharia der Grossen Meteor Bank und der Josephine Bank. Senckenbergiana Maritima, 17, 65-87, 1985, cited in Christiansen, S.: Implementation of the EU Habitats Directive Offshore : Natura 2000 sites for reefs and submerged sandbanks. Vol.IV: The Reefs Inventory. WWF, Surrey, UK, 2001.

Grasshoff, M.: Infraspezifische Variabilität und isolierte Populationen der Hornkoralle *Ellisella flagellum* (Cnidaria: Anthozoa: Gorgonaria) Auswertung der “Atlantischen Kuppenfahrten 1967” von F.S. “Meteor.” Meteor Forschungsergebnisse, D10, 65-72, 1972, cited in Christiansen, S.: Implementation of the EU Habitats Directive Offshore : Natura 2000 sites for reefs and submerged sandbanks. Vol.IV: The Reefs Inventory. WWF, Surrey, UK, 2001.

Gubbay, S.: Seamounts of the North-East Atlantic. WWF Germany and Oasis, Frankfurt am Main, Germany, 2003.

Hall-Spencer, J.; Rogers, A.; Davies, J.; Foggo, A.: Deep-sea coral distribution on seamounts, oceanic islands, and continental slopes in the Northeast Atlantic. Conservation and adaptive management of seamount and deep-sea coral ecosystems.: (eds R.Y. George; S.D. Cairns), pp. 135-146. Rosenstiel School of Marine and Atmospheric Science, University of Miami, 2007.

Hanel, R.; John, H.-C.; Meyer-Klaeden, O.; Piatkowski, U.: Larval fish abundance, composition and distribution at Senghor Seamount (Cape Verde Islands). Journal of Plankton Research, 32, 1541-1556, 2010.

Hartmann-Schroeder, G.: The Polychaetes of the Atlantic Seamount Cruise of R.V. Meteor (Cruise 9c, 1967). 1. Samples Taken by Trawls and Dredges. [Die Polychaeten Der Atlantischen Kuppenfahrt Von F.S. Meteor (Fahrt 9c, 1967). 1. Proben Aus

Schleppgeraeten.]. Meteor Forschungsergebnisse, D31, 63-90, 1979 (consulted from SeamoundsOnline).

Hebbeln, D.: Short Cruise Report Expedition 64PE284 with RV Pelagia, 2008. Available at: <http://www.ifm.zmaw.de> (accessed on 21 March 2011).

Heger, A.; Ieno, E.N.; King, N.J.; Morris, K.J.; Bagley, P.M.; Priede, I.G.: Deep-sea pelagic bioluminescence over the Mid-Atlantic Ridge. Deep Sea Research Part II: Topical Studies in Oceanography, 55, 126-136, 2008.

Heinz, P.; Ruepp, D.; Hemleben, C.: Benthic foraminifera assemblages at Great Meteor Seamount. Marine Biology, 144, 985-998, 2004.

Hempel, P.; Schreiber, R.; Johnson, L.; Thiede, J.: The Vesterisbanken Seamount (Greenland Basin): Patterns of morphology and sediment distribution. Marine Geology, 96, 175-185, 1991.

Henrich, R.; Freiwald, A.; Betzler, C.; Bader, B.; Schäfer, P.; Samtleben, C.; Brachert, T. C.; Wehrmann, A.; Zankl, H.; Kühlmann, D.H.H.: Controls on modern carbonate sedimentation on warm-temperate to arctic coasts, shelves and seamounts in the Northern Hemisphere: Implications for fossil counterparts. Facies, 32, 71-108, 1995.

Hesthagen, I. H.: On the near-bottom plankton and benthic invertebrate fauna of the Josephine Seamount and the Great Meteor Seamount. Meteor Forschungsergebnisse D8: 61-70, 1970 (consulted from SeamoundsOnline).

Hirch, S.; Martin, B.; Christiansen, B.: Zooplankton metabolism and carbon demand at two seamounts in the NE Atlantic. Deep Sea Research Part II: Topical Studies in Oceanography, 56, 2656-2670, 2009.

Hoarau, G.; Borsa, P.: Extensive gene flow within sibling species in the deep-sea fish *Beryx splendens*. Comptes rendus de l'Académie des sciences. Série III, Sciences de la vie, 323, 315-25, 2000.

Howe, J.; Stoker, M.; Masson, D.; Pudsey, C.; Morris, P.; Larter, R.; Bulat, J.: Seabed morphology and the bottom-current pathways around Rosemary Bank seamount, northern Rockall Trough, North Atlantic. Marine and Petroleum Geology, 23, 165-181, 2006.

Howell, K. L.; Davies, J. S.; and Narayanaswamy, B. E.: Identifying deep-sea megafaunal epibenthic assemblages for use in habitat mapping and marine protected area network

design. Journal of the Marine Biological Association of the United Kingdom 90: 36-68, 2010.

Howell, K.L.; Mowles, S.L.; Foggo, A.: Mounting evidence : near-slope seamounts are faunally indistinct from an adjacent bank. Marine Ecology, 31, 52-62, 2010.

Huskin, I.; Anadon, R.; Medina, G.; Head, R.N.; Harris, R.P.: Mesozooplankton Distribution and Copepod Grazing in the Subtropical Atlantic Near the Azores: Influence of Mesoscale Structures. Journal of Plankton Research, 23, 671-691, 2001.

JNCC (Joint Nature Conservation Committee) Offshore Special Area of Conservation: Anton Dohrn Seamount. SAC Selection Assessment Document Version 2 (12th December 2011). 27p, 2011. Retrieved March 1, 2012, <http://jncc.defra.gov.uk/page-4534#AntonDohrn>,

Jones, E.J.W.; BouDagher-Fadel, M.K.; Thirlwall, M.F.: An investigation of seamount phosphorites in the Eastern Equatorial Atlantic. Marine Geology, 183, 143-162, 2002.

Kinzer, J.; Hempel, G.: Probleme Und Methoden Der Planktologischen Arbeiten Den Atlantischen Kuppenfahrten Von F.S. "Meteor" Marz - Juli 1967. Meteor Forschungsergebnisse, D7, 3-22, 1970 (consulted from SeamountsOnline).

Krylova, E.M.: Bivalves of seamounts of the north-eastern Atlantic. Biogeography of the North Atlantic seamounts.: (eds A.N. Mironov, A.V. Gebruk; A.J. Southward), pp. 76-96. KMK Scientific Press, Moscow, 196 pp, 2006.

Kuhn, T.: Formation of ferromanganese microcrusts in relation to glacial/interglacial stages in Pleistocene sediments from Ampere Seamount (Subtropical NE Atlantic). Chemical Geology, 130, 217-232, 1996.

Kuijpers, A.; Andersen, M.S.; Kenyon, N.H.; Kunzendorf, H.; Weering, T.C.E. van.: Quaternary sedimentation and Norwegian Sea overflow pathways around Bill Bailey Bank, northeastern Atlantic. Marine Geology, 152, 101-127, 1998.

Laughton, A.S.; Roberts, D.G.; Graves, R.: Bathymetry of the northeast Atlantic: Mid-Atlantic ridge to southwest Europe. Deep Sea Research and Oceanographic Abstracts, 22, 791-810, 1975.

Le Danois, E.: Les Profondeurs de la Mer. Payot, Paris, 1948, cited in Cartes, J.; Huguet, C.; Parra, S.; Sanchez, F.: Trophic relationships in deep-water decapods of Le Danois bank (Cantabrian Sea, NE Atlantic): Trends related with depth and seasonal changes in food

quality and availability. Deep Sea Research Part I: Oceanographic Research Papers, 54, 1091-1110, 2007.

Lopukhin, A.: Distribution of ATP concentration above seamounts in the Atlantic Ocean. Oceanology of the Academy of Sciences of the USSR, 26, 361-365, 1986.

Machín, F.; Pelegrí, J.L.; Emelianov, M.; Isern-Fontanet, J.; White, M.; Bashmachnikov, I.; Mohn, C.: Mass and nutrient fluxes around Sedlo Seamount. Deep Sea Research Part II: Topical Studies in Oceanography, 56, 2606-2617, 2009.

Madina, M.: Oceana applauds Spanish and Balearic Government support to protect balearic seamounts, <http://eu.oceana.org/en/eu/media-reports/press-releases/oceana-applauds-spanish-and-balearic-government-support-to-protect-balearic-seamounts>, 2011.

Martin, B.; Christiansen, B.: Distribution of zooplankton biomass at three seamounts in the NE Atlantic. Deep Sea Research Part II: Topical Studies in Oceanography, 56, 2671-2682, 2009.

Martin, B.; Nellen, W.: Composition and distribution of zooplankton at Great Meteor Seamount, subtropical NE Atlantic. Archive Of Fishery And Marine Research, 51, 89-100, 2004.

Maul, G.E.: The fishes taken in bottom trawls by R.V. "Meteor" during the 1967 Seamounts Cruises in the Northeast Atlantic. Meteor Forschungsergebnisse, D22, 1-69, 1976 (consulted from SeamountsOnline).

Mayer, L.; Bell, K. L. C.; Ballard, R.; Nicolaides, S.; Konnaris, K.; Hall, J.; Tibor, G.; Austin, J.A. Jr.; Shank, T. M.: Discovery of sinkholes and seeps on Eratosthenes Seamount, in: New Frontiers in Ocean Exploration: The E/V Nautilus 2010 field season: Oceanography 24(1): 28-29, 2011.

Melo, O.; Menezes, G.; Cruz, C.D.S.: Exploratory fishing of the orange roughy (*Hoplostethus atlanticus*) in some seamounts of the Azores archipelago. ICES CM 2002/M:26 1-5 October 2002, Copenhagen, Denmark, 2002.

Menezes, G.: Unpublished data, 2011. Summarized in: Menezes, G.; Sigler, M.; Silva, H.; Pinho, M.: Structure and zonation of demersal fish assemblages off the Azores Archipelago (mid-Atlantic). Marine Ecology Progress Series, 324, 241-260, 2006.

Menezes, G.; Sigler, M.; Silva, H.; and Pinho, M.: Structure and zonation of demersal fish assemblages off the Azores Archipelago (mid-Atlantic). *Marine Ecology Progress Series* 324: 241-260, 2006.

Menezes, G.M.; Diogo, H.; and Giacomello, E.: Commercial fishing for demersal fish, in CONDOR Observatory for long-term study and monitoring of Azorean seamount ecosystems, Final Project Report. Arquivos do DOP, Série Estudos 1/2012, Horta, Portugal, 211-233, 2011.

Menezes, G.M.; Rosa, A.; Melo, O.; Pinho, M.R.: Demersal fish assemblages off the Seine and Sedlo seamounts (northeast Atlantic). *Deep Sea Research Part II: Topical Studies in Oceanography*, 56, 2683-2704, 2009.

Menezes, G.M.; Tariche, O.; Pinho, M.R.; Duarte, P.N.; Fernandes, A.; Aboim, M.A.: Annotated list of fishes caught by the R/V Arquipélago off the Cape Verde archipelago. *Arquipélago. Life and Marine Sciences*, 21A, 57-71, 2004.

Mironov, A.N.: Echinoids from seamounts of the north-eastern Atlantic; onshore/offshore gradients in species distribution. *Biogeography of the North Atlantic seamounts.*: (eds A.N. Mironov, A.V. Gebruk; A.J. Southward), pp. 96-133. KMK Scientific Press, Moscow, 196 pp, 2006.

Mironov, A.N.; Kryolova, E.M.: Origin of the fauna of the Meteor Seamounts, north-eastern Atlantic. *Biogeography of the North Atlantic seamounts.*: (eds. A.N. Mironov, A.V. Gebruk; A.J. Southward), pp. 22-57. KMK Scientific Press, Moscow, 196 pp, 2006.

Mohn, C.; Beckmann, A.: The upper ocean circulation at Great Meteor Seamount. *Ocean Dynamics*, 52, 179-193, 2002.

Mohn, C.; White, M.; Bashmachnikov, I.; Jose, F.; Pelegrí, J.L.: Dynamics at an elongated, intermediate depth seamount in the North Atlantic (Sedlo Seamount, 40°20'N, 26°40'W). *Deep Sea Research Part II: Topical Studies in Oceanography*, 56, 2582-2592, 2009.

Molodtsova, T.N.: Black corals (Anthipatharia: Anthozoa: Scnidaria) of the north-eastern Atlantic. *Biogeography of the North Atlantic seamounts.*: (eds A.N. Mironov, a V. Gebruk; A.J. Southward), pp. 141-151. KMK Scientific Press, Moscow, 196 pp, 2006.

Monniot, C.; Monniot, F.: Ascidies des seamounts lusitaniens (campagne Seamount 1). *Bulletin de Museum Nationale Histoire Naturelle*, Paris, 4e Ser 14 Section A, 3/4, 591-

603, 1992, cited in Christiansen, S.: Implementation of the EU Habitats Directive Offshore : Natura 2000 sites for reefs and submerged sandbanks. Vol.IV: The Reefs Inventory. WWF, Surrey, UK, 2001.

Monteiro, P.; Ribeiro, D.; Silva, J.A.; Bispo, J.; Gonçalves, J.M.S.: Ichthyofauna assemblages from two unexplored Atlantic seamounts: Northwest Bank and João Valente Bank (Cape Verde archipelago). *Scientia Marina*, 72, 133-143, 2008.

Morato, T.; Machete, M.; Kitchingman, a; Tempera, F.; Lai, S.; Menezes, G.; Pitcher, T.J.; Santos, R.: Abundance and distribution of seamounts in the Azores. *Marine Ecology Progress Series*, 357, 17-21, 2008.

Morato, T.; Varkey, D.; Damaso, C.; Machete, M.; Santos, M.; Prieto, R.; Pitcher, T.J.; Santos, R.: Evidence of a seamount effect on aggregating visitors. *Marine Ecology Progress Series*, 357, 23-32, 2008.

Mougenot, D.; Kidd, R.B.; Mauffret, A.; Regnault, H.; Rothwell, R.G.; Vanney, J.-R.: Geological interpretation of combined SEABEAM, GLORIA and seismic data from Porto and Vigo Seamounts, Iberian continental margin. *Marine Geophysical Researches*, 6, 329-363, 1984.

Mouriño, B.; Fernández, E.; Serret, P.; Harbour, D.; Sinha, B.: Variability and seasonality of physical and biological fields at the Great Meteor Tablemount (subtropical NE Atlantic). *Oceanologica Acta*, 24, 2000.

Munoz, A.; Ballesteros, M.; Montoya, I.; Rivera, J.; Acosta, J.; Uchupi, E.: Alborán Basin, southern Spain—Part I: Geomorphology. *Marine and Petroleum Geology*, 25, 59-73, 2008.

Munoz, P.D.; Roman, E.; Gonzales, F.: (Results of a deep-water experimental fishing in the North Atlantic: an example of cooperative research with the fishing industry. ICES ASC CM:2000/W:04, 27-30 September 2000, Bruges, Belgium, 2000.

Narayanaswamy, B. E.: The influence that seamounts have on macrofaunal standing stock and community structure in surrounding deep-sea sediments. WP 3: Seamount Ecosystems, Deliverable 3.4. Final Report for Hotspot Ecosystem Research and Man's Impact on European Seas. 34pp, 2012.

Narayanaswamy, B. E.; Howell, K. L.; Hughes, D. J.; Davies, J. S.; and Roberts J.: Strategic Environmental Assessment Area 7: photographic analysis. A report to the Department of Trade and Industry. 179pp., 2006.

Neat, F.; Burns, F.; Drewery, J.: The deepwater ecosystem of the continental shelf slope and seamounts of the Rockall Trough: a report on the ecology and biodiversity based on FRS scientific surveys. Fisheries Research Services Internal Report No 02/08. Aberdeen, UK, 2008.

Needham, H.D.: Morpho-tectonic analysis of the Azores Volcanic Plateau from a new bathymetric compilation of the area. *Marine Geophysical Researches*, 141-156, 1999.

Nellen, W.; Ruseler, S.: Composition, horizontal and vertical distribution of ichthyoplankton in the Great Meteor Seamount area in September 1998. *Archive Of Fishery And Marine Research*, 51, 132-164, 2004.

O'Connor, J.M.; Stoffers, P.; Wijbrans, J.R.; Shannon, P.M.; Morrissey, T.: Evidence from episodic seamount volcanism for pulsing of the Iceland plume in the past 70 Myr. *Nature*, 408, 954-8, 2000.

Oliverio, M.; Gofas, S.: Coralliophiline Diversity At Mid-Atlantic Seamounts (Neogastropoda, Muricidae, Coralliophilinae). *Bulletin of Marine Science*, 79, 205-230, 2006.

Oluleroy, K.; Sibuet, M.; Fialamedioni, A.; Gofas, S.; Salas, C.; Mariotti, A.; Foucher, J.; Woodside, J.: Cold seep communities in the deep eastern Mediterranean Sea: composition, symbiosis and spatial distribution on mud volcanoes. *Deep Sea Research Part I: Oceanographic Research Papers*, 51, 1915-1936, 2004.

Pakhorukov, N.P.: Visual observations of fish from seamounts of the Southern Azores region (the Atlantic Ocean). *Journal of Ichthyology*, 48, 114-123, 2008.

Passaro, S.; Milano, G.; D'Isanto, C.; Ruggieri, S.; Tonielli, R.; Bruno, P.P.; Sprovieri, M.; Marsella, E.: DTM-based morphometry of the Palinuro seamount (Eastern Tyrrhenian Sea): Geomorphological and volcanological implications. *Geomorphology*, 115, 129-140, 2010.

Pereira, J.N.; Tempera, F.; Braga-Henriques, A.; Porteiro, F.M.: 20 March 2011, Final Report of project Condor (EEA). Check-list of megafauna from underwater video analysis at the Condor seamount – current status. University of the Azores, Horta, Azores, 2011.

Perrone, A.: Report on the biological survey of Amendolara Seamount : Nudibranchia of Amendolara Seamount. *Journal of Molluscan Studies*, 51, 102-103, 1982.

Piepenburg, D.; Müller, B.: Distribution of epibenthic communities on the Great Meteor Seamount (NE Atlantic) mirrors watercolumn processes. *ICES ASC CM:2002/M:13*, 1-5 October 2002, Copenhagen, Denmark, 2002.

Piñeiro, C.G.; Casas, M.; Araujo, H.: Results of Exploratory Deep-Sea Fishing survey in the Galician Bank: Biological Aspects on some of Seamount- associated Fish. NAFO Scientific Council Meeting-September 2001, SCR Doc. 01/146, 2001.

Pollock, C.M.; Mavor, R.; White, R.W.; Tasker, M.L.; Webb, A.; Reid, J.B.: The distribution of seabirds and marine mammals in the Atlantic Frontier, north and west of Scotland. Nature Conservation Committee, Aberdeen, UK, 2000.

Poltarukha, O.P.; Zevina, G.B.: Barnacles (Cirripedia, Thoracica) of north-eastern Atlantic. Biogeography of the North Atlantic seamounts.: (eds A.N. Mironov, a V. Gebruk; A.J. Southward), pp. 162-176. KMK Scientific Press, Moscow, 196 pp, 2006.

Pratt, R.: Great Meteor Seamount. *Deep Sea Research*, 10, 17-25, 1963.

Pusceddu, A.; Gambi, C.; Zeppilli, D.; Bianchelli, S.; Danovaro, R.: Organic matter composition, metazoan meiofauna and nematode biodiversity in Mediterranean deep-sea sediments. *Deep Sea Research Part II: Topical Studies in Oceanography*, 56, 755-762, 2009.

Pusch, C.; Beckmann, A.; Porteiro, F.M.; Westernhagen, H.V.: The influence of seamounts on mesopelagic fish communities. *Archive Of Fishery And Marine Research*, 51, 165-186, 2004.

Rad, U. von.: Great Meteor and Josephine Seamounts (eastern North Atlantic): composition and origin of bioclastic sands, carbonate and pyroclastic rocks. *Meteor Forschungsergebnisse, Reihe C*, 19, 1-61, 1974.

Ramil, F.; Vervoort, W.; Ansin, J.A.: Report on the Haleciidae and Plumularioidea (Cnidaria , Hydrozoa) collected by the French SEAMOUNT 1 expedition. *Zoologische Verhandelingen*, 322, 1-42, 1998.

Robertson, A.: Tectonic significance of the Eratosthenes Seamount: a continental fragment in the process of collision with a subduction zone in the eastern Mediterranean (Ocean Drilling Program Leg 160). *Tectonophysics*, 298, 63-82, 1998.

Rodríguez-Cabello, C.; Sánchez, F.; Ortiz de Zárate, V.; Barreiro, S.: Does Le Danois Bank (El Cachucho) influence albacore catches in the Cantabrian Sea? *Continental Shelf Research*, 29, 1205-1212, 2009.

Sabatini, A.; Follesa, M.C.; Locci, I.; Matta, G.; Palmas, F.; Pendugiu, A. a; Pesci, P.; Cau, A.: Demersal assemblages in two trawl fishing lanes located on the Baronie Seamount (Central Western Mediterranean). *Journal of the Marine Biological Association of the United Kingdom*, 91, 65-75, 2010.

Sanchez, F.; Serrano, A.; Parra, S.; Ballesteros, M.; Cartes, J.: Habitat characteristics as determinant of the structure and spatial distribution of epibenthic and demersal communities of Le Danois Bank (Cantabrian Sea, N. Spain). *Journal of Marine Systems*, 72, 64-86, 2008.

Santos, M.; Moita, T.; Lambardi, P.; Mendonça, A.; Loureiro, C.; Silva, A.F.; Sequeira, S.; Carmo, V.; Medeiros, A.; Gomes, S.; Bashmachnikov, I.; and Martins, A.: Characterization of phytoplankton communities, in CONDOR Observatory for long-term study and monitoring of Azorean seamount ecosystems, Final Project Report. Arquivos do DOP, Série Estudos 1/2012, Horta, Portugal, pp.: 55-61, 2011.

Santos, R. S.; Tempera, F.; Menezes, G.; Porteiro, F.; and Morato, T.: Spotlight 12: Sedlo Seamount. *Oceanography* 23: 202-203, 2010.

Schnack-Schiel, S.B.; Henning, S.: Occurrence and distribution pattern of mesozooplankton in the vicinity of the Great Meteor Seamount (subtropical North-east Atlantic). *Archive Of Fishery And Marine Research*, 51, 101-114, 2004.

Scrimger, J.; Halliday, W.: Bathymetry of Pacific seamounts Bowie and Union. *Deep Sea Research and Oceanographic Abstracts*, 18, 123-126, 1971.

Seamount Catalog - Seamount Biogeosciences Network <http://earthref.org/SBN/>

Serrano Gordo, L.: Black scabbardfish (*Aphanopus carbo* Lowe, 1839) in the southern Northeast Atlantic: considerations on its fishery. *Scientia Marina*, 73, 11-16, 2009.

Sevastou, K.; Lampadariou, N.; Kalogeropoulou, V.; Polymenakou, P.; Tselepides, A.: Meiobenthic communities at Eratosthenes Seamount: preliminary results. Poster presented at the HERMIONE 1st Annual Meeting 11 – 15 April 2011, Estepona, Malaga, Spain, 2011.

- Shank, T. M.; Herrera, S.; Cho, W.; Roman, C. N.; Bell, K. L. C.: Exploration of the Anaximander Mud Volcanoes, in: New Frontiers in Ocean Exploration: The E/V Nautilus 2010 field season: *Oceanography* 24(1): 22-23, 2011.
- Sobrinho-Gonçalves, L.; Cardigos, F.: Fish larvae around a seamount with shallow hydrothermal vents from the Azores. *Thalassas*, 22, 19-28, 2006.
- Sokolova, M.N.: On the food of regular sea-urchins on seamounts and shelves of the north-eastern Atlantic and Mediterranean. *Biogeography of the North Atlantic seamounts.*: (eds A.N. Mironov, A.V. Gebruk; A.J. Southward), pp. 58-66. KMK Scientific Press, Moscow, 196 pp, 2006.
- Stackelberg, U. von, Rad, U. von; Zobel, B.: Asymmetric sedimentation around Great Meteor Seamount (North Atlantic). *Marine Geology*, 33, 117-132, 1979.
- Stefanni, S.; Knutson, H.: Phylogeography and demographic history of the deep-sea fish *Aphanopus carbo* (Lowe, 1839) in the NE Atlantic: Vicariance followed by secondary contact or speciation? *Molecular phylogenetics and evolution*, 42, 38-46, 2007.
- Stewart, H.; Davies, J.; Long, D.; Strömberg, H.; Hitchen, K.: JNCC Offshore Natura Survey Anton Dohrn Seamount and East Rockall Bank Areas of Search. 2009 /03-JNCC Cruise Report Report Number CR /09 /113. Available online: www.jncc.gov.uk. Accessed 14.04.2011, 2009.
- Stocks, K.: *SeamountsOnline*: an online information system for seamount biology, 2010. Version 2010-1. World Wide Web electronic publication. <http://seamounts.sdsc.edu>
- Strømme, T.; Sundby, S.; Sætersdal, G.: A Survey of the Fish Resources in the Coastal Waters of the Republic of Cape Verde, November 1981. Reports on Surveys with the R/V Dr Fridtjof Nansen. Institute of Marine Research, Bergen, Norway, 1982.
- Strusi, A.; Tursi, A.; Cecere, E.; Montanaro, C.; Panetta, P.; Cavallo, R.: The Amendolara Seamount (High Ionian Sea): General Description. *Oebalia*, 11, 379–388, 1985.
- Surugiu, V.; Dauvin, J.; Gillet, P.; Ruellet, T.: Can seamounts provide a good habitat for polychaete annelids? Example of the northeastern Atlantic seamounts. *Deep Sea Research Part I: Oceanographic Research Papers*, 55, 1515-1531, 2008.
- Tanner, S.J.; Williams, C. A.: A detailed survey near Mount Eratosthenes Eastern Mediterranean. *Marine Geophysical Researches*, 6, 205-222, 1984.

Tempera, F.; Giacomello, E.; Mitchell, N.; Campos, A.S.; Braga Henriques, A.; Martins, A.; Bashmachnikov, I.; Morato, T.; Colaço, A.; Porteiro, F.M.; Catarino, D.; Gonçalves, J.; Pinho, M.R.; Isidro, E.J.; Santos, R.S.; Menezes, G. Mapping the Condor seamount seafloor environment and associated biological assemblages (Azores, NE Atlantic). Seafloor Geomorphology as Benthic Habitat: Geohab Atlas of Seafloor Geomorphic Features and Benthic Habitats.: (eds E. Baker; P. Harris), Elsevier Insights, 2011.

Trua, T.; Serri, G.; Marani, M.; Renzulli, A.; Gamberi, F.: Volcanological and petrological evolution of Marsili Seamount (southern Tyrrhenian Sea). *Journal of Volcanology and Geothermal Research*, 114, 441-464, 2002.

Tucholke, B.E.; Smoot, N.C.: Evidence for age and evolution of Corner seamounts and Great Meteor seamount chain from multibeam bathymetry. *Journal of Geophysical Research*, 95, 17555-17569, 1990.

Uchupi, E.; Ballard, R.: Evidence of hydrothermal activity on Marsili Seamount, Tyrrhenian Basin. *Deep Sea Research*, 36, 1443-1448, 1989.

Uiblein, F.; Geldmacher, A.; Koester, F.; Nellen, W.; Kraus, G.: Species Composition and Depth Distribution of Fish Species Collected in the Area of the Great Meteor Seamount, Eastern Central Atlantic, During Cruise M42/3 With Seventeen New Records. *Ciencias marinas*, 5, 49-85, 1999.

Varnavas, S.; Papaioannou, J.; Catani, J.: A hydrothermal manganese deposit from the Eratosthenes Seamount, Eastern Mediterranean Sea. *Marine Geology*, 81, 205-214, 1988.

Vastano, A. C.; Hagen, D. E.; and McNally, G. J.: Lagrangian observations of surface circulation at the Emperor seamount chain. *Journal of Geophysical Research* 90: 3325-3331, 1985.

Veen, J.H. ten, Woodside, J.M.; Zitter, T. a C.; Dumont, J.F.; Mascle, J.; Volkonskaia, A.: Neotectonic evolution of the Anaximander Mountains at the junction of the Hellenic and Cyprus arcs. *Tectonophysics*, 391, 35-65, 2004.

Vilas, J.C.; Arístegui, J.; Kiriakoulakis, K.; Wolff, G. A, Espino, M.; Polo, I.; Montero, M.F.; Mendonça, A.: Seamounts and organic matter—Is there an effect? The case of Sedlo and Seine Seamounts: Part 1. Distributions of dissolved and particulate organic matter. *Deep Sea Research Part II: Topical Studies in Oceanography*, 56, 2618-2630, 2009.

- Watts, A.B.; Cochran, J.R.; Selze, G.: Gravity anomalies and flexure of the lithosphere: A three-dimensional study of the Great Meteor Seamount. *Journal of Geophysical Research*, 80, 1391-1398, 1975.
- Wendt, I.; Kreuzer, H.; Müller, P.; Rad, U.V.; Raschka, H.: K-Ar age of basalts from Great Meteor and Josephine seamounts (eastern North Atlantic). *Deep Sea Research*, 23, 849-862, 1976.
- Wienberg, C.; Wintersteller, P.; Beuck, L.; and Hebbeln, D.: (in press) Coral Patch seamount (NE Atlantic) - a sedimentological and macrofaunal reconnaissance based on video and hydroacoustic surveys. *Biogeosciences*,
- Wilson, R.; Kaufmann, R.: Seamount biota and biography. *Seamounts, islands and atolls.*: (eds B. Keating, P. Fryer; G. Batiza, R.; Boehlert), p. 355–377. *Geophys Monograph*, 1987.
- Xavier, J.; Soest, R. van.: Demosponge fauna of Ormonde and Gettysburg Seamounts (Gorringe Bank, north-east Atlantic): diversity and zoogeographical affinities. *Journal of the Marine Biological Association of the UK*, 87, 2007.
- Yevsyukov, Y.D.: Morphology of Palinuro and Poseidon seamounts (south- eastern Tyrrhenian Sea). *Oceanology*, 34, 415-420, 1994.
- Zezina, O.N.: Deep-sea brachiopods in Russian collections from the Atlantic Ocean. Biogeography of the North Atlantic seamounts. pp. 67-75. KMK Scientific Press, Moscow, 196 pp, 2006.
- Zibrowius, H.: Les Scléractiniaires de la Méditerranée et de l'Atlantique nord-oriental. *Memoires de l'Institut Oceanographique Foundation Albert Ier, Prince de Monaco*, 11, 247 , cited in Christiansen, S.: (2001) Implementation of the EU Habitats Directive Offshore : Natura 2000 sites for reefs and submerged sandbanks. Vol.IV: The Reefs Inventory. WWF, Surrey, UK, 1980.
- Zitter, T.A.C.; Woodside, J.M.; Mascle, J.: The Anaximander Mountains: a clue to the tectonics of southwest Anatolia. *Geological Journal*, 38, 375-394, 2003.