

APPENDIX 1: DATA SOURCES USED IN THIS STUDY

- Antajan, E. et al. (2014). The invasive ctenophore *Mnemiopsis leidyi* A. Agassiz, 1865 along the English Channel and the North Sea French coasts: another introduction pathway in northern European waters? *Aquatic Invasions*, 9, 167-173.
- Bagheri, S. et al. (2014). Biodiversity, distribution and abundance of zooplankton in the Iranian waters of the Caspian Sea off Anzali during 1996–2010. *Journal of the Marine Biological Association of the United Kingdom*, 94, 129-140.
- Bayha, K. M. et al. (2015) Worldwide phylogeography of the invasive ctenophore *Mnemiopsis leidyi* (Ctenophora) based on nuclear and mitochondrial DNA data. *Biological Invasions*, 17, 827–850.
- Bilio, M., & Niermann, U. (2004). Is the comb jelly really to blame for it all? *Mnemiopsis leidyi* and the ecological concerns about the Caspian Sea. *Marine Ecology Progress Series*, 269, 173-183.
- Boero, F. et al. (2009). First records of *Mnemiopsis leidyi* (Ctenophora) from the Ligurian, Thyrrenian and Ionian Seas (Western Mediterranean) and first record of *Phyllorhiza punctata* (Cnidaria) from the Western Mediterranean. *Aquatic Invasions*, 4, 675-680.
- Boersma, M. et al. (2007). The first occurrence of the ctenophore *Mnemiopsis leidyi* in the North Sea. *Helgoland Marine Research*, 61, 153-155.
- Bolte, S., Fuentes, V., Haslob, H., Huwer, B., Thibault-Botha, D., Angel, D., . . . Reusch, T. B. H. (2013). Population genetics of the invasive ctenophore *Mnemiopsis leidyi* in Europe reveal source-sink dynamics and secondary dispersal to the Mediterranean Sea. *Marine Ecology Progress Series*, 485, 25-36.
- Collingridge, K., van der Molen, J., & Pitois, S. (2014). Modelling risk areas in the North Sea for blooms of the invasive comb jelly *Mnemiopsis leidyi* A. Agassiz, 1865. *Aquatic Invasions*, 9, 21-36.
- David, C., Vaz, S., Loots, C., Antajan, E., van der Molen, J., & Travers-Trolet, M. (2015). Understanding winter distribution and transport pathways of the invasive ctenophore *Mnemiopsis leidyi* in the North Sea: Coupling habitat and dispersal modelling approaches. *Biological Invasions*, 17, 2605-2619.
- Delpy, F. et al. (2016) Identifying the drivers of abundance and size of the invasive ctenophore *Mnemiopsis leidyi* in Northwestern Mediterranean lagoons. *Marine Environmental Research*, 119, 114-125.
- Dumoulin, E. (2007). De Leidy's ribkwal (*Mnemiopsis leidyi* A. Agassiz, 1865) al massaal in het havengebied Zeebrugge-Brugge, of: exoten als spiegel van al t  menselijk handelen. *De Strandvlo* 27, 44-60 (in Dutch).
- El-Shabrawy, G., & Dumont, H. J. (2016). First record of a ctenophore in lakes: the comb-jelly *Mnemiopsis leidyi* A. Agassiz, 1865 invades the Fayum, Egypt. *BioInvasions Records*, 5, 21–24.
- Faasse, M. A., & Bayha, K. M. (2006). The ctenophore *Mnemiopsis leidyi* A. Agassiz 1865 in coastal waters of the Netherlands: An unrecognized invasion. *Aquatic Invasions*, 1, 270-277.
- Fuentes, V. L. et al. (2010). Blooms of the invasive ctenophore, *Mnemiopsis leidyi*, span the Mediterranean Sea in 2009. *Hydrobiologia*, 645, 23-37.
- Galil, B. S., and Gevili, R. (2013). A moveable feast: *Beroe cucumis* sensu Mayer, 1912 (Ctenophora; Beroidea; Beroidae) preying on *Mnemiopsis leidyi* A. Agassiz, 1865 (Ctenophora; Lobata; Bolinopsidae) off the Mediterranean coast of Israel. *BioInvasions Records*, 2, 191-194.
- Galil, B. S. et al. (2009). First record of *Mnemiopsis leidyi* A. Agassiz, 1865 (Ctenophora; Lobata; Mnemiidae) off the Mediterranean coast of Israel. *Aquatic Invasions*, 4, 357-360.
- Ghabooli, S., Shiganova, T., Briski, E., Piraino, S., Fuentes, V., Thibault-Botha D., & MacIsaac, H.J. (2013). Invasion pathway of the ctenophore *Mnemiopsis leidyi* in the Mediterranean Sea. *Plos One*, 8, e81067.
- Gittenberger, A., Rensing, M., & Hoeksema, B. (2010). Native and non-native species of hard substrata in the Dutch Wadden Sea. *Nederlandse Faunistische Mededelingen*, 33, 21-75
- Hamer, H. H., Malzahn, A. M., & Boersma, M. (2010). The invasive ctenophore *Mnemiopsis leidyi*: A threat to fish recruitment in the North Sea? *Journal of Plankton Research*, 33, 137-144.
- Hansson, H. G. (2006). Ctenophores of the Baltic and adjacent Seas – the invader *Mnemiopsis* is here! *Aquatic Invasions*, 1, 295-298.

- Haraldsson, M. et al. (2013). Environmental constraints of the invasive *Mnemiopsis leidyi* in Scandinavian waters. *Limnology and Oceanography*, 58, 37-48.
- Haslob, H., Clemmesen, C., Schaber, M., Hinrichsen, H. H., Schmidt, J., Voss, R., . . . Köster, F.W. (2007). Invading *Mnemiopsis leidyi* as a potential threat to Baltic fish. *Marine Ecology Progress Series*, 349, 303-306.
- Hosia, A., & Falkenhaus, T. (2015) Invasive ctenophore *Mnemiopsis leidyi* in Norway. *Marine Biodiversity Records*, 8, 1-9.
- Huwer, B., Storr-Paulsen, M., Riisgård, H.-U., & Haslob, H. (2008). Abundance, horizontal and vertical distribution of the invasive ctenophore *Mnemiopsis leidyi* in the central Baltic Sea, November 2007. *Aquatic Invasions*, 3, 113-124.
- Isinibilir, M. (2012). The seasonal occurrence and abundance of gelatinous macrozooplankton in Izmit Bay (the northeastern Marmara Sea). *Journal of the Black Sea Mediterranean Environment*, 18, 155-176.
- Isinibilir, M., Tarkan, A.N. & Kideys, A.E. (2004). Decreased levels of the invasive ctenophore *Mnemiopsis* in the Marmara Sea in 2001. *Aquatic Invasions in the Black, Caspian, and Mediterranean Seas* (ed. by H. Dumont, T. Shiganova and U. Niermann), pp. 155-165. Kluwer Academic Publishers, Netherlands.
- Isinibilir, M., & Tarkan, A. N. (2002). Distribution of the invasive ctenophore *Mnemiopsis leidyi* (Agassiz, 1865) in the north-eastern Aegean Sea in August 1998. *Turkish Journal of Fisheries and Aquatic Sciences*, 2, 129-132.
- Ivanov, V.P. et al. (2000). Invasion of the Caspian Sea by the comb jellyfish *Mnemiopsis leidyi* (Ctenophora). *Biological Invasions*, 2, 255-258.
- Janas, U., & Zgrundo, A. (2007). First record of *Mnemiopsis leidyi* A. Agassiz, 1865 in the Gulf of Gdańsk (southern Baltic Sea). *Aquatic Invasions*, 2, 450-454.
- Jaspers, C., Marty, L., & Kjørboe, T. (2018). Selection for life-history traits to maximize population growth in an invasive marine species. *Global Change Biology*, 24, 1164-1174.
- Jaspers, C., Haraldsson, M., Lombard, F., Bolte, S. & Kjørboe, T. (2013). Seasonal dynamics of early life stages of invasive and native ctenophores give clues to invasion and bloom potential in the Baltic Sea. *Journal of Plankton Research*, 35, 582-594.
- Javidpour, J., Molinero, J. C., Peschutter, J., & Sommer, U. (2009). Seasonal changes and population dynamics of the ctenophore *Mnemiopsis leidyi* after its first year of invasion in the Kiel Fjord, Western Baltic Sea. *Biological Invasions*, 11, 873-882.
- Javidpour, J. et al. (2006). First record of *Mnemiopsis leidyi* A. Agassiz 1865 in the Baltic Sea. *Aquatic Invasions*, 1, 299-302.
- Kellnreitner, F., Pockberger, M., Asmus, R., & Asmus, H. (2013). Feeding interactions between the introduced ctenophore *Mnemiopsis leidyi* and juvenile herring *Clupea harengus* in the Wadden Sea. *Biological Invasions*, 15, 871-884.
- Kideys, A. E., & Niermann, U. (1994). Occurrence of *Mnemiopsis* along the Turkish coast. *ICES Journal of Marine Science*, 51, 423-427.
- Kideys, A. E., & Niermann, U. (1993). Intrusion of *Mnemiopsis mccradyi* (Ctenophora: Lobata) into the Mediterranean Sea. *Senckenbergiana maritima*, 23, 43-47.
- Kube, S. et al. (2007). *Mnemiopsis leidyi* in the Baltic Sea – distribution and overwintering between autumn 2006 and spring 2007. *Aquatic Invasions*, 2, 137-145.
- Lehtiniemi, M., Lehmann, A., Javidpour, J., & Myrberg, K. (2011). Spreading and physico-biological reproduction limitations of the invasive American comb jelly *Mnemiopsis leidyi* in the Baltic Sea. *Biological Invasions*, 14, 341-354.
- Lilley, M. K. S., Thibault-Botha, D., & Lombard, F. (2014). Respiration demands increase significantly with both temperature and mass in the invasive ctenophore *Mnemiopsis leidyi*. *Journal of Plankton Research*, 36, 831-837.
- Marambio, M. et al. (2013). Aggregations of the invasive ctenophore *Mnemiopsis leidyi* in a hypersaline environment, the Mar Menor lagoon (NW Mediterranean). *Aquatic Invasions*, 8, 243-248.

- Mutlu, E. (1999). Distribution and abundance of ctenophores and their zooplankton food in the Black Sea. II. *Mnemiopsis leidyi*. *Marine Biology*, 135, 603-613.
- Mutlu, E., Bingel, F., Gucu, A.C., Melnikov, V.V., Niermann, U., Ostr, N.A., & Zaika, V.E. (1994). Distribution of the new invader *Mnemiopsis* sp. and the resident *Aurelia aurita* and *Pleurobrachia pileus* populations in the Black Sea in the years 1991-1993. *ICES Journal of Marine Science*, 51, 407-421.
- Oliveira, O. M. P. (2007). The presence of the ctenophore *Mnemiopsis leidyi* in the Oslofjorden and considerations on the initial invasion pathways to the North and Baltic Seas. *Aquatic Invasions*, 2, 185-189.
- Pereladov, M.V. (1988). Some observations for biota of Sudak Bay of the Black Sea. In: *III All-Russian conference of marine biology*, pp. 237-238, Naukova Dumka, Kiev (in Russian).
- Riisgård H.-U., & Goldstein, J. (2014). Jellyfish and ctenophores in Limfjorden (Denmark)—Mini-review, with recent new observations. *Journal of Marine Science and Engineering*, 2014, 2, 593-615.
- Riisgård H.-U., Jaspers, C., Serre, S., & Lundgreen, K. (2012). Occurrence, inter-annual variability and zooplankton-predation impact of the invasive ctenophore *Mnemiopsis leidyi* and the native jellyfish *Aurelia aurita* in Limfjorden (Denmark) in 2010 and 2011. *BiolInvasions Records*, 1, 145-159.
- Riisgård H.-U., Barth-Jensen, C., & Madsen, C.V. (2010). High abundance of the jellyfish *Aurelia aurita* excludes the invasive ctenophore *Mnemiopsis leidyi* to establish in a shallow cove (Kertinge Nor, Denmark). *Aquatic Invasions*, 5, 347-356.
- Riisgård H.-U. et al. (2007). Invasive ctenophore *Mnemiopsis leidyi* in Limfjorden (Denmark) in late summer 2007 - assessment of abundance and predation effects. *Aquatic Invasions*, 2, 395-401.
- Ringvold, H., Shiganova, T., Knott, K. E., & Galil, B.S (2015). First record of *Beroe gracilis* Künne, 1939 (Ctenophora: Beroida: Beroidae) from Norway, found in a *Mnemiopsis leidyi* A. Agassiz, 1865 bloom. *Marine Biodiversity Records*, 8, e1-5.
- Roohi, A. et al. (2008). Impact of a new invasive ctenophore (*Mnemiopsis leidyi*) on the zooplankton community of the Southern Caspian sea. *Marine Ecology*, 29, 421-434.
- Schaber, M., Haslob, H., Huwer, B., Harjes, A., Hinrichsen, H. H., Köster, F.W., . . . Voss, R. (2011). The invasive ctenophore *Mnemiopsis leidyi* in the central Baltic Sea: seasonal phenology and hydrographic influence on spatio-temporal distribution patterns. *Journal of Plankton Research*, 33, 1053-1065.
- Shiganova, T. (1997). *Mnemiopsis leidyi* abundance in the Black Sea and its impact on the pelagic community. *Sensitivity to Change: Black Sea, Baltic Sea and North Sea* (ed. by E. Ozsoy and A. Mikaelyan), pp. 117-129. Springer, Dordrecht.
- Shiganova, T. (1994). The ctenophore *Mnemiopsis leidyi* and ichthyoplankton in the Marmara Sea in October of 1992. *Oceanology*, 33, 795-798.
- Shiganova, T., & Malej, A. (2009). Native and non-native ctenophores in the Gulf of Trieste, Northern Adriatic Sea. *Journal of Plankton Research*, 31, 61-71.
- Shiganova, T., Riisgård, H.-U., Ghabooli, S., & Tendal, O.S. (2014). First report on *Beroe ovata* in an unusual mixture of ctenophores in the Great Belt (Denmark). *Aquatic Invasions*, 9, 111-116.
- Shiganova, T., Dumont, H., Sokolsky, A. F., Kamakin, A. M., Tinenkova, A., & Kurasheva, E. K. (2004). Population dynamics of *Mnemiopsis leidyi* in the Caspian Sea, and effects on the Caspian ecosystem. *Aquatic Invasions in the Black, Caspian, and Mediterranean Seas* (ed. by H. J. Dumont, T. Shiganova and U. Niermann), pp. 71-111. Kluwer Academic Publishers, Dordrecht.
- Shiganova, T., Sapozhnikov, V.V. , Musaeva, E. I., Domanov, M. M., Bulgakova, Y. V., . . . Mikuiza, A. S. (2003). Factors determining the conditions of distribution and quantitative characteristics of the ctenophore *Mnemiopsis leidyi* in the North Caspian. *Oceanology*, 43, 676-693.
- Shiganova, T. et al. (2001). Population development of the invader ctenophore *Mnemiopsis leidyi*, in the Black Sea and in other seas of the Mediterranean basin. *Marine Biology*, 139, 431-445.

- Siapatis, A., Giannoulaki, M., Valavanis, V. D., Palialexis, A., Schismenou, E., Machias, A., & Somarakis, S. (2008). Modelling potential habitat of the invasive ctenophore *Mnemiopsis leidyi* in Aegean Sea. *Hydrobiologia*, *612*, 281-295.
- Storr-Paulsen, M., & Huwer, B. (2008). Changes in distribution and lengths of *Mnemiopsis leidyi* in the central Baltic Sea between fall and spring. *Aquatic Invasions*, *3*, 429-434.
- Studenikina, E.I., et al. (1991). The ctenophore *Mnemiopsis leidyi* in the Sea of Azov. *Oceanology*, **31**, 722-725.
- Tendal, O. S. et al. (2007). Invasive ctenophore *Mnemiopsis leidyi* widely distributed in Danish waters. *Aquatic Invasions*, *2*, 455-460.
- Turan, C., Uygur, N., Erguden, D., Ozturk, B., & Ozbalcilar, B. (2010). On the occurrence of invasive ctenophore *Mnemiopsis leidyi* A. Agassiz, 1865 in Antakya Bay, Eastern Mediterranean Sea. *Biharean Biologist*, *4*, 179-180.
- Uysal, Z., & Mutlu, E. (1993). Preliminary note on the occurrence and biometry of ctenophoran *Mnemiopsis leidyi* finally invaded Mersin Bay. *Turkish Journal of Zoology*, *17*, 229-236.
- van Der Molen, J., van Beek, J., Augustine, S., Vansteenbrugge, L., van Walraven, L., Langenberg, V., . . . Robbins, J. (2015). Modelling survival and connectivity of *Mnemiopsis leidyi* in the south-western North Sea and Scheldt estuaries. *Ocean Science*, *11*, 405-424.
- van Ginderdeuren, K. et al. (2012). Distribution of the invasive ctenophore *Mnemiopsis leidyi* in the Belgian part of the North Sea. *Aquatic Invasions*, *7*, 163-169.
- van Walraven, L. et al. (2013). Seasonal occurrence of the invasive ctenophore *Mnemiopsis leidyi* in the western Dutch Wadden Sea. *Journal of Sea Research*, *82*, 86-92.
- Vansteenbrugge, L., Ampe, B., De Troch, M., Vincx, M., & Hostens, K. (2015). On the distribution and population dynamics of the ctenophore *Mnemiopsis leidyi* in the Belgian part of the North Sea and Westerschelde estuary. *Marine Environmental Research*, *110*, 33-44.
- Vergara-Soto, O. et al. (2010). Functional response of *Sagitta setosa* (Chaetognatha) and *Mnemiopsis leidyi* (Ctenophora) under variable food concentration in the Gullmar fjord, Sweden. *Revista De Biologia Marina Y Oceanografia*, *45*, 35-42.
- Vinogradov, M. E., Shushkina, E. A., Musaeva, E. I., & Sorokin, P.Y. (1989). A newly acclimated species in the Black Sea: The ctenophore *Mnemiopsis leidyi* (A. Agassiz) (Ctenophora, Lobata). *Oceanology*, **29**, 220-224.