

Shore fishes of French Polynesia

by

Gilles SIU* (1), Philippe BACCHET (2), Giacomo BERNARDI (3), Andrew J. BROOKS (4), Jeremy CARLOT (1), Romain CAUSSE (5), Joachim CLAUDET (1), Éric CLUA (1), Erwan DELRIEU-TROTTIN (6), Benoit ESPIAU (1), Mireille HARMELIN-VIVIEN (7), Philippe KEITH (5), David LECCHINI (1), Rakamaly MADI-MOUSSA (1), Valeriano PARRAVICINI (1), Serge PLANES (1), Cédric PONSONNET (8), John E. RANDALL (9), Pierre SASAL (1), Marc TAQUET (10), Jeffrey T. WILLIAMS (11) & René GALZIN (1)



Abstract. – On the occasion of the 10th Indo-Pacific Fish Conference (<http://ipfc10.criobe.pf/>) to be held in Tahiti in October 2017, it seemed timely to update Randall's 1985 list of the fishes known from French Polynesia. Many studies focusing on fishes in this area have been published since 1985, but Randall's list remains the authoritative source. Herein we present an expanded species list of 1,301 fishes now known to occur in French Polynesia and we review the expeditions and information sources responsible for the over 60% increase in the number of known species since the publication of Randall's checklist in 1985. Our list of the fishes known from French Polynesia includes only those species with a reliably verifiable presence in these waters. In cases where there was any doubt about the identity of a species, or of the reliability of a reported sighting, the species was not included in our list.

Résumé. – Liste des poissons côtiers de Polynésie française.

À l'occasion de l'organisation de la 10^e conférence sur les poissons de l'Indo-Pacifique (<http://ipfc10.criobe.pf/>) à Tahiti du 2 au 6 octobre 2017, il nous a semblé opportun de fournir une liste actualisée des poissons de Polynésie française. La liste qui fait actuellement référence est celle de Randall publiée en 1985, et mentionnant 800 espèces. Plusieurs articles scientifiques concernant les poissons de cette zone ont été publiés depuis cette date, mais celui de Randall (1985) fait encore autorité. Nous mentionnons ici 1 301 espèces qui fréquentent les eaux des rivières, lagons, îles et océan de la zone exclusive économique de la Polynésie française. Nous avons repris, et vérifié, les informations trouvées dans les travaux scientifiques et les rapports des expéditions effectuées dans cette zone depuis 1985, ce qui augmente de plus de 60% le nombre d'espèces entre les deux listes. Notre liste ne contient que les espèces dont la présence dans les eaux de la Polynésie française est incontestable. En cas de doutes sur l'identification d'une espèce ou sur sa présence dans la zone, elle n'est pas mentionnée dans notre liste.

© SFI
Received: 2 Jan. 2017
Accepted: 3 May 2017
Editor: Jean-Yves Sire

Key words

Coral reef fishes
Deep and Pelagic fishes
Freshwater fishes
French Polynesia
Endemic fishes
Inventory

Research on French Polynesian fishes can be divided according to three major periods: 18th and 19th century collecting expeditions, early 20th century collecting expeditions and descriptive studies, and the past 50 years of research and collecting expeditions.

The first reported collection of fishes by Europeans

in French Polynesia was made by the naturalist Philibert Commerson during a world voyage aboard the frigate *la Boudeuse* and the flute ship *l'Étoile* (1766-1769) under the command of Louis-Antoine de Bougainville. Bertin (1939) reported that fish from this collection had been forgotten in attics of the Royal Cabinet of Natural History (now in the

- (1) PSL Research University, EPHE-UPVD-CNRS, USR 3278 CRIOBE, laboratoire d'excellence "Corail", BP 1013, 98729 Papetoai, Moorea, French Polynesia. [jeremy.carlot@hotmail.fr] [joachim.claudet@gmail.fr] [eric.clua@gmail.com] [benoit.espiou@criobe.pf] [lecchini@univ-perp.fr] [rakamalyadimoussa@gmail.com] [valeriano.parravicini@univ-perp.fr] [planes@univ-perp.fr] [sasal@univ-perp.fr] [galzin@univ-perp.fr]
- (2) BP 2720, 98713 Papeete, Tahiti, Polynésie française. [bacchetphil@mail.pf]
- (3) Department of Ecology and Evolutionary Biology, University of California Santa Cruz, California, 95060, USA. [bernardi@biology.ucsc.edu]
- (4) Marine Science Institute, University of California, Santa Barbara, California, 93106 USA. [brooks@msi.ucsb.edu]
- (5) Muséum national d'Histoire naturelle, UMR Borea, MNHN/CNRS/UPMC/IRC, CP026, 57 rue Cuvier, 75231 Paris CEDEX 05, France. [causse@mnhn.fr] [keith@mnhn.fr]
- (6) Instituto de Ciencias Ambientales y Evolutivas, Universidad Austral de Chile, Valdivia, Chile. [erwan.delrieu.trottin@gmail.com]
- (7) Institut Méditerranéen d'océanologie (Mio), Aix-Marseille Université/Université de toulon, IRD/CNRS, UM 110, Campus de Luminy, Oceanomed, 13288 Marseille CEDEX 9, France. [mireille.harmelin@univ-amu.fr]
- (8) Direction des Ressources Marines et Minières, BP 20, 98713 Papeete, Tahiti, Polynésie française. [cedric.ponsonnet@drm.gov.pf]
- (9) Bernice Pauahi Bishop Museum, PO Box 19000 A, Honolulu, Hawaii, 96817, USA. [jackr@hawaii.rr.com]
- (10) Centre IRD de Polynésie française, UMR EIO 241, 98713 Papeete, Tahiti, Polynésie française. [polynesie@ird.fr]
- (11) Division of fishes, Department of Vertebrate Zoology, National Museum of Natural History, Smithsonian Institution, 4210 Silver Hill Road, Suitland, MD 20746 USA. [williamsjt@si.edu]

* Corresponding author [gilles.siu@criobe.pf]

Muséum national d'Histoire naturelle of Paris). Therefore, these specimens were not available to Lacepède for his work on the natural history of fishes. Most subsequent collections and observations during this period were made by French naval personnel. Captain Louis-Claude de Freycinet, commander of the corvettes *l'Uranie* and *la Physicienne*, refused to allow anyone other than naval sailors to board ships under his command. As a result, the ship's physician, Jean Quoy, and surgeon, Paul Gaimard, served as the ship's naturalists and were responsible for all zoological observations made during the 1817-1820 expedition. Similarly, the ship's surgeons Prosper Garnot and René-Primevère Lesson served as naturalists aboard the corvette *la Coquille* on its 1822-1825 voyage, commissioned by Louis-Isidore Duperrey. Only the collection of Lesson arrived at the Muséum national d'Histoire naturelle of Paris; the Garnot collections being lost at sea off the Cape of Good Hope. Three naturalists, Jean Quoy, Paul Gaimard and Honoré Jacquinot, were allowed on board during the global expedition of the corvette *Astrolabe* (1826-1829), commanded by Captain Jules Sébastien César Dumont-d'Urville. The naval surgeon Theodore Eydou Fortuné observed and collected fishes in French Polynesia during the 1830-1832 voyage of the corvette *la Favorite* commanded by Pierre-Cyrille Théodore Vaillant. Another royal surgeon collected fishes, without describing them, during the trip of the frigate *Venus* (1836-1839), commanded by Captain Abel Petit Thouars. The last French expedition during this early period was a circum-global trip commanded by Captain Jules Sébastien César Dumont-d'Urville, commander of the corvettes *Astrolabe* and *la Zélée* (1837-1840). The fish collected during this expedition by Honoré Jacquinot and Jacques Bernard Hombron were studied in collaboration with Alphonse Guichenot. All of these French ships stopped at least once at an island in French Polynesia and collected or described fishes that were used for research by other illustrious scientific authorities: Etienne Geoffroy Saint-Hilaire, Georges Cuvier, Achille Valenciennes.

At the same time, and often in competition with French sponsored missions, several other European scientific expeditions made stops in Polynesia during their South Seas voyages. The most famous of them is that of the HMS *Beagle* (1831-1836) commanded by Captain Robert FitzRoy with Charles Darwin serving as the ship's naturalist. Fish collected during this expedition were reviewed by Jenyns (1842). From 1836 to 1842, the British naval vessel HMS *Sulphur* crossed the South Seas and stopped in Polynesia in 1840, where the naval surgeon and biologist Richard Brinsley Hinds conducted scientific observations and made collections. Fishes collected during this expedition were described by the Scottish naturalist John Richardson (1844). The first references to the fishes of the Marquesas Islands are found in a comprehensive essay on the natural history of the archipelago published by Jardin in 1859. In Volume III, devoted

to zoology, six pages are dedicated to fishes, in which 52 species are listed and some are described. Subsequent additions to the list of Marquesan fish species were added mostly anecdotally at the occasion of other major expeditions in the Pacific, some without purely scientific objectives. In later years, Günther (1910) authored a volume on the fishes collected during the expeditions of the HMS *Challenger*, followed by a volume written by Gilbert (1915) concentrating on the fishes collected during the voyage of the United States survey vessel *USS Albatross* (1887 to 1888). The final scientific expedition transiting French Polynesia in the 19th century is that of the Dutch ship *Siboga*. The history of the description of the fish fauna of the Marquesas archipelago continues in 1906 when Seale mentions 58 species of fish found at Island of Nuku-Hiva (from a collection of 1,550 fish specimens belonging to 375 species collected between November 1900 and November 1903). This is the first collection of fishes from the Marquesas and it is interesting that from the beginning, this fauna was recognized as having a noteworthy level of endemism.

At the time of these global expeditions, but especially afterwards, ichthyologists have worked either on the material collected by officials posted in the islands of French Polynesia (Jardin, 1859; Vaillant, 1886), or from samples and observations made by these individuals in the field. Jordan and Snyder (1905), Kendall and Goldsborough (1911), Schmidt (1927) and Fowler (1932) were interested in the freshwater fishes of Tahiti, while Audran (1922), Handy (1930), Nordhoff (1930), Herre (1931-1932) and Curtis (1938) worked on marine fishes inhabiting the reefs and lagoons. Herre (1932) provided a checklist of fishes within French Polynesia, recording 389 species from Tahiti. He drew heavily on the works of Günther, 1873-1910 (*Fische der Südsee*), Seale, 1906 (*Fishes of the South Pacific*), which included collections from the Society, Austral, Tuamotu and Marquesas archipelagos deposited in the Bishop Museum of Honolulu, and Fowler, 1928 (*Fishes of Oceania*). Herre (1931, 1935, 1936) reported on the Crane Pacific expedition in French Polynesia. In 1937, the collections of the Vanderbilt expedition to the Tuamotu and Marquesas Archipelagos were described by Regan and Trewavas (1932), Koumans (1937), Fowler (1938) and Giltay (1939). Just before the last world war, Curtis (1938) published a paper on the zoology of Tahiti, while Giltay (1939) presented the scientific results obtained during the voyage of the Belgian ship *Mercator*. After Poll (1942), which describes the fish collected by Witte in Tahiti, the essential motivation of researchers working in French Polynesia shifted to a focus on the various fishing techniques employed in the region (Ropiteau, 1947; Legend, 1950; Petard, 1951; Alverson, 1963; Ottino, 1965).

John "Jack" Randall sailed through French Polynesia in 1956, and renewed interest in ichthyological research in the region. In 1957, while conducting a personal expedition



Figure 1 – A: *Chaetodon trichrous*; B: *Plectranthias flammeus*; C: *Pseudamia* sp.; D: *Vanderhorstia steelei*; E: *Chromis* sp. 1; F: *Acanthurus reversus*; G: *Plectroglyphidodon flaviventris*; H: *Canthigaster criobe*; I: *Pseudolabrus torotai*; J: *Pseudanthias hiva*; K: *Alticus simplicirrus*; L: *Coris marquesensis*; M: *Chromis* sp. 2; N: *Scarus koputea*; O: *Stiphodon elegans*.

aboard his sailboat *Nani* he reported a remarkable percentage of endemic fish species in the Marquesas. From 1966 to

1971, Randall continued to work and publish on fishes collected from other Polynesian islands and established a refer-

ence collection maintained at the Bernice P. Bishop Museum in Hawaii (Randall and Brock, 1960; Randall, 1964, 1973, 1974, 1985). In 1971, he led the first large-scale expedition dedicated to producing a comprehensive inventory of the fishes of the Marquesas with the support of the U.S. National Geographic Society and a team of six scientists and embedded experts (Randall, 1978, 1980). He continued publishing on French Polynesian fishes to this day (Castle and Randall, 1999; Randall, 2001a, 2001b, 2005; Randall and Eschemeyer, 2001; Randall and Pyle, 2001; Randall *et al.*, 2002a, 2002b, 2003, 2008, 2010; Randall and Lobel, 2003; Randall and Mumby, 2008; Fraser and Randall, 2011). Beginning in 1973, the mission of the Muséum national d'Histoire naturelle of Paris led to a collection of several new biodiversity inventories. Plessis and Maugé (1978) published a compilation of 391 species of fishes known from the Marquesas including all of the previous information from Jardin (1859), Seale (1906), Gilbert (1908), Günther (1910), Kendall and Goldsborough (1911), Fowler (1928, 1931, 1932, 1934, 1949), Regan and Trewavas (1932), Herre (1936), Koumans (1937), Fowler (1938) and Giltay (1939). Harry (1953) reviewed all of the fish collections that had been made in the Tuamotu Archipelago, and Bagnis *et al.* (1972) wrote a semi-popular account of the most common fishes of the Society Islands with comments on some species from the Tuamotu and Marquesas Archipelagos.

Randall followed his 1978 checklist of the fishes of French Polynesia with an updated inventory presented at the International Congress on Coral Reefs in Tahiti (Randall, 1985). This inventory listed 800 species of fishes known from French Polynesia, along with information on the occurrence of each species in the different archipelagos. Many of the species contained in Randall's updated list were included in a popular guide to Micronesian reef fishes (Lieske and Myers, 1994; Myers, 1999). Following expeditions in 1998 and 1999, Randall and Earle (2000) published a new list of the coastal fish fauna of the Marquesas Islands. The latest book containing a list of French Polynesian fishes is that of Bacchet *et al.* (2006, 2016).

Since the 1950's, several institutions that focus, in part on fishes, have been established in French Polynesia. The Institut de recherches médicales des établissements français de l'Océanie (currently Institut Louis Malardé) was established in 1949 with an emphasis on investigations related to ciguatera. In 1957, the Service de la Nacre et de la Pêche (currently the Direction des Ressources Marines et Minières) was created, and ORSTOM followed in 1964 (currently the Institut de Recherche pour le Développement, IRD). The Antenne du Muséum national d'Histoire naturelle et de l'École Pratique des Hautes Études was established in 1971 (currently CRIOBE – www.criobe.pf), a year before CNEXO (currently Ifremer), and the Richard B. Gump South Pacific Research Station was established by the University of California in

1981 (<http://www.moorea.berkeley.edu/>). The French University of the Pacific was founded in 1987 and gave rise to the establishment of the University of French Polynesia in 1999. These institutions contributed to the identification of fishes in the different archipelagos (Fourmanoir *et al.*, 1974; Bagnis *et al.*, 1979; Galzin, 1979; Galzin *et al.*, 1983, 2006; Planes *et al.*, 2016) and also to the revisions of families, genera, and species (Johnson, 1978; Marquet and Galzin, 1991; Gon, 1993; Winterbottom, 2002; Gomon, 2006; Maamaatuaiahutapu *et al.*, 2006; Marshall *et al.*, 2009; Mourier, 2012; Knudsen and Clements, 2013).

On the occasion of the 10th Indo-Pacific Fish Conference (<http://ipfc10.criobe.pf/>) to be held in Tahiti in October 2017, it seemed timely to provide an update to Randall's 1985 list of the fishes known from French Polynesia. Many studies focusing on the fishes of French Polynesia have been published since 1985, but Randall's list remains the authoritative source. In this paper, we present an expanded species list of 1,301 fish species now known to occur in French Polynesia and review the expeditions and information sources responsible for the over 60% increase in the number of known species since the publication of Randall's checklist in 1985.

Recently, numerous islands within all five archipelagos (Australis, Society, Gambier, Marquesas and Tuamotu) of French Polynesia were explored under the direction of Professors René Galzin, David Lecchini and Serge Planes. These explorations resulted in the addition of species known from other regions to the checklist of species from French Polynesia as well as the discovery of several new species. For example, Delrieu-Trottin *et al.* (2014, 2015) reported the discovery of 20 possible new species of fishes collected during the 2012 Pakaihi i te Moana expedition to the Marquesas Islands. In addition to greatly increasing the number of islands studied, new habitats were also investigated. New species discovered during the exploration of deep habitats between 60 and 200 m, resulted in the addition of 141 new records of species to Randall's 1985 list. Similarly, new explorations of freshwater habitats (Keith *et al.*, 2002, 2013) and offshore, pelagic waters provided 28 and 25 new records, respectively.

Beginning in 1995 and continuing until the present, the number of sampling techniques used to survey and collect fishes (visual censuses, different types of fishing gear, clove oil, etc.) has increased greatly. As a result, an additional 106 species of Gobiidae, 32 species of Apogonidae, 27 species of Muraenidae, and 22 species of Tripterygiidae, to mention only a few examples, have been added to Randall's 1985 list.

The establishment of several new research facilities on Tahiti and Moorea during the 1970s and early 1980s, *e.g.* CRIOBE, GUMP, IRD and UPF, and the 1985 International Congress on Coral Reefs held in Tahiti led to a significant increase in the number of new scientists conducting research in French Polynesia and many of these new researchers spe-

cialized in the systematics and taxonomy of particular families. As an example, Jeff Williams (Williams and Lecchini, 2004; Williams *et al.*, 2012, 2013; Williams and Planes, 2016; Tornabene *et al.*, 2013; Viviani *et al.*, 2016) added 106 species of Gobiidae, 22 species of Tripterygiidae and 17 species of Blenniidae to Randall's list. The increase in activity concomitant with the increase in researchers resulted in the publication of new reference and guidebooks containing numerous additions to the known fish fauna of French Polynesia. For example, volumes published by Bagnis *et al.* (1972), Randall and Earle (2000) and Bacchet *et al.* (2006, 2016), all complete with excellent underwater photographs, added 28 species of Serranidae, 23 species of Labridae, 17 species of Pomacentridae, 14 species of Holocentridae. A number of coral reef fish ecologists affiliated with the CRIOBE and the Moorea Coral Reef Long-term Ecological Research (LTER) site established in 2004 now routinely conduct large numbers of visual surveys at permanent sites located on Moorea and many of the other islands within French Polynesia greatly increasing the level of effort spent on surveys of the fishes that occur throughout this region.

Since 1996, a vast barcoding program of Polynesian fishes was developed by researchers associated with the CRIOBE and Gump Laboratories on Moorea (Hubert *et al.*, 2012, 2015; <http://www.mooreabiocode.org/>). This effort has resulted in the barcoding of over 450 fish species from the waters surrounding Moorea. In addition, Romain Causse, Jack Randall and Jeff Williams have examined with high levels of scrutiny the collections of French Polynesian fishes existing in the collections of the Muséum national d'Histoire naturelle in Paris, the Bernice P. Bishop Museum in Hawaii and the Smithsonian Institution in Washington, DC, respectively (Froese and Pauly, 2016; Pruvost *et al.*, 2016). These investigations have resulted in numerous new records of species not included on Randall's 1985 list and are being added to the new checklist.

Our checklist includes 1,301 fish species known to occur within the waters of French Polynesia. The Society Islands have the highest level of species richness (877 species) observed within the five Polynesian archipelagos. However, it should be noted that this is also the most studied archipelago in the region. Species richness values for the other four archipelagos are 601 species for the Tuamotu, 597 species for the Marquesas, 551 species for the Australs, and 545 species reported from the Gambier. The greatest proportion of endemic species (13.7%) occurs within the Marquesas archipelago. This is the third highest level of endemism known for Pacific fishes after Easter Island (25%) and the Hawaiian Islands (20%).

Our list of fishes known from French Polynesia includes only those species with a reliably verifiable presence in French Polynesian waters, *i.e.* those species that were: (1) observed by experienced researchers with extensive experi-

ence in the identification of tropical fishes, (2) photographed by scientist or non-scientist divers and then identified by an ichthyologist trained in the identification of tropical reef fishes, (3) collected, identified and curated as part of a national museum collection, (4) collected and genotyped as part of the Moorea Barcode program and subsequent barcoding efforts in other parts of French Polynesia, (5) collected during scientific expeditions and identified by expert ichthyologists (freshwater fishes, deep fishes, pelagic fishes,...), or (6) known to acknowledged experts, *e.g.* Jack Randall (Bishop Museum), Romain Causse (MNHN), Jeff Williams (Smithsonian Institution) or Philippe Bacchet (French Polynesia) as occurring in the region. In cases where there was any doubt about the identity of a species, or of the reliability of a reported sighting, the species was not included in the present list.

Acknowledgements for photos. – Philippe Bacchet: *Chaetodon trichrous* (A), *Alticus simplicirrus* (K), *Plectroglyphidodon flaviventris* (G), *Coris marquesensis* (L), *Vanderhorstia steelei* (D), *Pseudanthias hiva* (J); Philippe Keith: *Stiphodon elegans* (O); Yves Lefèvre: *Acanthurus reversus* (F), *Plectranthias flammeus* (B), *Pseudamia* sp. (C), *Pseudolabrus torotai* (I), *Scarus koputea* (N); Gilles Siu: *Chromis* sp. 1 (E), *Chromis* sp. 2 (M); and Jeffrey T. Williams: *Canthigaster criobe* (H).

REFERENCES

- ALVERSON E., 1963. - Tahitian bonito fishing. *Pap. Kroeber Anthropol. Soc.*, 28: 87-119.
- AUDRAN H., 1922. - Liste des poissons des îles Tuamotu. *Bull. Soc. Etud. Océaniques*, 6: 25-29; 248: 102-106.
- BACCHET P., ZYSMAN T. & LEFÈVRE Y., 2006. - Guide des Poissons de Tahiti et ses Îles. 608 p. Au vent des îles, Tahiti.
- BACCHET P., ZYSMAN T. & LEFÈVRE Y., 2016. - Guide des Poissons de Tahiti et ses Îles. 4^e édit., 648 p. Au vent des îles, Tahiti.
- BAGNIS R., MAZELIER P., BENNET J. & CHRISTIAN E., 1972. - Poissons de Polynésie. 368 p. Les Éditions du Pacifique, Papeete.
- BAGNIS R., GALZIN R. & BENNETT J., 1979. - Poissons de Takapoto. *J. Soc. Océanistes*, 35(62): 69-74.
- BERTIN L., 1939. - Essais de classification et nomenclature des Poissons de la sous-classe des Sélaciens. *Bull. Inst. Oceanogr. Monaco*, 77: 1-24.
- CASTLE P.H.J. & RANDALL J.E., 1999. - Revision of Indo-Pacific garden eels (Congridae: heterocongrinae), with description of five new species. *Indo Pac. Fish.*, 30: 1-52.
- CURTIS A., 1938. - A Short Zoology of Tahiti in the Society Islands. 193 p. Guide Printing Co., Brooklyn, N.Y.
- DELRIEU-TROTTIN E., WILLIAMS J.T. & PLANES S., 2014. - *Macropharyngodon pakoko*, a new species of wrasse (Teleostei: Labridae) endemic to the Marquesas Islands, French Polynesia. *Zootaxa*, 3857(3): 433-443.
- DELRIEU-TROTTIN E., WILLIAMS J.T., BACCHET P., KULBICKI M., MOURRIER J., GALZIN R., LISON DE LOMA T., MOU-THAM G., SIU G. & PLANES S., 2015. - Shore fishes of the Marquesas Islands, an updated checklist with new records and new percentage of endemic species. *Check List*, 11(5): 1-11.

- FOURMANOIR P., GRIESINGER J.M. & PLESSIS Y., 1974. - Faune ichtyologique des Gambier. *Cah. Pac.*, 2(18): 543-559.
- FOWLER H.W., 1928. - The fishes of Oceania. *Mem. B.P. Bishop Mus.*, 10: 1-540.
- FOWLER H.W., 1931. - The fishes of Oceania: supplement 1. *Mem. B.P. Bishop Mus.*, 11(5): 311-381.
- FOWLER H.W., 1932. - The fishes obtained by the Pinchot South Seas Expedition of 1929, with description of one new genus and three new species. *Proc. U.S. Natl. Mus.*, 80(2906): 1-16.
- FOWLER H.W., 1934. - The fishes of Oceania: supplement 2. *Mem. B.P. Bishop Mus.*, 11(6): 383-466.
- FOWLER H.W., 1938. - The fishes of the George Vanderbilt South Pacific Expedition, 1937. *Monogr. Acad. Nat. Sci. Philad.*, 2, v + 349 p.
- FOWLER H.W., 1949. - The fishes of Oceania: supplement 3. *Mem. B.P. Bishop Mus.*, 12(2): 36-152.
- FRASER T.H. & RANDALL J.E., 2011. - Two new species of *Foa* (Apogonidae) from the Pacific Plate, with redescription of *Foa brachygramma* and *Foa fo*. *Zootaxa*, 2988: 1-27.
- FROESE R. & PAULY D. eds, 2016. - FishBase, world wide web electronic publication. www.fishbase.org.version (Oct. 2016)
- GALZIN R., 1979. - Contribution à l'inventaire de la faune ichtyologique de Scilly, Polynésie française. *Bull. Ant. Tahiti Mus. Natl. Hist. Nat. et EPHE*, 1: 52-54.
- GALZIN R., BAGNIS R. & BENNETT J., 1983. - Premier inventaire et distribution de la faune ichtyologique de l'atoll de Scilly (Polynésie française). *J. Soc. Océanistes*, 39(77): 17-28.
- GALZIN R., LECCHINI D., WILLIAMS J.T., PLANES S. & MENOUE J.L., 2006. - Diversité de l'ichtyofaune corallienne à Rapa (Polynésie française). *Cybium*, 30(3): 221-234.
- GILBERT C.H., 1908. - The lantern fishes. *Mem. Mus. Comp. Zool. Harv. Coll.*, Cambridge, 26(6): 215-238.
- GILBERT C.H., 1915. - Fishes collected by the United States Fisheries steamer *Albatross* in southern California in 1904. *Proc. U. S. Natl. Mus.* 48 (2075): 305-380.
- GILTAY L., 1939. - Résultats scientifiques des croisières du navire école belge "Maercator". Poissons. *Mém. Mus. R. Hist. Nat. Belg.*, Bruxelles, 2^e Sér., 15: 39-45.
- GOMON M.F., 2006. - A Revision of the Labrid Fish Genus *Bodianus* With Descriptions of Eight New Species. *Rec. Aust. Mus.*, Suppl. 30(2006): 1-133.
- GON O., 1993. - Revision of the cardinalfish genus *Cheilodipterus* (Perciformes: Apogonidae), with description of five new species. *Indo-Pac. Fish.*, 22: 1-59.
- GÜNTHER A.C.L.G., 1873-1910. - Andrew Garrett's Fische der Südsee, beschrieben und redigirt von A. C. L. G. Günther. Nos. I-IX in vols. I-III. As: J. Mus. Godeffroy Hefts III, VI, IX, XI, XIII, XV, XVI and XVII in Bands II, IV, VI. L. Friederichsen & Co., Hamburg. 1-515, Pls. 1-180. [For dates of publication of numbers for all three volumes of this work see Dor 1975 [ref. 6422].]
- GÜNTHER A.C.L.G., 1910. - Andrew Garrett's Fische der Südsee. *J. Mus. Godeffroy*, 9: 389-519.
- HANDY E.S.C., 1930. - The problem of Polynesian origins. *Bernice P. Bishop Mus. Occ. Pap.*, 9:1-27.
- HARRY R.R., 1953. - Ichthyological field data of Raroia atoll, Tuamotu Archipelago. *Atoll Res. Bull.*, 18: 1-190.
- HERRE A.W., 1931. - A list of fishes collected at Moorea, one of the Society islands, being the first record for this island. *J. Pan-Pac. Res. Inst.*, 6(4): 10.
- HERRE A.W., 1932. - A checklist of fishes recorded from Tahiti. *J. Pan-Pac. Res. Inst.*, 7(1): 2-6.
- HERRE A.W., 1935. - Fishes of the Crane Pacific Expedition. *Field Mus. Nat. Hist., Zool. Ser.*, 21(353): 1-472.
- HERRE A.W., 1936. - New fishes obtained by the Crane Pacific Expedition. *Field Mus. Nat. Hist., Zool. Ser.*, 18(12): 384-437.
- HTTP://FISHBARDB.CRIOBE.PF/
- HTTP://RESEARCHARCHIVE.CALACADEMY.ORG/research/ichthyology/catalog/fishcatmain.asp. Accessed on 1 Jan. 2017.
- HTTP://WWW.MOOREABIICODE.ORG
- HUBERT N., MEYER C., CHRISTOPHER P., BRUGGEMANN H. J., GUÉRIN F., KOMENO R., ESPIAU B., CAUSSE R., WILLIAMS J.T. & PLANES S., 2012. - Cryptic diversity in Indo-Pacific coral-reef fishes revealed by DNA-Barcoding provides new support to the centre-of-overlap hypothesis. *PLoS One*, 7(3): 1-8. e28987.
- HUBERT N., ESPIAU B., MEYER C. & PLANES S., 2015. - Identifying the ichthyoplankton of a coral reef using DNA barcodes. *Mol. Ecol. Resour.*, 15(1): 57-68.
- JARDIN E., 1859. - Essai sur l'Histoire Naturelle de l'Archipel de Mendana ou des Marquises. 3^e Partie: Zoologie. *Mém. Soc. Imp. Sci. Nat. Cherbourg*, 6: 161-200.
- JENYNS L., 1842. - Fish. In: The Zoology of the Voyage of H.M.S. *Beagle*, under the command of Captain Fitzroy, R. N., during the Years 1832 to 1836. London: Smith, Elder, and Co. Issued in 4 parts. I-XVI + 1-172, Pls. 1-29.
- JOHNSON R.H., 1978. - Sharks of Polynesia. 170 p. Les Éditions du Pacifique, Papeete.
- JORDAN D.S. & SNYDER J.O., 1905. - A list of fishes collected in Tahiti by Mr. Henry P. Bowie. *Proc. U. S. Natl. Mus.*, 29(1422): 353-357.
- KENDALL W.C. & GOLDSBOROUGH E.L., 1911. - Of the expedition to the tropical pacific. *Mus. Comp. Zool., Mém.*, 26(7): 341-344
- KEITH P., VIGNEUX E. & MARQUET G., 2002. - Atlas des Poissons et des Crustacés d'eau douce de Polynésie française. Muséum national d'Histoire naturelle, Paris, 184 p. (Patrimoines naturels ; 55).
- KEITH P., MARQUET G., GERBEAUX P., LORDC. & VIGNEUX E., 2013. - Polynesian Freshwater Fish and Crustaceans: Taxonomy, Ecology, Biology and Management. SFI & CEPF ed., 282 p.
- KNUDSEN S.W. & CLEMENTS K.D., 2013. - Revision of the fish family *Kyphosidae* (Teleostei Perciformes). *Zootaxa*, 3751(1): 1-101.
- KOUMANS F.P., 1937. - On a collection of fishes from Siam. *Zool. Meded. (Leiden)*, 20: 61-64.
- LEGAND M., 1950. - Contribution à l'étude des méthodes de pêche dans les territoires français du Pacifique Sud. *J. Soc. Oceanistes*, 6: 141-184.
- LIESKE E. & MYERS R.F., 1994. - Guide des Poissons des Récifs coralliens. 400 p. Éditions Delachaux & Niestlé.
- MAAMAATUAIAHUTAPU M., REMOISSENET G. & GALZIN R., 2006. - Guide d'Identification des Larves de poissons récifaux de Polynésie française. 104 p. Éd. Tethys Tahiti.
- MARQUET G. & GALZIN R., 1991. - The eels of French polynesia: Taxonomy, distribution and biomass. *La Mer, Tokyo*, 29: 8-17.
- MARSHALL A.D., COMPAGNO L.J.V. & BENNETT M.B., 2009. - Redescription of the genus *Manta* with resurrection of *Manta alfredi* (Krefft, 1868) (Chondrichthyes; Myliobatoidei; Mobuliidae). *Zootaxa*, 2301: 1-28.
- MOURIER J., 2012. - Manta rays in the Marquesas Islands: first records of *Manta birostris* in French Polynesia and most easterly location of *Manta alfredi* in the Pacific Ocean, with notes on their distribution. *J. Fish Biol.*, 81(6): 2053-2058.

- MYERS R.F., 1999. - Micronesian Reef Fishes. A Comprehensive Guide to the Coral Reef Fishes of Micronesia. 3rd revised edit. Coral Graphics, Guam. I-VI + 1-330, 192 pls.
- NORDHOFF C., 1930. - Notes on the off-shore fishing of the Society Islands. *J. Polynesian Soc.*, 39(3): 221-262.
- OTTINO P., 1965. - Ethno-histoire de Rangiroa. 167 p. Papeete, centre Orstom.
- PETARD P., 1951. - Plantes tannifères océaniques. *J. Soc. Océanistes*, 7(7), 258-263.
- PLANES S., BACCHET P., DELRIEU-TROTTIN E., KULBICKI M., LISON DE LOMA T., MOU-THAM G., SIU G., WILLIAMS J.T. & GALZIN R., 2016. - Les poissons côtiers des Marquises. In : Biodiversité terrestre et marine des îles Marquises, Polynésie française (Galzin R., Duron S.D. & Meyer J.Y., eds), pp. 259-286, Paris: Société Française d'Ichtyologie.
- PLESSIS Y.B. & MAUGÉ L.A., 1978. - Ichtyologie des îles Marquises. *Cah. Pac.*, 21: 215-235.
- POLL M., 1942. - Les poissons de Tahiti recueillis par GA De Witte. *Bull. Mus. R. Hist. Nat. Belgique*, 18(61): 20.
- PRUVOST P., CAUSSE R. & MURAIL J.F., 2016. - Gicim, relational database for management of MNHN fish collection. Muséum national d'Histoire naturelle, <https://science.mnhn.fr/institution/mnhn/collection/ic/item/search/form>.
- RANDALL J.E., 1964. - A revision of the filefish genera *Amaneses* and *Cantherhines*. *Copeia*, (2): 331-361.
- RANDALL J.E., 1973. - Tahitian fish names and a preliminary checklist of the fishes of the Society Islands. *Occ. Pap. Bernice P. Bishop Mus.*, 24(11): 167-214.
- RANDALL J.E., 1974. - Rapa and beyond. *Oceans*, 7(6): 24-31.
- RANDALL J.E., 1978. - A revision of the Indo-Pacific labrid fish genus *Macropharyngodon*, with descriptions of five new species. *Bull. Mar. Sci.*, 28(4): 742-770.
- RANDALL J.E., 1980. - Westward to the Marquesas. *Freshw Mar. Aquarium*, 3(3): 7-10, 84-92.
- RANDALL J.E., 1985. - Fishes. In: Fauna and Flora, a first Compendium of French Polynesian Sea-Dwellers. *Proc. Fifth Int. Coral Reef Cong.*, Tahiti, 1: 462-481.
- RANDALL J.E., 2001a. - Four new cardinal fishes (Perciformes: Apogonidae) from the Marquesas Islands. *Pac. Sci.*, 55(1): 47-64.
- RANDALL J.E., 2001b. - Four new damselfishes (Perciformes: Pomacentridae) from the Marquesas Islands. *Copeia*, (1): 92-107.
- RANDALL J.E., 2005. - Reef and Shore Fishes of the South Pacific – New Caledonia to Tahiti and the Pitcairn Islands. 707 p. Univ. of Hawai'i Press, Honolulu.
- RANDALL J.E. & BROCK V.E., 1960. - Observations on the ecology of Epinephelinae and lutjanid fishes of the Society Islands, with emphasis on food habits. *Trans. Am. Fish. Soc.*, 89: 9-16.
- RANDALL J.E. & EARLE J.R., 2000. - Annotated checklist of the shore fishes of the Marquesas Islands. *Bishop Mus. Occ. Pap.*, 66: 1-39.
- RANDALL J.E. & ESCHMEYER W.N., 2001. - Revision of the Indo-Pacific scorpionfish genus *Scorpaenopsis*, with descriptions of eight new species. *Indo-Pac. Fish.*, 34: 1-79.
- RANDALL J.E. & LOBEL P.S., 2003. - *Xyrichtys halsteadii*, a new labrid fish from the central and western Pacific. *Bull. Mar. Sci.*, 72(3): 971-977.
- RANDALL J.E. & MUMBY P.L., 2008. - *Vanderhorstia steelei*, a new shrimpgoby from the Society Islands. *Aqua. J. Ichthyol. Aquat. Biol.* 14: 35-41.
- RANDALL J.E. & PYLE R.L., 2001. - Four new serranid fishes of the anthine genus *Pseudanthias* from the South Pacific. *Raffles Bull. Zool.*, 49(1): 19-34.
- RANDALL J.E., BACCHET P., WINTERBOTTOM R. & WROBEL L., 2002a. - Fifty new records of shore fishes from the Society Islands and Tuamotu Archipelago. *Aqua. J. Ichthyol. Aquat. Biol.*, 5(4): 153-166.
- RANDALL J.E., EARLE J.L. & ROBERTSON D.R., 2002b. - *Iniistius auropunctatus*, a new razorfish from the Marquesas Islands. *Cybium*, 26(2): 93-98.
- RANDALL J.E., ALLEN G.R. & ROBERTSON D.R., 2003. - *Myripristis earlei*, a New Soldierfish (Beryciformes: Holocentridae) from the Marquesas and Phoenix Islands. *Zool. Stud.*, 42: 405-410.
- RANDALL J.E., WILLIAMS J.T. & ROCHA L.A., 2008. - The Indo-Pacific tetraodontid fish *Canthigaster coronata*, a complex of three species. *Smithiana, Publ. Aquat. Biodivers. Bull.*, 9: 3-13.
- RANDALL J.E., C. MCKEON C.S., ANKER A. & BACCHET P., 2010. - First records of the pipefishes *Minyichthys myersi* and *Micrognathus andersonii* from the Society Islands. *Cybium*, 34(3): 315-316.
- REGAN C.T. & TREWAVAS E., 1932. - Deep-sea angler-fishes (Ceratioidea). *Dana Rep.*, 2: 1-113.
- RICHARDSON J., 1844. - Ichthyology. In: The Zoology of the Voyage of H.M.S. *Sulphur*, Vol. 1 (Hinds R.B., ed.), pp. 51-281. Cornhill, U.K.: Smith, Elder and Co.
- ROPITEAU A., 1947. - Pêches en Polynésie française [III. La pêche aux thons à Maupiti]. *J. Soc. Océanistes*, 3(3), 12-21.
- SCHMIDT J., 1927. - Poissons d'eau douce de Tahiti. *Bull. Soc. Étud. Océan.*, 20: 278-279.
- SEALE A., 1906. - Fishes of the South Pacific. *Occ. Pap. Bernice P. Bishop Mus.*, 4(1): 1-89.
- TORNABENE L., AHMADIA G.N. & WILLIAMS J.T., 2013. - Four new species of dwarfgobies (Teleostei: Gobiidae: *Eviota*) from the Austral, Gambier, Marquesas and Society Archipelagos, French Polynesia. *Syst. Biodivers.*, 11(3): 363-380.
- VAILLANT L.L., 1886. - Considérations sur les poissons des grandes profondeurs, en particulier sur ceux qui appartiennent au sous-ordre des Abdominales. *C. R. Hebd. Séances Acad. Sci.*, 103: 1237-1239.
- VIVIANI J., WILLIAMS J.T. & PLANES S., 2016. - Two new pygmygobies (Percomorpha: Gobiidae: *Trimma*) from French Polynesia. *J. Ocean Sci. Found.*, 23: 1-11.
- WILLIAMS J.T. & LECCHINI D., 2004. - *Parioglossus galzini*, a new species of ptereleotrid dartfish from Rapa Island (Teleostei Gobiodei: Ptereleotridae). *Zootaxa*, 506: 1-8.
- WILLIAMS J.T. & VIVIANI J., 2016. - *Pseudogramma polyacantha* complex (Serranidae, tribe Grammistini): DNA barcoding results lead to the discovery of three cryptic species, including two new species from French Polynesia. *Zootaxa*, 4111(3): 246-260.
- WILLIAMS J.T., DELRIEU-TROTTIN E. & PLANES S., 2012. - A new species of Indo-Pacific fish, *Canthigaster criobe*, with comments on other *Canthigaster* (Tetraodontiformes: Tetraodontidae) at the Gambier Archipelago. *Zootaxa*, 3523: 80-88.
- WILLIAMS J.T., DELRIEU-TROTTIN E. & PLANES S., 2013. - Two new fish species of the subfamily Anthiinae (Perciformes, Serranidae) from the Marquesas. *Zootaxa*, 3647(1): 167-180.
- WINTERBOTTOM R., 2002. - Two new species of *Trimma* from the central, western and south Pacific. *Aqua. J. Ichthyol. Aquat. Biol.*, 5(2): 163-174.

Table I. – List of the 1,301 fishes present in the French Polynesian waters. FAMILY: name of the family to which the species belongs; GENUS-SPECIES: genus and species of the fish; AUTHOR & DATE: name of the author and date of the description of the species; N° Siu: number of the species in the list; N° Ran as Randall: matching number of the fish in Randall, 1985; M to R (1 means that the species occurs in the archipelago or in one island); M: Marquesas Islands; S: Society Islands; Mo: Moorea Island; T: Tuamotu Islands; G: Gambier Islands; A: Austral Islands; R: Rapa Island; E: Endemic (1 means that the species is endemic to an island or an archipelago of French Polynesia); D: Deep (1 means that the species generally lives bellow 60 m); P: Pelagic (1 means that the species lives in the water column and nothing indicates that it lives far from the shore); F: Fresh Water (1 means that the species usually lives in fresh water).

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|--------------------|------------------------------------|----------------------------|--------|--------|---|---|----|---|---|---|---|---|---|---|---|
| Hexanchidae | <i>Hexanchus nakamurai</i> | Teng, 1962 | 1 | | | | | | | | | | 1 | | |
| Squalidae | <i>Centrophorus atromarginatus</i> | Garman, 1913 | 2 | | | | | | | | | | 1 | | |
| Squalidae | <i>Centrophorus moluccensis</i> | Bleeker, 1860 | 3 | | | | | | | 1 | | | 1 | | |
| Squalidae | <i>Centrophorus tessellatus</i> | Garman, 1906 | 4 | | 1 | 1 | | | | 1 | | | 1 | | |
| Squalidae | <i>Squalus megalops</i> | (Macleay, 1881) | 5 | | | | | | | 1 | | | 1 | | |
| Squalidae | <i>Squalus melanurus</i> | Fourmanoir & Rivaton, 1979 | 6 | | | | | | | | | | 1 | | |
| Squalidae | <i>Squalus mitsukurii</i> | Jordan & Snyder, 1903 | 7 | | | | | | | | | | 1 | | |
| Etmopteridae | <i>Etmopterus lucifer</i> | Jordan & Snyder, 1902 | 8 | | | | | | | 1 | | | 1 | | |
| Etmopteridae | <i>Etmopterus</i> sp. (Rapa Is.) | | 9 | | | | | | | | 1 | | | | |
| Somniosidae | <i>Centroscyrmnus owstonii</i> | Garman, 1906 | 10 | | | | | | | | | | 1 | | |
| Dalatiidae | <i>Euprotomicrus bispinatus</i> | (Quoy & Gaimard, 1824) | 11 | | | | | | | | | | 1 | 1 | |
| Dalatiidae | <i>Isistius brasiliensis</i> | (Quoy & Gaimard, 1824) | 12 | 1 | 1 | | | | | | | | 1 | 1 | |
| Gynglymostomatidae | <i>Nebrius ferrugineus</i> | (Lesson, 1831) | 13 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Rhincodontidae | <i>Rhincodon typus</i> | Smith, 1828 | 14 | 3 | 1 | 1 | 1 | 1 | | 1 | | | | 1 | |
| Pseudocarchariidae | <i>Pseudocarcharias kamoharai</i> | (Matsubara, 1936) | 15 | 4 | 1 | | | | | | | | 1 | 1 | |
| Alopiidae | <i>Alopias pelagicus</i> | Nakamura, 1935 | 16 | 5 | 1 | | | | | | | | 1 | 1 | |
| Alopiidae | <i>Alopias vulpinus</i> | (Bonnaterre, 1788) | 17 | 6 | 1 | | | | | | | | 1 | 1 | |
| Lamnidae | <i>Isurus oxyrinchus</i> | Rafinesque, 1810 | 18 | 7 | 1 | | | | | | | 1 | 1 | 1 | |
| Scyliorhinidae | <i>Pseudotriakis microdon</i> | de Brito Capello, 1868 | 19 | | | | | | | | 1 | | 1 | | |
| Carcharhinidae | <i>Carcharhinus albimarginatus</i> | (Rüppell, 1837) | 20 | 8 | 1 | 1 | | 1 | 1 | 1 | | | | | |
| Carcharhinidae | <i>Carcharhinus amblyrhynchos</i> | (Bleeker, 1856) | 21 | 9 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Carcharhinidae | <i>Carcharhinus falciformis</i> | (Müller & Henle, 1839) | 22 | 10 | 1 | 1 | | 1 | 1 | 1 | | | | 1 | |
| Carcharhinidae | <i>Carcharhinus galapagensis</i> | (Snodgrass & Heller, 1905) | 23 | 11 | | 1 | | 1 | 1 | 1 | 1 | | | | |
| Carcharhinidae | <i>Carcharhinus leucas</i> | (Müller & Henle, 1839) | 24 | 12 | | | | 1 | | | | | | | |
| Carcharhinidae | <i>Carcharhinus limbatus</i> | (Müller & Henle, 1839) | 25 | 13 | 1 | 1 | | 1 | 1 | 1 | | | | | |
| Carcharhinidae | <i>Carcharhinus longimanus</i> | (Poey, 1861) | 26 | 14 | 1 | 1 | | 1 | 1 | 1 | | | | 1 | |
| Carcharhinidae | <i>Carcharhinus melanopterus</i> | (Quoy & Gaimard, 1824) | 27 | 15 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Carcharhinidae | <i>Galeocerdo cuvier</i> | (Péron & Lesueur, 1822) | 28 | 16 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Carcharhinidae | <i>Negaprion acutidens</i> | (Rüppell, 1837) | 29 | 17 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Carcharhinidae | <i>Prionace glauca</i> | (Linnaeus, 1758) | 30 | | 1 | | | | | | | | 1 | 1 | |
| Carcharhinidae | <i>Triaenodon obesus</i> | (Rüppell, 1837) | 31 | 18 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Sphyrnidae | <i>Sphyrna lewini</i> | (Griffith & Smith, 1834) | 32 | 19 | 1 | 1 | | 1 | 1 | 1 | | | | | |
| Sphyrnidae | <i>Sphyrna mokarran</i> | (Rüppell, 1837) | 33 | 20 | 1 | 1 | | 1 | | | | | | | |
| Plesiobatidae | <i>Plesiobatis daviesi</i> | (Wallace, 1967) | 34 | | 1 | | | | | | | | 1 | | |
| Dasyatididae | <i>Himantura fai</i> | Jordan & Seale, 1906 | 35 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Dasyatididae | <i>Pteroplatytrygon violacea</i> | (Bonaparte, 1832) | 36 | 21 | | | | 1 | | | | | | | |
| Dasyatididae | <i>Taeniurops meyeri</i> | (Müller & Henle, 1841) | 37 | 22 | 1 | 1 | | | | | | | | | |
| Myliobatidae | <i>Aetobatus ocellatus</i> | (Kuhl, 1823) | 38 | 23 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Myliobatidae | <i>Manta alfredi</i> | (Kreff, 1868) | 39 | 24 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Myliobatidae | <i>Manta birostris</i> | (Walbaum, 1792) | 40 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | 1 | |
| Myliobatidae | <i>Mobula tarapacana</i> | (Philippi, 1892) | 41 | | 1 | 1 | | 1 | | 1 | | | | 1 | |
| Elopidae | <i>Elops hawaiiensis</i> | Regan, 1909 | 42 | 25 | | 1 | | 1 | | | | | | | |
| Megalopidae | <i>Megalops cyprinoides</i> | (Broussonet, 1782) | 43 | 26 | 1 | 1 | 1 | 1 | | 1 | | | | | |
| Albulidae | <i>Albula argentea</i> | (Forster, 1801) | 44 | 28 | 1 | 1 | | | 1 | | | | | | |
| Albulidae | <i>Albula glossodonta</i> | (Forsskål, 1775) | 45 | 27 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Albulidae | <i>Albula</i> sp. (Rapa Is.) | | 46 | | | | | | | | 1 | 1 | | | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|-------------|--------------------------------------|------------------------------|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Chanidae | <i>Chanos chanos</i> | (Forsskål, 1775) | 47 | 29 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Anguillidae | <i>Anguilla marmorata</i> | Quoy & Gaimard, 1824 | 48 | 30 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | 1 |
| Anguillidae | <i>Anguilla megastoma</i> | Kaup, 1856 | 49 | 31 | 1 | 1 | 1 | | 1 | 1 | 1 | | | | 1 |
| Anguillidae | <i>Anguilla obscura</i> | Günther, 1872 | 50 | 32 | 1 | 1 | | 1 | 1 | 1 | 1 | | | | 1 |
| Moringuidae | <i>Moringua ferruginea</i> | Bliss, 1883 | 51 | | 1 | | | 1 | 1 | | 1 | | | | |
| Moringuidae | <i>Moringua javanica</i> | (Kaup, 1856) | 52 | | 1 | 1 | 1 | 1 | | 1 | 1 | | | | |
| Moringuidae | <i>Moringua</i> sp. (Marquesas) | | 53 | 33 | 1 | | | | | | | 1 | | | |
| Chlopsidae | <i>Chilorhinus platyrhynchus</i> | (Norman, 1922) | 54 | | | 1 | 1 | | | | | | | | |
| Chlopsidae | <i>Kaupichthys brachyichirus</i> | Schultz, 1953 | 55 | 34 | | 1 | 1 | | | | | | | | |
| Chlopsidae | <i>Kaupichthys diodontus</i> | Schultz, 1943 | 56 | 35 | 1 | 1 | 1 | | 1 | | | | | | |
| Chlopsidae | <i>Kaupichthys</i> sp. (Marquesas) | | 57 | 36 | 1 | | | | | | | 1 | | | |
| Muraenidae | <i>Anarchias allardicei</i> | Jordan & Starks, 1906 | 58 | 37 | | 1 | | | | | | | | | |
| Muraenidae | <i>Anarchias exulatus</i> | Reece, Smith & Holm, 2010 | 59 | | | | | | 1 | | | | | | |
| Muraenidae | <i>Anarchias leucurus</i> | (Snyder, 1904) | 60 | 39 | 1 | 1 | | | | 1 | | | | | |
| Muraenidae | <i>Anarchias schultzi</i> | Reece, Smith & Holm, 2010 | 61 | | | | | 1 | 1 | | | | | | |
| Muraenidae | <i>Anarchias seychellensis</i> | Smith, 1962 | 62 | 40 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Muraenidae | <i>Anarchias</i> sp. (banc Clark) | | 63 | | 1 | | | | | | | 1 | | | |
| Muraenidae | <i>Anarchias</i> sp. (Rapa Is.) | | 64 | | | | | | | | 1 | 1 | | | |
| Muraenidae | <i>Echidna leucotaenia</i> | Schultz, 1943 | 65 | 41 | 1 | 1 | 1 | 1 | 1 | | 1 | | | | |
| Muraenidae | <i>Echidna nebulosa</i> | (Ahl, 1789) | 66 | 42 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Muraenidae | <i>Echidna polyzona</i> | (Richardson, 1845) | 67 | 43 | 1 | 1 | 1 | 1 | | | | | | | |
| Muraenidae | <i>Echidna unicolor</i> | Schultz, 1953 | 68 | 44 | 1 | 1 | | | | | | | | | |
| Muraenidae | <i>Enchelycore bayeri</i> | (Schultz, 1953) | 69 | 45 | 1 | 1 | 1 | | | | | | | | |
| Muraenidae | <i>Enchelycore bikiniensis</i> | (Schultz, 1953) | 70 | 46 | 1 | | | | | | | | | | |
| Muraenidae | <i>Enchelycore pardalis</i> | (Temminck & Schlegel, 1846) | 71 | 47 | 1 | 1 | | | | 1 | | | | | |
| Muraenidae | <i>Enchelycore ramosa</i> | (Griffin, 1926) | 72 | 48 | | | | | | | 1 | | | | |
| Muraenidae | <i>Enchelycore schismatorhynchus</i> | (Bleeker, 1853) | 73 | 49 | 1 | 1 | | | | | | | | | |
| Muraenidae | <i>Enchelynassa canina</i> | (Quoy & Gaimard, 1824) | 74 | 50 | 1 | 1 | 1 | 1 | 1 | | | | | | |
| Muraenidae | <i>Gymnomuraena zebra</i> | (Shaw, 1797) | 75 | 51 | 1 | 1 | 1 | 1 | | | | | | | |
| Muraenidae | <i>Gymnothorax albimarginatus</i> | (Temminck & Schlegel, 1846) | 76 | | | | | | 1 | 1 | | | | 1 | |
| Muraenidae | <i>Gymnothorax australicola</i> | Lavenberg, 1992 | 77 | | | | | | 1 | | 1 | | | | |
| Muraenidae | <i>Gymnothorax breedeni</i> | McCosker & Randall, 1977 | 78 | 52 | 1 | | | | | | | | | | |
| Muraenidae | <i>Gymnothorax buroensis</i> | (Bleeker, 1857) | 79 | 53 | 1 | 1 | 1 | 1 | 1 | | | | | | |
| Muraenidae | <i>Gymnothorax chilospilus</i> | Bleeker, 1864 | 80 | 54 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Muraenidae | <i>Gymnothorax elegans</i> | Bliss, 1883 | 81 | | | 1 | | | | | | | | 1 | |
| Muraenidae | <i>Gymnothorax enigmaticus</i> | McCosker & Randall, 1982 | 82 | | | 1 | | | | | | | | | |
| Muraenidae | <i>Gymnothorax eurostus</i> | (Abbott, 1860) | 83 | 55 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Muraenidae | <i>Gymnothorax fimbriatus</i> | (Bennett, 1832) | 84 | 56 | 1 | 1 | 1 | 1 | 1 | | | | | | |
| Muraenidae | <i>Gymnothorax flavimarginatus</i> | (Rüppell, 1830) | 85 | 57 | 1 | 1 | 1 | 1 | 1 | 1 | | | | 1 | |
| Muraenidae | <i>Gymnothorax formosus</i> | Bleeker, 1864 | 86 | | 1 | 1 | 1 | | | | | | | | |
| Muraenidae | <i>Gymnothorax fuscomaculatus</i> | (Schultz, 1953) | 87 | 58 | 1 | 1 | | 1 | 1 | 1 | | | | | |
| Muraenidae | <i>Gymnothorax gracilicauda</i> | Jenkins, 1903 | 88 | 59 | 1 | 1 | 1 | 1 | | | | | | | |
| Muraenidae | <i>Gymnothorax intesi</i> | (Fourmanoir & Rivaton, 1979) | 89 | | | | | | | 1 | | | | 1 | |
| Muraenidae | <i>Gymnothorax javanicus</i> | (Bleeker, 1859) | 90 | 60 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Muraenidae | <i>Gymnothorax kidako</i> | (Temminck & Schlegel, 1846) | 91 | | | 1 | | | | | | | | 1 | |
| Muraenidae | <i>Gymnothorax kontodontos</i> | Böhlke, 2000 | 92 | | | 1 | 1 | | | | | | | | |
| Muraenidae | <i>Gymnothorax margaritophorus</i> | Bleeker, 1864 | 93 | 61 | 1 | 1 | 1 | 1 | 1 | | | | | | |
| Muraenidae | <i>Gymnothorax melatremus</i> | Bleeker, 1864 | 94 | 62 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Muraenidae | <i>Gymnothorax meleagris</i> | (Shaw, 1795) | 95 | 63 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Muraenidae | <i>Gymnothorax monochrous</i> | (Bleeker, 1856) | 96 | | | 1 | | | 1 | | | | | | |
| Muraenidae | <i>Gymnothorax monostigma</i> | (Regan, 1909) | 97 | 64 | 1 | 1 | | 1 | | | | | | | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|---------------|--------------------------------------|--------------------------------------|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Muraenidae | <i>Gymnothorax nasuta</i> | de Buen, 1961 | 98 | | | | | | | | 1 | | | | |
| Muraenidae | <i>Gymnothorax nuttingi</i> | Snyder, 1904 | 99 | | | | | | | | | | 1 | | |
| Muraenidae | <i>Gymnothorax panamensis</i> | (Steindachner, 1876) | 100 | | | | | | | | 1 | | | | |
| Muraenidae | <i>Gymnothorax pictus</i> | (Ahl, 1789) | 101 | 74 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Muraenidae | <i>Gymnothorax pindae</i> | Smith, 1962 | 102 | 66 | | 1 | | | | | | | | | |
| Muraenidae | <i>Gymnothorax porphyreus</i> | (Guichenot, 1848) | 103 | 67 | | | | | | | 1 | | | | |
| Muraenidae | <i>Gymnothorax prionodon</i> | Ogilby, 1895 | 104 | | | | | | | | | | | | |
| Muraenidae | <i>Gymnothorax prismodon</i> | Böhlke & Randall, 2000 | 105 | | 1 | | | | | | | | | | |
| Muraenidae | <i>Gymnothorax reevesii</i> | (Richardson, 1845) | 106 | | 1 | 1 | 1 | | 1 | | | | | | |
| Muraenidae | <i>Gymnothorax richardsonii</i> | (Bleeker, 1852) | 107 | 68 | | 1 | 1 | 1 | 1 | | | | | | |
| Muraenidae | <i>Gymnothorax rueppelliae</i> | (McClelland, 1844) | 108 | 69 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Muraenidae | <i>Gymnothorax shaoi</i> | Chen & Loh, 2007 | 109 | | 1 | | | | | | | | | | |
| Muraenidae | <i>Gymnothorax</i> sp. (Ua Huka Is.) | | 110 | | 1 | | | | | | | | 1 | | |
| Muraenidae | <i>Gymnothorax</i> sp. (Rapa Is.) | | 111 | | | | | | | | 1 | 1 | | | |
| Muraenidae | <i>Gymnothorax thyrsoideus</i> | (Richardson, 1845) | 112 | 75 | 1 | 1 | | 1 | | 1 | 1 | | | | |
| Muraenidae | <i>Gymnothorax undulatus</i> | (Lacepède, 1803) | 113 | 70 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Muraenidae | <i>Gymnothorax ypsilon</i> | Hatooka & Randall, 1992 | 114 | | | | | | | | 1 | | 1 | | |
| Muraenidae | <i>Gymnothorax zonipectis</i> | Seale, 1906 | 115 | 71 | 1 | 1 | 1 | | 1 | 1 | | | | | |
| Muraenidae | <i>Monopenchelys acuta</i> | (Parr, 1930) | 116 | | | 1 | | | | | | | | | |
| Muraenidae | <i>Pseudechidna brummeri</i> | (Bleeker, 1858) | 117 | | | 1 | | | | | | | | | |
| Muraenidae | <i>Rhinomuraena quaesita</i> | Garman, 1888 | 118 | 73 | | 1 | | 1 | | 1 | | | | | |
| Muraenidae | <i>Scuticaria okinawae</i> | (Jordan & Snyder, 1901) | 119 | 76 | | 1 | | | | | | | | | |
| Muraenidae | <i>Scuticaria tigrina</i> | (Lesson, 1828) | 120 | 85 | 1 | 1 | 1 | 1 | | 1 | | | | | |
| Muraenidae | <i>Uropterygius alboguttatus</i> | Smith, 1962 | 121 | | 1 | 1 | 1 | 1 | | 1 | | | | | |
| Muraenidae | <i>Uropterygius concolor</i> | Rüppell, 1838 | 122 | 77 | 1 | 1 | | 1 | | | | | | | |
| Muraenidae | <i>Uropterygius fuscoguttatus</i> | Schultz, 1953 | 123 | 78 | 1 | 1 | 1 | | | | | | | | |
| Muraenidae | <i>Uropterygius inornatus</i> | Gosline, 1958 | 124 | | | 1 | 1 | 1 | | | | | | | |
| Muraenidae | <i>Uropterygius kamar</i> | McCosker & Randall, 1977 | 125 | 79 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Muraenidae | <i>Uropterygius macrocephalus</i> | (Bleeker, 1864) | 126 | 80 | 1 | 1 | | 1 | | 1 | | | | | |
| Muraenidae | <i>Uropterygius marmoratus</i> | (Lacepède, 1803) | 127 | 82 | 1 | 1 | | 1 | 1 | | | | | | |
| Muraenidae | <i>Uropterygius polypilus</i> | (Regan, 1909) | 128 | 83 | | 1 | | | | | | | | | |
| Muraenidae | <i>Uropterygius supraforatus</i> | (Regan, 1909) | 129 | 84 | | 1 | 1 | | | | | | | | |
| Colocongridae | <i>Coloconger raniceps</i> | Alcock, 1889 | 130 | | | | | | | | | | 1 | | |
| Congridae | <i>Ariosoma fasciatum</i> | (Günther, 1872) | 131 | 90 | | 1 | 1 | | | | | | | | |
| Congridae | <i>Ariosoma multivertebratum</i> | Karmovskaya, 2004 | 132 | 87 | 1 | | | | | | | 1 | 1 | | |
| Congridae | <i>Ariosoma scheelei</i> | (Strömman, 1896) | 133 | | | 1 | 1 | | | | 1 | | | | |
| Congridae | <i>Ariosoma sereti</i> | Karmovskaya, 2004 | 134 | | 1 | | | | | | | 1 | 1 | | |
| Congridae | <i>Ariosoma</i> sp. (Tuamotu) | | 135 | 87 | | | | 1 | | | | | | | |
| Congridae | <i>Bathycongrus aequoreus</i> | (Gilbert & Cramer, 1897) | 136 | | 1 | | | | | | | | 1 | | |
| Congridae | <i>Bathycongrus vicinus</i> | (Vaillant, 1888) | 137 | | 1 | | | | | | | | 1 | | |
| Congridae | <i>Conger cinereus</i> | Rüppell, 1830 | 138 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Congridae | <i>Congriscus marquesaensis</i> | Karmovskaya, 2004 | 139 | | 1 | | | | | | | 1 | 1 | | |
| Congridae | <i>Gnathophis</i> sp. (Ua Pou Is.) | | 140 | | 1 | | | | | | | 1 | | | |
| Congridae | <i>Gorgasia galzini</i> | Castle & Randall, 1999 | 141 | | 1 | 1 | 1 | | | | | | | | |
| Congridae | <i>Gorgasia</i> sp. (Fatuiiva Is.) | | 142 | | 1 | | | | | | | 1 | | | |
| Congridae | <i>Heteroconger hassi</i> | (Klausewitz & Eibl-Eibesfeldt, 1959) | 143 | | | 1 | | | | | | | | | |
| Congridae | <i>Heteroconger lentiginosus</i> | Böhlke & Randall, 1981 | 144 | 89 | 1 | 1 | 1 | 1 | | | | | | | |
| Congridae | <i>Uroconger</i> sp. | | 145 | | | | | | | | | | 1 | | |
| Ophichthidae | <i>Apterichthys australis</i> | McCosker & Randall, 2005 | 146 | | | | | | | | 1 | | | | |
| Ophichthidae | <i>Apterichthys flavicaudus</i> | (Snyder, 1904) | 147 | 91 | 1 | 1 | | | | | 1 | | | | |
| Ophichthidae | <i>Apterichthys klazingai</i> | (Weber, 1913) | 148 | 92 | 1 | 1 | | | | | | | | | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|-----------------|------------------------------------|---------------------------------|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Ophichthidae | <i>Apterichthys mysii</i> | McCosker & Hibino, 2015 | 149 | | 1 | | | | | | | 1 | | | |
| Ophichthidae | <i>Apterichthys succinus</i> | Hibino, McCosker & Kimura, 2016 | 150 | | 1 | | | | | | | 1 | | | |
| Ophichthidae | <i>Brachysomophis crocodilinus</i> | (Bennett, 1833) | 151 | 93 | 1 | 1 | | 1 | 1 | | | | | | |
| Ophichthidae | <i>Brachysomophis henshawi</i> | Jordan & Snyder, 1904 | 152 | | | 1 | | | | | | | | | |
| Ophichthidae | <i>Brosomphyciops pautzkei</i> | Schultz, 1960 | 153 | 143 | | 1 | | | 1 | 1 | | | | | |
| Ophichthidae | <i>Callechelys catostoma</i> | (Schneider, 1801) | 154 | | | 1 | | | | | | | | | |
| Ophichthidae | <i>Callechelys marmorata</i> | (Bleeker, 1854) | 155 | 97 | 1 | 1 | 1 | | | | | | | | |
| Ophichthidae | <i>Callechelys randalli</i> | McCosker, 1998 | 156 | 98 | 1 | | | | | | | 1 | | | |
| Ophichthidae | <i>Cirrhimuraena playfairii</i> | (Günther, 1870) | 157 | 99 | 1 | | | | | | | | | | |
| Ophichthidae | <i>Ichthyapus vulturis</i> | (Weber & de Beaufort, 1916) | 158 | 100 | 1 | 1 | | | | | | | | | |
| Ophichthidae | <i>Lamnostoma orientalis</i> | (McClelland, 1844) | 159 | 102 | 1 | 1 | | | | | | | | | 1 |
| Ophichthidae | <i>Lamnostoma polyophthalma</i> | (Bleeker, 1853) | 160 | | 1 | | | | | | | | | | 1 |
| Ophichthidae | <i>Leiuranus semicinctus</i> | (Lay & Bennett, 1839) | 161 | 103 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Ophichthidae | <i>Muraenichthys gymnopterus</i> | (Bleeker, 1853) | 162 | | | | | | 1 | | | | | | |
| Ophichthidae | <i>Myrichthys colubrinus</i> | (Boddaert, 1781) | 163 | 108 | 1 | 1 | | 1 | | | | | | | |
| Ophichthidae | <i>Myrichthys maculosus</i> | (Cuvier, 1816) | 164 | 109 | 1 | 1 | | | | 1 | 1 | | | | |
| Ophichthidae | <i>Myrophis microchir</i> | (Bleeker, 1864) | 165 | 110 | 1 | 1 | 1 | | | | | | | | |
| Ophichthidae | Ophichthidae nsp. | | 166 | | 1 | | | | | | | 1 | | | |
| Ophichthidae | <i>Ophichthus altipennis</i> | (Kaup, 1856) | 167 | | | 1 | | | | | | | | | |
| Ophichthidae | <i>Ophichthus bonaparti</i> | (Kaup, 1856) | 168 | 111 | | 1 | | | | | | | | | |
| Ophichthidae | <i>Ophichthus cephalozona</i> | Bleeker, 1864 | 169 | 112 | | 1 | | | | | | | | | |
| Ophichthidae | <i>Ophichthus tomioi</i> | McCosker, 2010 | 170 | | 1 | | | | | | | | 1 | | |
| Ophichthidae | <i>Phaenomonas cooperae</i> | Palmer, 1970 | 171 | 114 | 1 | | | | | | | | | | |
| Ophichthidae | <i>Phyllophichthus xenodontus</i> | Gosline, 1951 | 172 | 115 | 1 | 1 | | | | | 1 | | | | |
| Ophichthidae | <i>Schismorhynchus labialis</i> | (Seale, 1917) | 173 | 116 | | 1 | 1 | | | | 1 | | | | |
| Ophichthidae | <i>Schultzidia johnstonensis</i> | (Schultz & Woods, 1949) | 174 | 117 | 1 | 1 | 1 | | | | | | | | |
| Ophichthidae | <i>Scolecenchelys acutirostris</i> | (Weber & de Beaufort, 1916) | 175 | 104 | | 1 | | | | | | | | | |
| Ophichthidae | <i>Scolecenchelys gymnota</i> | (Bleeker, 1857) | 176 | 105 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Ophichthidae | <i>Scolecenchelys laticaudata</i> | (Ogilby, 1897) | 177 | 106 | | 1 | 1 | 1 | | 1 | 1 | | | | |
| Ophichthidae | <i>Scolecenchelys macroptera</i> | (Bleeker, 1857) | 178 | 107 | | 1 | | | | | | | | | |
| Ophichthidae | <i>Xestochilus nebulosus</i> | (Smith, 1962) | 179 | | 1 | | | | | | | | | | |
| Ophichthidae | <i>Yirrkala macrondon</i> | (Bleeker, 1863) | 180 | 118 | | 1 | | | | | | | | | |
| Ophichthidae | <i>Yirrkala moorei</i> | McCosker, 2006 | 181 | 119 | 1 | 1 | 1 | | | | | | | 1 | |
| Derichthyidae | <i>Nessorhamphus ingolfianus</i> | (Schmidt, 1912) | 182 | | | 1 | | | | | | | | 1 | |
| Nemichthyidae | <i>Nemichthys scolopaceus</i> | Richardson, 1848 | 183 | | 1 | 1 | | | | | | | | 1 | |
| Clupeidae | <i>Sardinella gibbosa</i> | (Bleeker, 1849) | 184 | 120 | | 1 | | | | | | | | | |
| Clupeidae | <i>Sardinella marquesensis</i> | Berry & Whitehead, 1968 | 185 | 121 | 1 | | | | | | | 1 | | 1 | |
| Clupeidae | <i>Sardinella melanura</i> | (Cuvier, 1829) | 186 | 122 | | 1 | | | | | | | | | 1 |
| Clupeidae | <i>Spratelloides delicatulus</i> | (Bennett, 1832) | 187 | | | | | 1 | | | | | | | |
| Clupeidae | <i>Spratelloides gracilis</i> | (Temminck & Schlegel, 1846) | 188 | 123 | | 1 | | 1 | | | | | | | |
| Engraulididae | <i>Stolephorus indicus</i> | (van Hasselt, 1823) | 189 | 124 | | 1 | | | | | | | | | |
| Stomiidae | <i>Chauliodus sloani</i> | Bloch & Schneider, 1801 | 190 | | | 1 | | | | | | | | 1 | |
| Stomiidae | <i>Eustomias bifilis</i> | Gibbs, 1960 | 191 | | | 1 | | | | | | | | 1 | 1 |
| Stomiidae | <i>Eustomias braueri</i> | Zugmayer, 1911 | 192 | | | 1 | | | | | | | | 1 | 1 |
| Stomiidae | <i>Eustomias enbarbatus</i> | Welsh, 1923 | 193 | | | 1 | | | | | | | | 1 | 1 |
| Stomiidae | <i>Eustomias satterleei</i> | Beebe, 1933 | 194 | | | 1 | | | | | | | | 1 | 1 |
| Stomiidae | <i>Idiacanthus fasciola</i> | Peters, 1877 | 195 | | | 1 | | | | | | | | 1 | |
| Stomiidae | <i>Malacosteus niger</i> | Ayres, 1848 | 196 | | 1 | | | | | | | | | 1 | |
| Stomiidae | <i>Stomias affinis</i> | Günther, 1887 | 197 | | | 1 | | | | | | | | 1 | |
| Gonostomatiidae | <i>Diplophos taenia</i> | Günther, 1873 | 198 | | | 1 | | | | | | | | 1 | |
| Phosichthyidae | <i>Vinciguerria nimbaria</i> | (Jordan & Williams, 1895) | 199 | | | 1 | | | | | | | | 1 | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|-----------------|---|---|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Ateleopodidae | <i>Ijimaia dofleini</i> | Sauter, 1905 | 200 | | | 1 | | | | | | | 1 | | |
| Aulopidae | <i>Aulopus japonicus</i> | (Günther, 1877) | 201 | | | | | | | | | | 1 | | |
| Scopelarchidae | <i>Scopelarchus guentheri</i> | Alcock, 1896 | 202 | | | 1 | | | | | | | 1 | 1 | |
| Myctophidae | <i>Ceratoscopelus warmingii</i> | (Lütken, 1892) | 203 | | | 1 | 1 | | | | | | 1 | | |
| Myctophidae | <i>Diaphus splendidus</i> | (Brauer, 1904) | 204 | | | 1 | 1 | | | | | | 1 | 1 | |
| Myctophidae | <i>Lampadena luminosa</i> | (Garman, 1899) | 205 | | | 1 | 1 | | | | | | 1 | 1 | |
| Neoscopelidae | <i>Neoscopelus macrolepidotus</i> | Causse, 2001 | 206 | | 1 | | | | | | | | 1 | | |
| Synodontidae | <i>Saurida flamma</i> | Waples, 1982 | 207 | | | | | | 1 | 1 | 1 | | | | |
| Synodontidae | <i>Saurida gracilis</i> | (Quoy & Gaimard, 1824) | 208 | 125 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Synodontidae | <i>Saurida nebulosa</i> | Valenciennes, 1850 | 209 | | 1 | 1 | | 1 | 1 | | | | | | |
| Synodontidae | <i>Synodus binotatus</i> | Schultz, 1953 | 210 | 126 | 1 | 1 | 1 | 1 | 1 | | | | | | |
| Synodontidae | <i>Synodus capricornis</i> | Cressey & Randall, 1978 | 211 | 127 | | 1 | | | | 1 | 1 | | | | |
| Synodontidae | <i>Synodus dermatogenys</i> | Fowler, 1912 | 212 | | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Synodontidae | <i>Synodus jaculum</i> | Russell & Cressey, 1979 | 213 | 129 | 1 | 1 | 1 | | 1 | | | | | | |
| Synodontidae | <i>Synodus similis</i> | McCulloch, 1921 | 214 | 130 | | | | | | | 1 | | | | |
| Synodontidae | <i>Synodus cf. dermatogenys</i> (Ua Pou Is.) | | 215 | | 1 | | | | | | | 1 | | | |
| Synodontidae | <i>Synodus sp.</i> (Rapa Is.) | | 216 | | | | | | | | 1 | 1 | | | |
| Synodontidae | <i>Synodus variegatus</i> | (Lacepède, 1803) | 217 | 131 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Synodontidae | <i>Trachinocephalus gauguini</i> | Polanco Fernandez, Acero P. & Betancur-R., 2016 | 218 | | 1 | | | | | | | 1 | | | |
| Synodontidae | <i>Trachinocephalus trachinus</i> | (Temminck & Schlegel 1846) | 219 | 132 | | 1 | | | | | | | | | |
| Antennariidae | <i>Antennarius commerson</i> | (Lacepède, 1798) | 220 | 135 | | 1 | | 1 | | | | | | | |
| Antennariidae | <i>Antennarius maculatus</i> | (Desjardins, 1840) | 221 | | | 1 | | | | | | | | | |
| Antennariidae | <i>Antennarius pictus</i> | (Shaw, 1794) | 222 | 138 | | 1 | | | | | | | | | |
| Antennariidae | <i>Antennarius randalli</i> | Allen, 1970 | 223 | | | 1 | 1 | | | 1 | | | | | |
| Antennariidae | <i>Antennarius striatus</i> | (Shaw, 1794) | 224 | 139 | 1 | 1 | | | | | | | | | |
| Antennariidae | <i>Antennatus analis</i> | (Schultz, 1957) | 225 | 133 | | 1 | | | | 1 | | | | | |
| Antennariidae | <i>Antennatus cf. coccineus</i> (Gambier Is.) | | 226 | | | | | | 1 | | | | | | |
| Antennariidae | <i>Antennatus coccineus</i> | (Lesson, 1831) | 227 | 134 | 1 | 1 | 1 | 1 | 1 | | | | | | |
| Antennariidae | <i>Antennatus dorehensis</i> | (Bleeker, 1859) | 228 | 136 | | 1 | | | | | | | | | |
| Antennariidae | <i>Antennatus nummifer</i> | (Cuvier, 1817) | 229 | 137 | 1 | 1 | | | | | 1 | | | | |
| Antennariidae | <i>Antennatus sp.</i> (Maupelia Is.) | | 230 | | | 1 | | | | | | | | | |
| Antennariidae | <i>Antennatus tuberosus</i> | (Cuvier, 1817) | 231 | 140 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Antennariidae | <i>Fowlerichthys scriptissimus</i> | (Jordan, 1902) | 232 | | | 1 | | | | | | | 1 | | |
| Antennariidae | <i>Histrio histrio</i> | (Linnaeus, 1758) | 233 | | | 1 | | 1 | | | | | | 1 | |
| Bregmacerotidae | <i>Bregmaceros sp.</i> | | 234 | | | 1 | | | | | | | 1 | | |
| Macrouridae | <i>Hymenocephalus aterrimus</i> | Gilbert, 1905 | 235 | | 1 | | | | | | | | 1 | | |
| Macrouridae | <i>Hymenocephalus nascens</i> | Gilbert & Hubbs, 1920 | 236 | | 1 | | | | | | | | 1 | | |
| Macrouridae | <i>Malacocephalus laevis</i> | (Lowe, 1843) | 237 | | 1 | | | | | | | | 1 | | |
| Macrouridae | <i>Malacocephalus nipponensis</i> | Gilbert & Hubbs, 1916 | 238 | | | 1 | | | | | | | 1 | | |
| Macrouridae | <i>Malacocephalus sp.</i> | | 239 | | | 1 | | | | | | | 1 | | |
| Macrouridae | <i>Mataeocephalus acipenserinus</i> | (Gilbert & Cramer, 1897) | 240 | | 1 | | | | | | | | 1 | | |
| Macrouridae | <i>Ventrifossa macrodon</i> | Sazonov & Iwamoto, 1992 | 241 | | 1 | | | | | | | | 1 | | |
| Moridae | <i>Gadella jordani</i> | (Böhlke & Mead, 1951) | 242 | | 1 | | | | | | | | 1 | | |
| Moridae | <i>Lepidion schmidti</i> | Svetovidov, 1936 | 243 | | | 1 | | | | | | | 1 | | |
| Moridae | <i>Lotella phycis</i> | (Temminck & Schlegel, 1846) | 244 | 141 | | | | | | | 1 | | | | |
| Ophidiidae | <i>Brotula multibarbata</i> | Schultz, 1960 | 245 | 142 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Ophidiidae | <i>Brotula townsendi</i> | Fowler, 1900 | 246 | | | 1 | | | 1 | 1 | | | | | |
| Ophidiidae | <i>Neobythites marquesaensis</i> | Nielsen, 2002 | 247 | | 1 | | | | | | | 1 | 1 | | |
| Ophidiidae | <i>Ophidion exul</i> | Robins, 1991 | 248 | | 1 | | | | | | | | | | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|---------------|-------------------------------------|-------------------------------------|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Ophidiidae | <i>Ophidion muraenolepis</i> | Günther, 1880 | 249 | | 1 | | | | | | | | 1 | | |
| Bythitidae | <i>Alionematchthys piger</i> | (Alcock, 1890) | 250 | | | 1 | 1 | 1 | 1 | | | | | | |
| Bythitidae | <i>Diancistrus katrineae</i> | Schwarzahns, Møller & Nielsen, 2005 | 251 | | | 1 | 1 | 1 | | 1 | | | | | |
| Bythitidae | Bythitidae sp. (Gambier Is.) | | 252 | | | | | | 1 | | | | | | |
| Bythitidae | <i>Dinematchthys iluocoeteoides</i> | Bleeker, 1855 | 253 | | | 1 | 1 | | | | | | | | |
| Bythitidae | <i>Dinematchthys</i> sp. | | 254 | | | 1 | | 1 | 1 | 1 | 1 | | | | |
| Bythitidae | <i>Paradiancistrus acutirostris</i> | Schwarzahns, Møller & Nielsen, 2005 | 255 | | | | | | 1 | | | | | | |
| Lophiidae | <i>Lophiodes bruchius</i> | Caruso, 1981 | 256 | | 1 | | | | | | | | | 1 | |
| Chaunacidae | <i>Chaunax apus</i> | Lloyd, 1909 | 257 | | 1 | | | | | | | | | 1 | |
| Chaunacidae | <i>Chaunax penicillatus</i> | McCulloch, 1915 | 258 | | 1 | | | | | | | | | 1 | |
| Chaunacidae | <i>Chaunax pictus</i> | Lowe, 1846 | 259 | | 1 | | | | | | | | | 1 | |
| Ogocephalidae | <i>Malthopsis</i> sp. | | 260 | | 1 | | | | | | | | | 1 | |
| Carapidae | <i>Carapus boraborensis</i> | (Kaup, 1856) | 261 | 146 | | 1 | 1 | 1 | 1 | | | | | | |
| Carapidae | <i>Carapus homei</i> | (Richardson, 1846) | 262 | 145 | | 1 | | 1 | | | | | | | |
| Carapidae | <i>Carapus mourlani</i> | (Petit, 1934) | 263 | | 1 | 1 | 1 | 1 | | | | | | | |
| Carapidae | <i>Encheliophis chardewalli</i> | Parmentier, 2004 | 264 | | | 1 | 1 | | | | | 1 | | | |
| Carapidae | <i>Encheliophis gracilis</i> | (Bleeker, 1856) | 265 | 148 | | 1 | | 1 | | | | | | | |
| Carapidae | <i>Encheliophis vermicularis</i> | Müller, 1842 | 266 | 147 | | 1 | | | | | | | | | |
| Carapidae | <i>Onuxodon fowleri</i> | (Smith, 1955) | 267 | | 1 | 1 | | 1 | | | | | | | |
| Melanocetidae | <i>Melanocetus johnsonii</i> | Günther, 1864 | 268 | | | 1 | 1 | | | | | | | 1 | |
| Gobiesocidae | <i>Lepadichthys frenatus</i> | Waite, 1904 | 269 | | 1 | | | | 1 | | | | | | |
| Gobiesocidae | <i>Lepadichthys</i> sp. (Rapa Is.) | | 270 | | | | | | | | 1 | 1 | | | |
| Gobiesocidae | <i>Pherallodus indicus</i> | (Weber, 1913) | 271 | | | | | 1 | | | | | | | |
| Exocoetidae | <i>Cheilopogon atrisignis</i> | Bauchot, 1996 | 272 | | 1 | | | | | | | | | | 1 |
| Exocoetidae | <i>Cheilopogon furcatus</i> | (Mitchill, 1815) | 273 | 150 | | | | | | | | | | | 1 |
| Exocoetidae | <i>Cheilopogon pitcairnensis</i> | (Nichols & Breder, 1935) | 274 | | | 1 | 1 | | | | | | | | 1 |
| Exocoetidae | <i>Cheilopogon simus</i> | (Valenciennes, 1847) | 275 | 153 | | | | | | | | | | | 1 |
| Exocoetidae | <i>Cheilopogon spilonopterus</i> | (Bleeker, 1865) | 276 | 154 | | | | | | | | | | | 1 |
| Exocoetidae | <i>Cheilopogon spilopterus</i> | (Valenciennes, 1847) | 277 | 155 | | | | | | | | | | | 1 |
| Exocoetidae | <i>Cheilopogon suttoni</i> | (Whitley & Colefax, 1938) | 278 | | | | | | | | 1 | | | | 1 |
| Exocoetidae | <i>Cypselurus oligolepis</i> | (Bleeker, 1865) | 279 | 151 | | | | | | | | | | | 1 |
| Exocoetidae | <i>Cypselurus poecilopterus</i> | (Valenciennes, 1847) | 280 | 152 | | | | | | | | | | | 1 |
| Exocoetidae | <i>Exocoetus monocirrhus</i> | Richardson, 1846 | 281 | | | | | | | | 1 | | | | 1 |
| Exocoetidae | <i>Exocoetus volitans</i> | Linnaeus, 1758 | 282 | 156 | | | | | | | 1 | | | | 1 |
| Exocoetidae | <i>Parexocoetus brachypterus</i> | (Richardson, 1846) | 283 | 157 | | | | | | | | | | | 1 |
| Hemiramphidae | <i>Euleptorhamphus viridis</i> | (van Hasselt, 1823) | 284 | 158 | | | | | | | | | | | 1 |
| Hemiramphidae | <i>Hemiramphus depauperatus</i> | Lay & Bennett, 1839 | 285 | 159 | 1 | 1 | 1 | 1 | | 1 | | | | | |
| Hemiramphidae | <i>Hyporhamphus acutus</i> | (Günther, 1872) | 286 | 160 | 1 | 1 | | 1 | 1 | | 1 | | | | |
| Hemiramphidae | <i>Hyporhamphus affinis</i> | (Günther, 1866) | 287 | 161 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Hemiramphidae | <i>Hyporhamphus dussumieri</i> | (Valenciennes, 1847) | 288 | 162 | | | | 1 | | 1 | | | | | |
| Hemiramphidae | <i>Oxyporhamphus micropterus</i> | (Valenciennes, 1847) | 289 | | | | | | | | | | | | 1 |
| Belonidae | <i>Ablennes hians</i> | (Valenciennes, 1846) | 290 | 164 | | 1 | 1 | | | | 1 | | | | |
| Belonidae | <i>Platybelone argalus platyura</i> | (Bennett, 1832) | 291 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Belonidae | <i>Tylosurus acus</i> | (Bleeker, 1850) | 292 | 166 | 1 | 1 | | | | | | | | | |
| Belonidae | <i>Tylosurus crocodilus</i> | (Péron & Lesueur, 1821) | 293 | 167 | 1 | 1 | 1 | 1 | | 1 | 1 | | | | |
| Melamphaeidae | <i>Scopelogadus mizolepis</i> | (Günther, 1878) | 294 | | | 1 | | | | | | | | 1 | 1 |
| Poeciliidae | <i>Poecilia reticulata</i> | Peters, 1859 | 295 | | | 1 | 1 | | | 1 | | | | | 1 |
| Poeciliidae | <i>Poecilia sphenops</i> | Valenciennes, 1846 | 296 | | | 1 | | | | | | | | | 1 |
| Atherinidae | <i>Atherinomorus lacunosus</i> | (Forster, 1801) | 297 | | | | | | | | 1 | | | | |
| Isonidae | <i>Iso hawaiiensis</i> | Gosline, 1952 | 298 | 168 | | | | | 1 | 1 | 1 | | | | 1 |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|---------------|--|-----------------------------------|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Anomalopidae | <i>Anomalops katoptron</i> | (Bleeker, 1856) | 299 | | | | | 1 | | | | | | | |
| Anomalopidae | <i>Parmops coruscans</i> | Rosenblatt & Johnson, 1991 | 300 | | | 1 | | | | | | | 1 | | |
| Berycidae | <i>Beryx decadactylus</i> | Cuvier, 1829 | 301 | | | | | | | 1 | | | | 1 | |
| Berycidae | <i>Beryx</i> sp. (Rapa Is.) | | 302 | | | | | | | | 1 | 1 | | | |
| Berycidae | <i>Beryx splendens</i> | Lowe, 1834 | 303 | | | 1 | | | | 1 | | | | 1 | |
| Holocentridae | <i>Myripristis adusta</i> | Bleeker, 1853 | 304 | 169 | 1 | 1 | 1 | 1 | | | | | | | |
| Holocentridae | <i>Myripristis amaena</i> | (Castelnau, 1873) | 305 | 170 | | 1 | 1 | 1 | | 1 | 1 | | | | |
| Holocentridae | <i>Myripristis berndti</i> | Jordan & Evermann, 1903 | 306 | 171 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Holocentridae | <i>Myripristis</i> cf. <i>botche</i> (Nuku Hiva Is.) | | 307 | | 1 | | | | | | | | | | |
| Holocentridae | <i>Myripristis chryseres</i> | Jordan & Evermann, 1903 | 308 | | 1 | 1 | | 1 | | 1 | | | | 1 | |
| Holocentridae | <i>Myripristis earlei</i> | Allen & Robertson, 2003 | 309 | | 1 | | | | | | | | | | |
| Holocentridae | <i>Myripristis kuntee</i> | Valenciennes, 1831 | 310 | 172 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Holocentridae | <i>Myripristis murdjan</i> | (Forsskål, 1775) | 311 | | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Holocentridae | <i>Myripristis pralinia</i> | Cuvier, 1829 | 312 | 173 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Holocentridae | <i>Myripristis randalli</i> | Greenfield, 1974 | 313 | 174 | | | | | 1 | 1 | | | | | |
| Holocentridae | <i>Myripristis tiki</i> | Greenfield, 1974 | 314 | 175 | | | | | 1 | | 1 | | | | |
| Holocentridae | <i>Myripristis violacea</i> | Bleeker, 1851 | 315 | 176 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Holocentridae | <i>Myripristis vittata</i> | Valenciennes, 1831 | 316 | 177 | 1 | 1 | | 1 | | | | | | | |
| Holocentridae | <i>Myripristis woodsi</i> | Greenfield, 1974 | 317 | 178 | 1 | 1 | 1 | 1 | | | 1 | | | | |
| Holocentridae | <i>Neoniphon argenteus</i> | (Valenciennes, 1831) | 318 | 179 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Holocentridae | <i>Neoniphon aurolineatus</i> | (Liénard, 1839) | 319 | 180 | 1 | 1 | | | | | | | | | |
| Holocentridae | <i>Neoniphon opercularis</i> | (Valenciennes, 1831) | 320 | 181 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Holocentridae | <i>Neoniphon sammara</i> | (Forsskål, 1775) | 321 | 182 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Holocentridae | <i>Ostichthys archiepiscopus</i> | (Valenciennes, 1862) | 322 | | | 1 | | | | 1 | | | | 1 | |
| Holocentridae | <i>Ostichthys ovaloculus</i> | Randall & Wrobel, 1988 | 323 | | | 1 | | | | | | | 1 | 1 | |
| Holocentridae | <i>Ostichthys sandix</i> | Randall, Shimizu & Yamakawa, 1982 | 324 | | | 1 | | | | | | | | 1 | |
| Holocentridae | <i>Plectrypops lima</i> | (Valenciennes, 1831) | 325 | 183 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Holocentridae | <i>Sargocentron caudimaculatum</i> | (Rüppell, 1838) | 326 | 184 | 1 | 1 | 1 | 1 | | | | | | | |
| Holocentridae | <i>Sargocentron diadema</i> | (Lacepède, 1802) | 327 | 185 | 1 | 1 | 1 | 1 | 1 | | 1 | | | | |
| Holocentridae | <i>Sargocentron ensifer</i> | (Jordan & Evermann, 1903) | 328 | | | | | | | 1 | 1 | | | | |
| Holocentridae | <i>Sargocentron hormion</i> | Randall, 1998 | 329 | | | | | | | | 1 | | | | |
| Holocentridae | <i>Sargocentron iota</i> | Randall, 1998 | 330 | | | | | 1 | | | | | | | |
| Holocentridae | <i>Sargocentron ittodai</i> | (Jordan & Fowler, 1902) | 331 | 186 | 1 | | | | 1 | | | | | | |
| Holocentridae | <i>Sargocentron lepros</i> | (Allen & Cross, 1983) | 332 | | 1 | | | 1 | | 1 | | | | | |
| Holocentridae | <i>Sargocentron melanospilos</i> | (Bleeker, 1858) | 333 | | | 1 | | | | | | | | | |
| Holocentridae | <i>Sargocentron microstoma</i> | (Günther, 1859) | 334 | 187 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Holocentridae | <i>Sargocentron praslin</i> | (Lacepède, 1802) | 335 | | | 1 | | | | | | | | | |
| Holocentridae | <i>Sargocentron punctatissimum</i> | (Cuvier, 1829) | 336 | 188 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Holocentridae | <i>Sargocentron spiniferum</i> | (Forsskål, 1775) | 337 | 189 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Holocentridae | <i>Sargocentron tiere</i> | (Cuvier, 1829) | 338 | 190 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Holocentridae | <i>Sargocentron tiereoides</i> | (Bleeker, 1853) | 339 | 191 | | 1 | 1 | 1 | | 1 | | | | | |
| Holocentridae | <i>Sargocentron violaceum</i> | (Bleeker, 1853) | 340 | | | 1 | | | | | | | | | |
| Zeidae | <i>Cyttomimus affinis</i> | Weber, 1913 | 341 | | 1 | | | 1 | | | | | | 1 | |
| Polymixiidae | <i>Polymixia japonica</i> | Günther, 1877 | 342 | | 1 | 1 | | | | 1 | | | | 1 | |
| Polymixiidae | <i>Polymixia</i> sp. (Rapa Is.) | | 343 | | | | | | | | 1 | 1 | | | |
| Caproidae | <i>Antigonia capros</i> | Lowe, 1843 | 344 | 193 | | 1 | | | | 1 | | | | 1 | |
| Lampridae | <i>Lampris guttatus</i> | (Brünnich, 1788) | 345 | 194 | | | | | | | | | | 1 | 1 |
| Aulostomidae | <i>Aulostomus chinensis</i> | (Linnaeus, 1766) | 346 | 195 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Fistulariidae | <i>Fistularia commersonii</i> | Rüppell, 1838 | 347 | 196 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Syngnathidae | <i>Choeroichthys brachysoma</i> | (Bleeker, 1855) | 348 | 197 | | 1 | 1 | | 1 | | | | | | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|--------------|--|---------------------------------|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Syngnathidae | <i>Choeroichthys sculptus</i> | (Günther, 1870) | 349 | 199 | | 1 | | 1 | | | | | | | |
| Syngnathidae | <i>Corythoichthys flavofasciatus</i> | (Rüppell, 1838) | 350 | 201 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Syngnathidae | <i>Corythoichthys intestinalis</i> | (Ramsay, 1881) | 351 | | | | | | | | 1 | | | | |
| Syngnathidae | <i>Corythoichthys nigripectus</i> | Herald, 1953 | 352 | | | 1 | | | | | | | | | |
| Syngnathidae | <i>Doryrhamphus excisus</i> | Kaup, 1856 | 353 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Syngnathidae | <i>Dunckerocampus dactylophorus</i> | (Bleeker, 1853) | 354 | 203 | | 1 | | | 1 | 1 | | | | | |
| Syngnathidae | <i>Halicampus marquesensis</i> | Dawson, 1984 | 355 | 204 | 1 | | | | | | | 1 | | | |
| Syngnathidae | <i>Hippocampus histrix</i> | Kaup, 1856 | 356 | 205 | | 1 | | | | | | | | | |
| Syngnathidae | <i>Hippocampus trimaculatus</i> | Leach, 1814 | 357 | | | 1 | | | | | | | | | |
| Syngnathidae | <i>Micrognathus andersonii</i> | (Bleeker, 1858) | 358 | | | 1 | | | 1 | | 1 | | | | |
| Syngnathidae | <i>Micrognathus brevirostris</i> | (Rüppell, 1838) | 359 | 206 | | 1 | | | | | | | | | |
| Syngnathidae | <i>Microphis argulus</i> | (Peters, 1855) | 360 | 207 | 1 | | | | | | | | | | 1 |
| Syngnathidae | <i>Microphis brachyurus brachyurus</i> | (Bleeker, 1854) | 361 | | | 1 | 1 | | | | | | | | 1 |
| Syngnathidae | <i>Minyichthys myersi</i> | (Herald & Randall, 1972) | 362 | | | 1 | 1 | | | | | | | | |
| Setarchidae | <i>Setarches guentheri</i> | Johnson, 1862 | 363 | | | | | | | | | | 1 | | |
| Scorpaenidae | <i>Caracanthus maculatus</i> | (Gray, 1831) | 364 | 232 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Scorpaenidae | <i>Caracanthus unipinna</i> | (Gray, 1831) | 365 | 233 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Scorpaenidae | <i>Dendrochirus biocellatus</i> | (Fowler, 1938) | 366 | 209 | | 1 | 1 | 1 | 1 | | | | | | |
| Scorpaenidae | <i>Iracundus signifer</i> | Jordan & Evermann, 1903 | 367 | 210 | 1 | 1 | | | | 1 | 1 | | | | |
| Scorpaenidae | <i>Neomerinthe naevosa</i> | Motomura, Béarez & Causse, 2011 | 368 | | 1 | | | | | | | 1 | 1 | | |
| Scorpaenidae | <i>Parascorpaena mcadamsi</i> | (Fowler, 1938) | 369 | 211 | 1 | 1 | | 1 | 1 | | 1 | | | | |
| Scorpaenidae | <i>Parascorpaena mossambica</i> | (Peters, 1855) | 370 | | 1 | 1 | | | 1 | 1 | 1 | | | | |
| Scorpaenidae | <i>Pontinus macrocephalus</i> | (Sauvage, 1882) | 371 | 212 | | 1 | | 1 | | 1 | | | | 1 | |
| Scorpaenidae | <i>Pteroidichthys amboinensis</i> | Bleeker, 1856 | 372 | | 1 | | | | | | | | | 1 | |
| Scorpaenidae | <i>Pteroidichthys causei</i> | Motomura & Kanade, 2015 | 373 | | 1 | | | | | | | | | 1 | |
| Scorpaenidae | <i>Pterois antennata</i> | (Bloch, 1787) | 374 | 213 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Scorpaenidae | <i>Pterois radiata</i> | Cuvier, 1829 | 375 | 214 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Scorpaenidae | <i>Pterois volitans</i> | (Linnaeus, 1758) | 376 | 215 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Scorpaenidae | <i>Scorpaenodes albaiensis</i> | (Evermann & Seale, 1907) | 377 | | | | | | | | 1 | | | | |
| Scorpaenidae | <i>Scorpaenodes corallinus</i> | Smith, 1957 | 378 | 220 | | 1 | | | | | | | | | |
| Scorpaenidae | <i>Scorpaenodes endes</i> | (Jordan & Thompson, 1914) | 379 | | 1 | | | | 1 | | 1 | | | | |
| Scorpaenidae | <i>Scorpaenodes guamensis</i> | (Quoy & Gaimard, 1824) | 380 | 221 | 1 | 1 | 1 | | 1 | 1 | 1 | | | | |
| Scorpaenidae | <i>Scorpaenodes hirsutus</i> | (Smith, 1957) | 381 | 222 | 1 | 1 | 1 | 1 | 1 | | 1 | | | | |
| Scorpaenidae | <i>Scorpaenodes kelloggi</i> | (Jenkins, 1903) | 382 | 223 | 1 | 1 | | | | | | | | | |
| Scorpaenidae | <i>Scorpaenodes minor</i> | (Smith, 1958) | 383 | 219 | | 1 | 1 | | | | 1 | | | | |
| Scorpaenidae | <i>Scorpaenodes parvipinnis</i> | (Garrett, 1864) | 384 | 224 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Scorpaenidae | <i>Scorpaenodes quadrispinosus</i> | Greenfield & Matsuura, 2002 | 385 | | 1 | 1 | | | | | | | | | |
| Scorpaenidae | <i>Scorpaenodes scaber</i> | (Ramsay & Ogilby, 1886) | 386 | | | 1 | | | | | 1 | | | | |
| Scorpaenidae | <i>Scorpaenodes</i> sp. (Gambier Is.) | | 387 | | | | | | 1 | | | | | | |
| Scorpaenidae | <i>Scorpaenodes varipinnis</i> | Smith, 1957 | 388 | | | 1 | | | | 1 | | | | | |
| Scorpaenidae | <i>Scorpaenopsis diabolus</i> | (Cuvier, 1829) | 389 | 225 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Scorpaenidae | <i>Scorpaenopsis macrochir</i> | Ogilby, 1910 | 390 | 227 | 1 | 1 | 1 | 1 | 1 | | | | | | |
| Scorpaenidae | <i>Scorpaenopsis papuensis</i> | (Cuvier, 1829) | 391 | 228 | | 1 | 1 | | 1 | | | | | | |
| Scorpaenidae | <i>Scorpaenopsis possi</i> | Randall & Eschmeyer, 2001 | 392 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Scorpaenidae | <i>Scorpaenopsis pusilla</i> | Randall & Eschmeyer, 2001 | 393 | | 1 | | | | | | | 1 | | | |
| Scorpaenidae | <i>Scorpaenopsis vittapinna</i> | Randall & Eschmeyer, 2001 | 394 | | 1 | 1 | | | | | | | | | |
| Scorpaenidae | <i>Sebastapistes cyanostigma</i> | (Bleeker, 1856) | 395 | | | | | | | 1 | | | | | |
| Scorpaenidae | <i>Sebastapistes fowleri</i> | (Pietschmann, 1934) | 396 | 226 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Scorpaenidae | <i>Sebastapistes galactacma</i> | Jenkins, 1903 | 397 | 216 | 1 | | | | 1 | | 1 | | | | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|--------------------|--|----------------------------------|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Scorpaenidae | <i>Sebastapistes mauritiana</i> | (Cuvier, 1829) | 398 | 217 | 1 | | | | 1 | 1 | 1 | | | | |
| Scorpaenidae | <i>Sebastapistes</i> sp. (Gambier Is.) | | 399 | | | | | | 1 | | | | | | |
| Scorpaenidae | <i>Sebastapistes strongia</i> | (Cuvier, 1829) | 400 | | 1 | 1 | 1 | 1 | | | 1 | | | | |
| Scorpaenidae | <i>Sebastapistes tinkhami</i> | (Fowler, 1946) | 401 | 218 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Scorpaenidae | <i>Taenianotus triacanthus</i> | Lacepède, 1802 | 402 | 231 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Synanceiidae | <i>Synanceia verrucosa</i> | Bloch & Schneider, 1801 | 403 | 230 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Plectrogeniidae | <i>Plectrogenium nanum</i> | Gilbert, 1905 | 404 | | 1 | | | | | | | | | 1 | |
| Bembrididae | <i>Bembridium roseum</i> | Gilbert, 1905 | 405 | | 1 | 1 | | | | | | | | 1 | |
| Triglidae | <i>Heminodus philippinus</i> | Smith, 1917 | 406 | | 1 | | | | | | | | | 1 | |
| Peristidiidae | <i>Satyrichthys</i> sp. | | 407 | | | | | | | | | | | 1 | |
| Hoplichthyidae | <i>Hoplichthys citrinus</i> | Gilbert, 1905 | 408 | | 1 | | | | | | | | | 1 | |
| Platycephalidae | <i>Onigocia bimaculata</i> | Knapp, Imamura & Sakashita, 2000 | 409 | 234 | | 1 | | | 1 | | | | | | |
| Platycephalidae | <i>Sunagocia otaitensis</i> | (Cuvier, 1829) | 410 | 236 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Platycephalidae | <i>Thysanophrys chiltonae</i> | Schultz, 1966 | 411 | 235 | 1 | | | 1 | 1 | 1 | | | | | |
| Dactylopteridae | <i>Dactyloptena orientalis</i> | (Cuvier, 1829) | 412 | 237 | 1 | 1 | 1 | 1 | | 1 | 1 | | | | |
| Pegasidae | <i>Eurypegasus draconis</i> | (Linnaeus, 1766) | 413 | 238 | 1 | | | | | | | | | | |
| Howellidae | <i>Howella sherborni</i> | (Norman, 1930) | 414 | | | 1 | | | | | | | | 1 | 1 |
| Latidae | <i>Lates calcarifer</i> | (Bloch, 1790) | 415 | | | 1 | | | | | | | | | |
| Acropomatidae | <i>Synagrops</i> sp. | | 416 | | 1 | | | | | | | | | 1 | |
| Symphysanodontidae | <i>Symphysanodon maunaloae</i> | Anderson, 1970 | 417 | | | | | | | | | | | 1 | |
| Serranidae | <i>Aporops bilinearis</i> | Schultz, 1943 | 418 | 281 | 1 | 1 | 1 | | 1 | 1 | | | | | |
| Serranidae | <i>Aulacocephalus temminckii</i> | Bleeker, 1855 | 419 | | | 1 | | | | | 1 | | | | |
| Serranidae | <i>Belonoperca chabanaudi</i> | Fowler & Bean, 1930 | 420 | | 1 | 1 | | 1 | | 1 | | | | | |
| Serranidae | <i>Belonoperca pylei</i> | Baldwin & Smith, 1998 | 421 | | | | | 1 | | | | | | 1 | |
| Serranidae | <i>Cephalopholis argus</i> | Schneider, 1801 | 422 | 248 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Serranidae | <i>Cephalopholis aurantia</i> | (Valenciennes, 1828) | 423 | 247 | 1 | 1 | 1 | 1 | | 1 | 1 | | | | |
| Serranidae | <i>Cephalopholis igarashiensis</i> | Katayama, 1957 | 424 | 249 | 1 | 1 | | 1 | | 1 | | | | 1 | |
| Serranidae | <i>Cephalopholis leopardus</i> | (Lacepède, 1801) | 425 | 251 | | 1 | 1 | 1 | | | | | | | |
| Serranidae | <i>Cephalopholis polleni</i> | (Bleeker, 1868) | 426 | | | 1 | | 1 | | | | | | | |
| Serranidae | <i>Cephalopholis sexmaculata</i> | (Rüppell, 1830) | 427 | 252 | 1 | 1 | 1 | 1 | | 1 | 1 | | | 1 | |
| Serranidae | <i>Cephalopholis spiloparaea</i> | (Valenciennes, 1828) | 428 | | 1 | 1 | | 1 | 1 | 1 | 1 | | | | |
| Serranidae | <i>Cephalopholis urodeta</i> | (Forster, 1801) | 429 | 253 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Serranidae | <i>Dactylanthias baccheti</i> | Randall, 2007 | 430 | | | | | 1 | | | | | | 1 | 1 |
| Serranidae | <i>Epinephelus fasciatus</i> | (Forsskål, 1775) | 431 | 254 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Serranidae | <i>Epinephelus hexagonatus</i> | (Forster, 1801) | 432 | 255 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Serranidae | <i>Epinephelus irroratus</i> | (Forster, 1801) | 433 | 257 | 1 | | | | | | | | | 1 | |
| Serranidae | <i>Epinephelus lanceolatus</i> | (Bloch, 1790) | 434 | 280 | 1 | 1 | | 1 | | 1 | | | | | |
| Serranidae | <i>Epinephelus macrospilos</i> | (Bleeker, 1855) | 435 | 256 | 1 | | | | | | | | | | |
| Serranidae | <i>Epinephelus merra</i> | Bloch, 1793 | 436 | 259 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Serranidae | <i>Epinephelus morrhua</i> | (Valenciennes, 1833) | 437 | | | | | | | 1 | | | | 1 | |
| Serranidae | <i>Epinephelus octofasciatus</i> | (Griffin, 1926) | 438 | | 1 | 1 | | | | | | | | 1 | |
| Serranidae | <i>Epinephelus polyphkadion</i> | (Bleeker, 1849) | 439 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Serranidae | <i>Epinephelus retouti</i> | Bleeker, 1868 | 440 | 261 | 1 | 1 | | 1 | | 1 | | | | 1 | |
| Serranidae | <i>Epinephelus socialis</i> | (Günther, 1873) | 441 | 262 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Serranidae | <i>Epinephelus tauvina</i> | (Forsskål, 1775) | 442 | 263 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Serranidae | <i>Epinephelus tuamotuensis</i> | Fourmanoir, 1971 | 443 | 264 | 1 | 1 | | 1 | | 1 | 1 | | | 1 | |
| Serranidae | <i>Gracila albomarginata</i> | (Fowler & Bean, 1930) | 444 | 265 | | 1 | 1 | 1 | | | | | | | |
| Serranidae | <i>Grammistes sexlineatus</i> | (Thunberg, 1792) | 445 | 266 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Serranidae | <i>Grammistops ocellatus</i> | Schultz, 1953 | 446 | 267 | | 1 | 1 | 1 | | | | | | | |
| Serranidae | <i>Liopropoma erythraeum</i> | Randall & Taylor, 1988 | 447 | | | 1 | | | | | | | | 1 | |
| Serranidae | <i>Liopropoma flavidum</i> | Randall & Taylor, 1988 | 448 | | | | | | | 1 | | 1 | | | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|------------------|---|--|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Serranidae | <i>Liopropoma lunulatum</i> | (Guichenot, 1863) | 449 | 269 | | 1 | 1 | | | 1 | | | 1 | | |
| Serranidae | <i>Liopropoma mitratum</i> | Lubbock & Randall, 1978 | 450 | | | 1 | 1 | 1 | 1 | | | | | | |
| Serranidae | <i>Liopropoma pallidum</i> | (Fowler, 1938) | 451 | 270 | | 1 | 1 | | 1 | 1 | | | | | |
| Serranidae | <i>Liopropoma tonstrinum</i> | Randall & Taylor, 1988 | 452 | | | 1 | 1 | | | | | | | | |
| Serranidae | <i>Luzonichthys earlei</i> | Randall, 1981 | 453 | | | 1 | | | | | | | | | |
| Serranidae | <i>Odontanthias tapui</i> | (Randall, Maugé & Plessis, 1979) | 454 | 268 | | 1 | 1 | | | 1 | | | 1 | | |
| Serranidae | <i>Plectranthias bennetti</i> | Allen & Walsh, 2015 | 455 | | | 1 | 1 | | | | | | 1 | | |
| Serranidae | <i>Plectranthias cf. winniensis</i> | | 456 | 276 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Serranidae | <i>Plectranthias cirrhitoides</i> | Randall, 1980 | 457 | 272 | | | | | | | 1 | 1 | | | |
| Serranidae | <i>Plectranthias flammeus</i> | Williams, Delrieu-Trottin & Planes, 2013 | 458 | | 1 | | | | | | | 1 | | | |
| Serranidae | <i>Plectranthias fourmanoiri</i> | Randall, 1980 | 459 | 273 | | 1 | | 1 | 1 | 1 | | | | | |
| Serranidae | <i>Plectranthias kamii</i> | Randall, 1980 | 460 | 274 | | 1 | | | | | | | 1 | | |
| Serranidae | <i>Plectranthias longimanus</i> | (Weber, 1913) | 461 | | | 1 | 1 | | | | | | | | |
| Serranidae | <i>Plectranthias nanus</i> | Randall, 1980 | 462 | 275 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Serranidae | <i>Plectranthias rubrifasciatus</i> | Fourmanoir & Randall, 1979 | 463 | | | | | 1 | | | | | 1 | | |
| Serranidae | <i>Plectranthias sp. (Rangiroa Is.)</i> | | 464 | | | 1 | | 1 | | | | 1 | 1 | | |
| Serranidae | <i>Plectranthias taylori</i> | Randall, 1980 | 465 | | | 1 | | 1 | | 1 | | | 1 | | |
| Serranidae | <i>Plectropomus laevis</i> | (Lacepède, 1801) | 466 | 277 | | 1 | | 1 | 1 | 1 | 1 | | | | |
| Serranidae | <i>Pogonoperca punctata</i> | (Valenciennes, 1830) | 467 | 279 | 1 | 1 | 1 | 1 | | | | | 1 | | |
| Serranidae | <i>Pseudanthias bicolor</i> | (Randall, 1979) | 468 | | | 1 | 1 | 1 | | | | | | | |
| Serranidae | <i>Pseudanthias flavicauda</i> | Randall & Pyle, 2001 | 469 | | | | | 1 | | | | | | | |
| Serranidae | <i>Pseudanthias hiva</i> | Randall & Pyle, 2001 | 470 | 245 | 1 | | | | | | | 1 | | | |
| Serranidae | <i>Pseudanthias lori</i> | (Lubbock & Randall, 1976) | 471 | 239 | | 1 | 1 | 1 | | | | | | | |
| Serranidae | <i>Pseudanthias mooreanus</i> | (Herre, 1935) | 472 | 240 | | 1 | 1 | 1 | | | | | | | |
| Serranidae | <i>Pseudanthias olivaceus</i> | (Randall & McCosker, 1982) | 473 | 241 | | 1 | 1 | 1 | | 1 | | | | | |
| Serranidae | <i>Pseudanthias oumati</i> | Williams, Delrieu-Trottin & Planes, 2013 | 474 | | 1 | | | | | | | 1 | | | |
| Serranidae | <i>Pseudanthias pascalus</i> | (Jordan & Tanaka, 1927) | 475 | 242 | | 1 | 1 | 1 | | 1 | | | | | |
| Serranidae | <i>Pseudanthias privitera</i> | Randall & Pyle, 2001 | 476 | | | 1 | | | | 1 | | | 1 | | |
| Serranidae | <i>Pseudanthias regalis</i> | (Randall & Lubbock, 1981) | 477 | 243 | 1 | | | | | | | 1 | | | |
| Serranidae | <i>Pseudanthias ventralis</i> | (Randall, 1979) | 478 | 244 | | 1 | 1 | 1 | 1 | 1 | | | 1 | | |
| Serranidae | <i>Pseudogramma brederi</i> | (Hildebrand 1940) | 479 | | 1 | | | 1 | | 1 | | | | | |
| Serranidae | <i>Pseudogramma galzini</i> | Williams & Viviani 2016 | 480 | | | | | | 1 | 1 | 1 | 1 | | | |
| Serranidae | <i>Pseudogramma paucilepis</i> | Williams & Viviani 2016 | 481 | | | | | | 1 | 1 | | 1 | | | |
| Serranidae | <i>Pseudogramma polyacantha</i> | (Bleeker, 1856) | 482 | 282 | | 1 | 1 | | | | | | | | |
| Serranidae | <i>Pseudogramma xantha</i> | Randall, Baldwin & Williams, 2002 | 483 | | | | | | 1 | 1 | | | | | |
| Serranidae | <i>Saloptia powelli</i> | Smith, 1964 | 484 | 284 | | 1 | 1 | 1 | | 1 | | | 1 | | |
| Serranidae | <i>Suttonia lineata</i> | Gosline, 1960 | 485 | 285 | | 1 | 1 | | | 1 | | | | | |
| Serranidae | <i>Variola louti</i> | (Forsskål, 1775) | 486 | 286 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Ostracoberycidae | <i>Ostracoberyx dorygenys</i> | Fowler, 1934 | 487 | | | 1 | | | | | | | 1 | | |
| Pseudochromidae | <i>Pseudopleksiops howensis</i> | Allen, 1987 | 488 | | | 1 | | | | | | | | | |
| Pseudochromidae | <i>Pseudopleksiops revillei</i> | Schultz, 1953 | 489 | 287 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Pseudochromidae | <i>Pseudopleksiops rosae</i> | Schultz, 1943 | 490 | | | 1 | | | | | | | | | |
| Grammidae | <i>Grammatonotus sp. (Rapa Is.)</i> | | 491 | | | | | | | | 1 | 1 | 1 | | |
| Plesiopidae | <i>Callopleksiops cf. altivelis</i> | | 492 | | | 1 | | 1 | | | | | | | |
| Kuhliidae | <i>Kuhlia malo</i> | (Valenciennes, 1831) | 493 | | | 1 | 1 | | | 1 | 1 | | | | 1 |
| Kuhliidae | <i>Kuhlia mugil</i> | (Forster, 1801) | 494 | 289 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | 1 |
| Kuhliidae | <i>Kuhlia petiti</i> | Schultz, 1943 | 495 | | 1 | | | | | | | | | | 1 |
| Kuhliidae | <i>Kuhlia sandvicensis</i> | (Steindachner, 1876) | 496 | | | 1 | 1 | 1 | | 1 | 1 | | | | 1 |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|------------------|---------------------------------------|---------------------------|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Priacanthidae | <i>Cookeolus japonicus</i> | (Cuvier, 1829) | 497 | 290 | | | | | | 1 | 1 | | 1 | | |
| Priacanthidae | <i>Heteropriacanthus cruentatus</i> | (Lacepède, 1801) | 498 | 291 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Priacanthidae | <i>Priacanthus hamrur</i> | (Forsskål, 1775) | 499 | 292 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Cirrhitidae | <i>Amblycirrhitus bimacula</i> | (Jenkins, 1903) | 500 | 293 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Cirrhitidae | <i>Amblycirrhitus unimacula</i> | (Kamohara, 1957) | 501 | | | | | | | 1 | | | | | |
| Cirrhitidae | <i>Cirrhitichthys oxycephalus</i> | (Bleeker, 1855) | 502 | 295 | 1 | 1 | 1 | 1 | | 1 | | | | | |
| Cirrhitidae | <i>Cirrhitops hubbardi</i> | (Schultz, 1943) | 503 | 296 | | | | 1 | | 1 | | | | | |
| Cirrhitidae | <i>Cirrhitus pinnulatus</i> | (Forster, 1801) | 504 | 297 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Cirrhitidae | <i>Cyprinocirrhites polyactis</i> | (Bleeker, 1874) | 505 | 298 | 1 | | | | | | | | | | |
| Cirrhitidae | <i>Isocirrhites sexfasciatus</i> | (Schultz, 1960) | 506 | 299 | | 1 | | 1 | 1 | 1 | 1 | | | | |
| Cirrhitidae | <i>Itycirrhites wilhelmi</i> | (Lavenberg & Yañez, 1972) | 507 | 294 | | | | | | | 1 | | | | |
| Cirrhitidae | <i>Neocirrhites armatus</i> | Castelnau, 1873 | 508 | 300 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Cirrhitidae | <i>Oxycirrhites typus</i> | Bleeker, 1857 | 509 | | 1 | 1 | | 1 | | | | | | | |
| Cirrhitidae | <i>Paracirrhites arcatus</i> | (Cuvier, 1829) | 510 | 301 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Cirrhitidae | <i>Paracirrhites bicolor</i> | Randall, 1963 | 511 | 302 | | | | 1 | | | | | | | |
| Cirrhitidae | <i>Paracirrhites forsteri</i> | (Schneider, 1801) | 512 | 303 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Cirrhitidae | <i>Paracirrhites hemistictus</i> | (Günther, 1874) | 513 | 304 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Cirrhitidae | <i>Paracirrhites nesus</i> | Randall, 1963 | 514 | 305 | | | | 1 | | 1 | | | | | |
| Cirrhitidae | <i>Paracirrhites xanthus</i> | Randall, 1963 | 515 | 306 | 1 | 1 | | 1 | 1 | | | | | | |
| Cheilodactylidae | <i>Cheilodactylus plessisi</i> | Randall, 1983 | 516 | 307 | | | | | | | 1 | | | | |
| Apogonidae | <i>Apogon brevispinis</i> | Fraser & Randall, 2003 | 517 | | | | | | | 1 | | | | | |
| Apogonidae | <i>Apogon caudicinctus</i> | Randall & Smith, 1988 | 518 | | 1 | | | 1 | | | 1 | | | | |
| Apogonidae | <i>Apogon coccineus</i> | Rüppell, 1838 | 519 | 311 | | 1 | 1 | | | | | | | | |
| Apogonidae | <i>Apogon crassiceps</i> | Garman, 1903 | 520 | | | 1 | 1 | 1 | 1 | | 1 | | | | |
| Apogonidae | <i>Apogon deetsie</i> | Randall, 1998 | 521 | | | 1 | | 1 | | | | | | | |
| Apogonidae | <i>Apogon doryssa</i> | (Jordan & Seale, 1906) | 522 | 313 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Apogonidae | <i>Apogon fukuui</i> | Hayashi, 1990 | 523 | | | | | 1 | | | | | | | |
| Apogonidae | <i>Apogon indicus</i> | Greenfield, 2001 | 524 | | | 1 | | | | | 1 | | | | |
| Apogonidae | <i>Apogon lativittatus</i> | Randall, 2001 | 525 | | 1 | | | | | | | | | | |
| Apogonidae | <i>Apogon marquesensis</i> | Greenfield, 2001 | 526 | | 1 | | | | | | | 1 | | | |
| Apogonidae | <i>Apogon</i> sp. (Rapa Is.) | | 527 | | | | | | | | 1 | 1 | | | |
| Apogonidae | <i>Apogon susanae</i> | Greenfield, 2001 | 528 | | | 1 | | 1 | 1 | 1 | | | | | |
| Apogonidae | <i>Apogonichthys ocellatus</i> | (Weber, 1913) | 529 | 322 | 1 | 1 | 1 | 1 | 1 | | 1 | | | | |
| Apogonidae | <i>Apogonichthys perdix</i> | Bleeker, 1854 | 530 | 323 | 1 | 1 | 1 | | 1 | 1 | 1 | | | | |
| Apogonidae | <i>Cercamia cladara</i> | Randall & Smith, 1988 | 531 | | | 1 | | | 1 | 1 | 1 | | | | |
| Apogonidae | <i>Cheilodipterus artus</i> | Smith, 1961 | 532 | | | 1 | 1 | 1 | 1 | | | | | | |
| Apogonidae | <i>Cheilodipterus macrodon</i> | (Lacepède, 1802) | 533 | 324 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Apogonidae | <i>Cheilodipterus quinquelineatus</i> | Cuvier, 1828 | 534 | 325 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Apogonidae | <i>Foa leisi</i> | Fraser & Randall, 2011 | 535 | 326 | | 1 | | 1 | 1 | | 1 | 1 | | | |
| Apogonidae | <i>Fowleria isostigma</i> | (Jordan & Seale, 1906) | 536 | 327 | | 1 | | 1 | 1 | | 1 | | | | |
| Apogonidae | <i>Fowleria marmorata</i> | (Alleyne & MacLeay, 1877) | 537 | 328 | 1 | 1 | | | 1 | 1 | | | | | |
| Apogonidae | <i>Fowleria punctulata</i> | (Rüppell, 1838) | 538 | | | | | | 1 | | 1 | | | | |
| Apogonidae | <i>Fowleria vaiulae</i> | (Jordan & Seale, 1906) | 539 | | | 1 | 1 | | 1 | | | | | | |
| Apogonidae | <i>Fowleria variegata</i> | (Valenciennes, 1832) | 540 | | | | | | 1 | | | | | | |
| Apogonidae | <i>Gymnapogon</i> nsp. (Marquesas) | | 541 | 331 | 1 | | | | | | | 1 | | | |
| Apogonidae | <i>Gymnapogon urospilotus</i> | Lachner, 1953 | 542 | 330 | 1 | 1 | 1 | | | 1 | | | | | |
| Apogonidae | <i>Jaydia poecilopterus</i> | (Cuvier, 1828) | 543 | | | 1 | | | | | | | | | |
| Apogonidae | <i>Lachmeratus phasmaticus</i> | Fraser & Struhsaker, 1991 | 544 | | 1 | | | | | | | | | | |
| Apogonidae | <i>Nectamia fusca</i> | (Quoy & Gaimard, 1825) | 545 | 317 | | 1 | 1 | 1 | 1 | | 1 | | | | |
| Apogonidae | <i>Nectamia luxuria</i> | Fraser, 2008 | 546 | | | 1 | 1 | | 1 | | | | | | |
| Apogonidae | <i>Nectamia savayensis</i> | (Günther, 1872) | 547 | | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Apogonidae | <i>Ostorhinchus angustatus</i> | (Smith & Radcliffe, 1911) | 548 | 309 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|---------------|---------------------------------------|-------------------------------|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Apogonidae | <i>Ostorhinchus apogonoides</i> | (Bleeker, 1856) | 549 | 310 | 1 | 1 | 1 | | | | | | | | |
| Apogonidae | <i>Ostorhinchus brevispinis</i> | (Fraser & Randall, 2003) | 550 | | | | | 1 | | 1 | | 1 | | | |
| Apogonidae | <i>Ostorhinchus cookii</i> | (MacLeay, 1881) | 551 | 312 | | 1 | | | | 1 | 1 | | | | |
| Apogonidae | <i>Ostorhinchus nigrofasciatus</i> | (Lachner, 1953) | 552 | 319 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Apogonidae | <i>Ostorhinchus novemfasciatus</i> | (Cuvier, 1828) | 553 | | | 1 | 1 | | 1 | 1 | | | | | |
| Apogonidae | <i>Ostorhinchus relativus</i> | (Randall, 2001) | 554 | | 1 | | | | | | | 1 | | | |
| Apogonidae | <i>Ostorhinchus rubrimacula</i> | (Randall & Kulbicki, 1998) | 555 | | | | | | | | 1 | | | | |
| Apogonidae | <i>Ostorhinchus sinus</i> | (Randall, 2001) | 556 | | 1 | | | | | | | 1 | | | |
| Apogonidae | <i>Ostorhinchus taeniophorus</i> | (Regan, 1908) | 557 | | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Apogonidae | <i>Pristiapogon exostigma</i> | (Jordan & Starks, 1906) | 558 | 315 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Apogonidae | <i>Pristiapogon fraenatus</i> | (Valenciennes, 1832) | 559 | 316 | | 1 | 1 | 1 | 1 | | 1 | | | | |
| Apogonidae | <i>Pristiapogon kallopterus</i> | (Bleeker, 1856) | 560 | 318 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Apogonidae | <i>Pristiapogon taeniopterus</i> | (Bennett, 1836) | 561 | 320 | 1 | 1 | | 1 | 1 | 1 | | | | | |
| Apogonidae | <i>Pseudamia gelatinosa</i> | Smith, 1956 | 562 | 332 | | 1 | | | | | 1 | | | | |
| Apogonidae | <i>Pseudamia</i> nsp. (Nuku Hiva Is.) | | 563 | | 1 | | | | | | | 1 | | | |
| Apogonidae | <i>Pseudamia</i> sp. (Tahiti Is.) | | 564 | | | 1 | | | | | | | | | |
| Apogonidae | <i>Pseudamiops gracilicauda</i> | (Lachner, 1953) | 565 | | 1 | 1 | 1 | | 1 | | 1 | | | | |
| Apogonidae | <i>Pseudamiops phasma</i> | Randall, 2001 | 566 | | 1 | | | | | | | 1 | | | |
| Apogonidae | <i>Rhabdamia gracilis</i> | (Bleeker, 1856) | 567 | | | 1 | | | | | | | | | |
| Apogonidae | <i>Rhabdamia</i> sp. | | 568 | 334 | | 1 | | | | | 1 | | | | |
| Apogonidae | <i>Siphamia fistulosa</i> | (Weber, 1909) | 569 | 335 | | 1 | | | | | | | | | |
| Apogonidae | <i>Siphamia randalli</i> | Gon & Allen, 2012 | 570 | | | 1 | 1 | | | | | | | | |
| Apogonidae | <i>Siphamia tubifer</i> | Weber, 1909 | 571 | | | 1 | | | | 1 | | | | | |
| Apogonidae | <i>Zapogon evermanni</i> | (Jordan & Snyder, 1904) | 572 | 314 | 1 | | | 1 | | | | | | | |
| Epigonidae | <i>Epigonus carbonarius</i> | Okamoto & Motomura, 2011 | 573 | | 1 | | | | | | | 1 | 1 | | |
| Epigonidae | <i>Epigonus ctenolepis</i> | Mochizuki & Shirakihara, 1983 | 574 | | | | | | | | | | 1 | | |
| Epigonidae | <i>Sphyaenops bairdanus</i> | Poey, 1861 | 575 | | | | | | | | | | 1 | | |
| Mugilidae | <i>Crenimugil crenilabis</i> | (Forsskål, 1775) | 576 | 337 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Mugilidae | <i>Crenimugil seheli</i> | (Forsskål, 1775) | 577 | | 1 | | | | | | | | | | |
| Mugilidae | <i>Liza vaiigiensis</i> | (Quoy & Gaimard, 1825) | 578 | 339 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Mugilidae | <i>Mugil cephalus</i> | Linnaeus, 1758 | 579 | 340 | | 1 | 1 | | 1 | 1 | 1 | | | | |
| Mugilidae | <i>Neomyxus leuciscus</i> | (Günther, 1872) | 580 | 336 | 1 | 1 | | 1 | 1 | 1 | 1 | | | | |
| Mugilidae | <i>Osteomugil engeli</i> | (Bleeker, 1858) | 581 | 341 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Mugilidae | <i>Planiliza alata</i> | (Steindachner, 1892) | 582 | 338 | 1 | | | | | | | | | | |
| Mugilidae | <i>Planiliza macrolepis</i> | (Smith, 1846) | 583 | | 1 | | | 1 | | | | | | | |
| Mugilidae | <i>Planiliza melinopterus</i> | (Valenciennes, 1836) | 584 | | 1 | | | | | | | | | | |
| Sphyaenidae | <i>Sphyaena barracuda</i> | (Edwards, 1771) | 585 | 342 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Sphyaenidae | <i>Sphyaena forsteri</i> | Cuvier, 1829 | 586 | 343 | 1 | 1 | 1 | 1 | 1 | | | | | | |
| Sphyaenidae | <i>Sphyaena helleri</i> | Jenkins, 1901 | 587 | 344 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Sphyaenidae | <i>Sphyaena qenie</i> | Klunzinger, 1870 | 588 | | 1 | 1 | 1 | 1 | 1 | | 1 | | | | |
| Polynemidae | <i>Polydactylus plebeius</i> | (Broussonet, 1782) | 589 | 346 | | 1 | 1 | | | | 1 | | | | |
| Polynemidae | <i>Polydactylus sexfilis</i> | (Valenciennes, 1831) | 590 | 347 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Malacanthidae | <i>Hoplolatilus cuniculus</i> | Randall & Dooley, 1974 | 591 | 348 | | 1 | | 1 | 1 | | | | | | |
| Malacanthidae | <i>Hoplolatilus starcki</i> | Randall & Dooley, 1974 | 592 | 349 | | 1 | | 1 | 1 | 1 | | | | | |
| Malacanthidae | <i>Malacanthus brevirostris</i> | Guichenot, 1848 | 593 | 350 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Malacanthidae | <i>Malacanthus latovittatus</i> | (Lacepède, 1801) | 594 | | | 1 | | | | | | | | | |
| Echeneididae | <i>Echeneis naucrates</i> | Linnaeus, 1758 | 595 | 351 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Echeneididae | <i>Remora albescens</i> | (Temminck & Schlegel, 1850) | 596 | 353 | 1 | 1 | | 1 | | | | | | 1 | |
| Echeneididae | <i>Remora remora</i> | (Linnaeus, 1758) | 597 | 352 | 1 | 1 | | 1 | | | | | | 1 | |
| Carangidae | <i>Alectis ciliaris</i> | (Bloch, 1787) | 598 | 354 | 1 | 1 | | 1 | 1 | 1 | 1 | | | | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|-----------------|--|-----------------------------------|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Carangidae | <i>Carangoides ferdau</i> | (Forsskål, 1775) | 599 | 355 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Carangidae | <i>Carangoides orthogrammus</i> | (Jordan & Gilbert, 1882) | 600 | 356 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Carangidae | <i>Caranx ignobilis</i> | (Forsskål, 1775) | 601 | 357 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Carangidae | <i>Caranx lugubris</i> | Poey, 1860 | 602 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Carangidae | <i>Caranx melampygus</i> | Cuvier, 1833 | 603 | 358 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Carangidae | <i>Caranx papuensis</i> | Alleyne & MacLeay, 1877 | 604 | 359 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Carangidae | <i>Caranx sexfasciatus</i> | Quoy & Gaimard, 1825 | 605 | 360 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Carangidae | <i>Decapterus macarellus</i> | (Cuvier, 1833) | 606 | 361 | 1 | 1 | 1 | 1 | | 1 | | | | | |
| Carangidae | <i>Decapterus macrosoma</i> | Bleeker, 1851 | 607 | | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Carangidae | <i>Decapterus muroadsi</i> | (Temminck & Schlegel, 1844) | 608 | | | | | | | | 1 | | | | |
| Carangidae | <i>Elagatis bipinnulata</i> | (Quoy & Gaimard, 1825) | 609 | 363 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Carangidae | <i>Gnathanodon speciosus</i> | (Forsskål, 1775) | 610 | 364 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Carangidae | <i>Naucrates ductor</i> | (Linnaeus, 1758) | 611 | 365 | | | | 1 | | | | | | 1 | |
| Carangidae | <i>Pseudocaranx dentex</i> | (Bloch & Schneider, 1801) | 612 | 366 | | | | 1 | 1 | 1 | 1 | | | | |
| Carangidae | <i>Scomberoides lysan</i> | (Forsskål, 1775) | 613 | 367 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Carangidae | <i>Scomberoides tol</i> | (Cuvier, 1832) | 614 | | 1 | | | | 1 | | | | | | |
| Carangidae | <i>Selar crumenophthalmus</i> | (Bloch, 1793) | 615 | 368 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Carangidae | <i>Seriola dumerili</i> | (Risso, 1810) | 616 | | | | | | 1 | | | | | | |
| Carangidae | <i>Seriola lalandi</i> | Valenciennes, 1833 | 617 | 369 | 1 | 1 | | 1 | 1 | 1 | 1 | | | | |
| Carangidae | <i>Seriola rivoliana</i> | Valenciennes, 1833 | 618 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Carangidae | <i>Trachinotus bailloni</i> | (Lacepède, 1801) | 619 | 370 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Carangidae | <i>Trachinotus</i> sp. (Marquesas) | | 620 | 371 | 1 | | | | | | | 1 | | | |
| Carangidae | <i>Uraspis secunda</i> | (Poey, 1860) | 621 | 372 | 1 | 1 | | 1 | | 1 | 1 | | | | |
| Coryphaenidae | <i>Coryphaena equiselis</i> | Linnaeus, 1758 | 622 | 373 | | 1 | 1 | | | | | | | 1 | |
| Coryphaenidae | <i>Coryphaena hippurus</i> | Linnaeus, 1758 | 623 | 374 | | 1 | 1 | | | | 1 | | | 1 | |
| Bramidae | <i>Eumegistus illustris</i> | Jordan & Jordan, 1922 | 624 | | | | | | | 1 | | | 1 | 1 | |
| Bramidae | <i>Taractichthys steindachneri</i> | (Döderlein, 1883) | 625 | 375 | 1 | 1 | | | | | | | 1 | | |
| Emmelichthyidae | <i>Emmelichthys karnellai</i> | Heemstra & Randall, 1977 | 626 | 376 | | 1 | | | | | 1 | | 1 | | |
| Emmelichthyidae | <i>Erythrocles scintillans</i> | (Jordan & Thompson, 1912) | 627 | 377 | | 1 | | | | 1 | | | 1 | | |
| Lutjanidae | <i>Aphareus furca</i> | (Lacepède, 1801) | 628 | 378 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Lutjanidae | <i>Aphareus rutilans</i> | Cuvier, 1830 | 629 | | 1 | 1 | | | | 1 | | | 1 | | |
| Lutjanidae | <i>Aprion virescens</i> | Valenciennes, 1830 | 630 | 379 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Lutjanidae | <i>Etelis carbunculus</i> | Cuvier, 1828 | 631 | 380 | 1 | 1 | | 1 | | 1 | 1 | | 1 | | |
| Lutjanidae | <i>Etelis coruscans</i> | Valenciennes, 1862 | 632 | | 1 | 1 | | 1 | | 1 | | | 1 | | |
| Lutjanidae | <i>Etelis radius</i> | Anderson, 1981 | 633 | | | 1 | | | | | | | 1 | | |
| Lutjanidae | <i>Lutjanus bohar</i> | (Forsskål, 1775) | 634 | 381 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Lutjanidae | <i>Lutjanus fulvus</i> | (Forster, 1801) | 635 | 382 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Lutjanidae | <i>Lutjanus gibbus</i> | (Forsskål, 1775) | 636 | 383 | 1 | 1 | 1 | 1 | 1 | | 1 | | | | |
| Lutjanidae | <i>Lutjanus kasmira</i> | (Forsskål, 1775) | 637 | 384 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Lutjanidae | <i>Lutjanus monostigma</i> | (Cuvier, 1828) | 638 | 385 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Lutjanidae | <i>Lutjanus rivulatus</i> | (Cuvier, 1828) | 639 | 386 | | 1 | 1 | | | 1 | | | | | |
| Lutjanidae | <i>Paracaesio sordida</i> | Abe & Shinohara, 1962 | 640 | | 1 | | | | | | | | | | |
| Lutjanidae | <i>Paracaesio xanthura</i> | (Bleeker, 1869) | 641 | | | 1 | 1 | 1 | | 1 | 1 | | | | |
| Lutjanidae | <i>Parapristipomoides squamimaxillaris</i> | (Kami, 1973) | 642 | 388 | | | | | | 1 | 1 | | 1 | | |
| Lutjanidae | <i>Pristipomoides argyrogrammicus</i> | (Valenciennes, 1832) | 643 | | | 1 | | 1 | | 1 | | | 1 | | |
| Lutjanidae | <i>Pristipomoides auricilla</i> | (Jordan, Evermann & Tanaka, 1927) | 644 | | | 1 | 1 | | | 1 | 1 | | 1 | | |
| Lutjanidae | <i>Pristipomoides filamentosus</i> | (Valenciennes, 1830) | 645 | | 1 | 1 | 1 | 1 | | 1 | 1 | | 1 | | |
| Lutjanidae | <i>Pristipomoides flavipinnis</i> | Shinohara, 1963 | 646 | | | 1 | | | | | | | 1 | | |
| Lutjanidae | <i>Pristipomoides sieboldii</i> | (Bleeker, 1855) | 647 | 389 | 1 | | | | | 1 | | | 1 | | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|----------------|--|--------------------------|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Lutjanidae | <i>Pristipomoides</i> sp. (Rapa Is.) | | 648 | | | | | | | | 1 | | | | |
| Lutjanidae | <i>Pristipomoides zonatus</i> | (Valenciennes, 1830) | 649 | 390 | 1 | 1 | | 1 | | 1 | | | 1 | | |
| Lutjanidae | <i>Randallichthys filamentosus</i> | (Fourmanoir, 1970) | 650 | | | 1 | | | | 1 | | | 1 | | |
| Caesionidae | <i>Pterocaesio marri</i> | Schultz, 1953 | 651 | 391 | 1 | | | | | | | | | | |
| Caesionidae | <i>Pterocaesio tile</i> | (Cuvier, 1830) | 652 | 392 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Lobotidae | <i>Lobotes surinamensis</i> | (Bloch, 1790) | 653 | | | 1 | | | | | | | | | |
| Haemulidae | <i>Plectorhinchus picus</i> | (Cuvier, 1828) | 654 | 393 | | 1 | | | 1 | 1 | 1 | | | | |
| Lethrinidae | <i>Gnathodentex aureolineatus</i> | (Lacepède, 1802) | 655 | 394 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Lethrinidae | <i>Gymnocranius grandoculis</i> | (Valenciennes, 1830) | 656 | 395 | 1 | | | 1 | | | | | | | |
| Lethrinidae | <i>Lethrinus atkinsoni</i> | Seale, 1910 | 657 | | | | | 1 | 1 | 1 | 1 | | | | |
| Lethrinidae | <i>Lethrinus erythracanthus</i> | Valenciennes, 1830 | 658 | | | | | 1 | | | | | | | |
| Lethrinidae | <i>Lethrinus olivaceus</i> | Valenciennes, 1830 | 659 | | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Lethrinidae | <i>Lethrinus rubrioperculatus</i> | Sato, 1978 | 660 | | 1 | 1 | 1 | | | | | | 1 | | |
| Lethrinidae | <i>Lethrinus</i> sp. (<i>olivaceus</i> complex) | | 661 | | | | | 1 | | | | | | | |
| Lethrinidae | <i>Lethrinus xanthochilus</i> | Klunzinger, 1870 | 662 | 398 | 1 | 1 | 1 | 1 | 1 | | 1 | | | | |
| Lethrinidae | <i>Monotaxis grandoculis</i> | (Forsskål, 1775) | 663 | 399 | 1 | 1 | 1 | 1 | 1 | | 1 | | | | |
| Lethrinidae | <i>Monotaxis heterodon</i> | (Bleeker, 1854) | 664 | | | 1 | | 1 | | | | | | | |
| Mullidae | <i>Mulloidichthys flavolineatus</i> | (Lacepède, 1801) | 665 | 400 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Mullidae | <i>Mulloidichthys mimicus</i> | Randall & Guézé, 1980 | 666 | 401 | 1 | | | | | | | | | | |
| Mullidae | <i>Mulloidichthys pfluegeri</i> | (Steindachner, 1900) | 667 | | 1 | 1 | | | | | | | 1 | | |
| Mullidae | <i>Mulloidichthys vanicolensis</i> | (Valenciennes, 1831) | 668 | 403 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Mullidae | <i>Parupeneus barberinus</i> | (Lacepède, 1801) | 669 | 404 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Mullidae | <i>Parupeneus ciliatus</i> | (Lacepède, 1802) | 670 | 406 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Mullidae | <i>Parupeneus cyclostomus</i> | (Lacepède, 1801) | 671 | 407 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Mullidae | <i>Parupeneus insularis</i> | Randall & Myers, 2002 | 672 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Mullidae | <i>Parupeneus multifasciatus</i> | (Quoy & Gaimard, 1825) | 673 | 408 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Mullidae | <i>Parupeneus pleurostigma</i> | (Bennett, 1831) | 674 | 409 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Mullidae | <i>Upeneus taeniopterus</i> | Cuvier, 1829 | 675 | 410 | | 1 | | 1 | 1 | | | | | | |
| Mullidae | <i>Upeneus vittatus</i> | (Forsskål, 1775) | 676 | 411 | 1 | 1 | 1 | | | | | | | | |
| Pempheridae | <i>Pempheris otaitensis</i> | Cuvier, 1831 | 677 | | | 1 | | 1 | | | | | | | |
| Pempheridae | <i>Pempheris oualensis</i> | Cuvier, 1831 | 678 | 412 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Pempheridae | <i>Pempheris rapa</i> | Mooi, 1998 | 679 | | | | | | 1 | 1 | 1 | 1 | | | |
| Pempheridae | <i>Pempheris</i> sp. (Marquesas) | | 680 | | 1 | | | | | | | | 1 | | |
| Kyphosidae | <i>Bathystethus orientale</i> | Regan, 1913 | 681 | 308 | | | | | | | 1 | | | | |
| Kyphosidae | <i>Kyphosus bigibbus</i> | Lacepède, 1801 | 682 | 413 | 1 | | | | | | 1 | | | | |
| Kyphosidae | <i>Kyphosus cinerascens</i> | (Forsskål, 1775) | 683 | 414 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Kyphosidae | <i>Kyphosus pacificus</i> | Sakai & Nakabo, 2004 | 684 | | 1 | | | | 1 | 1 | 1 | | | | |
| Kyphosidae | <i>Kyphosus vaigiensis</i> | (Quoy & Gaimard, 1825) | 685 | 415 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Kyphosidae | <i>Labracoglossa nitida</i> | McCulloch & Waite, 1916 | 686 | | | | | | | | 1 | | | 1 | |
| Kyphosidae | <i>Sectator ocyurus</i> | (Jordan & Gilbert, 1882) | 687 | 416 | 1 | 1 | | 1 | | | | | | | |
| Chaetodontidae | <i>Chaetodon auriga</i> | Forsskål, 1775 | 688 | 417 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Chaetodontidae | <i>Chaetodon bennetti</i> | Cuvier, 1831 | 689 | 418 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Chaetodontidae | <i>Chaetodon citrinellus</i> | Cuvier, 1831 | 690 | 419 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Chaetodontidae | <i>Chaetodon declivis</i> | Randall, 1975 | 691 | 420 | 1 | | | | | | | | | | |
| Chaetodontidae | <i>Chaetodon ephippium</i> | Cuvier, 1831 | 692 | 421 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Chaetodontidae | <i>Chaetodon flavirostris</i> | Günther, 1874 | 693 | 422 | | 1 | | 1 | 1 | 1 | 1 | | | | |
| Chaetodontidae | <i>Chaetodon kleinii</i> | Bloch, 1790 | 694 | | | | | | | | 1 | | | | |
| Chaetodontidae | <i>Chaetodon lineolatus</i> | Cuvier, 1831 | 695 | 423 | 1 | 1 | 1 | 1 | 1 | | | | | | |
| Chaetodontidae | <i>Chaetodon lunula</i> | (Lacepède, 1802) | 696 | 424 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Chaetodontidae | <i>Chaetodon lunulatus</i> | Quoy & Gaimard, 1825 | 697 | | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Chaetodontidae | <i>Chaetodon mertensii</i> | Cuvier, 1831 | 698 | 425 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|----------------|--------------------------------------|-----------------------------|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Chaetodontidae | <i>Chaetodon ornatissimus</i> | Cuvier, 1831 | 699 | 426 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Chaetodontidae | <i>Chaetodon pelewensis</i> | Kner, 1868 | 700 | 427 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Chaetodontidae | <i>Chaetodon quadrimaculatus</i> | Gray, 1831 | 701 | 428 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Chaetodontidae | <i>Chaetodon rafflesi</i> | Bennett, 1830 | 702 | 429 | | 1 | | 1 | | | | | | | |
| Chaetodontidae | <i>Chaetodon reticulatus</i> | Cuvier, 1831 | 703 | 430 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Chaetodontidae | <i>Chaetodon semeion</i> | Bleeker, 1855 | 704 | 431 | 1 | 1 | 1 | 1 | 1 | | | | | | |
| Chaetodontidae | <i>Chaetodon smithi</i> | Randall, 1975 | 705 | 432 | | | | | | 1 | 1 | | | | |
| Chaetodontidae | <i>Chaetodon tinkeri</i> | Schultz, 1951 | 706 | | | | | 1 | | 1 | | | | | |
| Chaetodontidae | <i>Chaetodon trichrous</i> | Günther, 1874 | 707 | 433 | 1 | 1 | 1 | 1 | | | 1 | 1 | | | |
| Chaetodontidae | <i>Chaetodon trifascialis</i> | Quoy & Gaimard, 1825 | 708 | 434 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Chaetodontidae | <i>Chaetodon ulietensis</i> | Cuvier, 1831 | 709 | 436 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Chaetodontidae | <i>Chaetodon unimaculatus</i> | Bloch, 1787 | 710 | 437 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Chaetodontidae | <i>Chaetodon vagabundus</i> | Linnaeus, 1758 | 711 | 438 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Chaetodontidae | <i>Forcipiger flavissimus</i> | Jordan & McGregor, 1898 | 712 | 439 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Chaetodontidae | <i>Forcipiger longirostris</i> | (Broussonet, 1782) | 713 | 440 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Chaetodontidae | <i>Hemitaurichthys multispinosus</i> | Randall, 1975 | 714 | | | | | | | 1 | | | | | |
| Chaetodontidae | <i>Hemitaurichthys polylepis</i> | (Bleeker, 1857) | 715 | 441 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Chaetodontidae | <i>Hemitaurichthys thompsoni</i> | Fowler, 1923 | 716 | 442 | 1 | 1 | 1 | 1 | | 1 | | | | | |
| Chaetodontidae | <i>Heniochus acuminatus</i> | (Linnaeus, 1758) | 717 | 443 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Chaetodontidae | <i>Heniochus chrysostomus</i> | Cuvier, 1831 | 718 | 444 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Chaetodontidae | <i>Heniochus monoceros</i> | Cuvier, 1831 | 719 | 445 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Ephippidae | <i>Platax orbicularis</i> | (Forsskål, 1775) | 720 | 447 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Pomacanthidae | <i>Centropyge bispinosa</i> | (Günther, 1860) | 721 | 448 | | 1 | 1 | 1 | 1 | | 1 | | | | |
| Pomacanthidae | <i>Centropyge boylei</i> | Pyle & Randall, 1992 | 722 | | | | | | | 1 | | | 1 | | |
| Pomacanthidae | <i>Centropyge fisheri</i> | (Snyder, 1904) | 723 | 449 | 1 | 1 | 1 | 1 | | 1 | | | | | |
| Pomacanthidae | <i>Centropyge flavissima</i> | (Cuvier, 1831) | 724 | 450 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Pomacanthidae | <i>Centropyge heraldi</i> | Woods & Schultz, 1953 | 725 | 451 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Pomacanthidae | <i>Centropyge hotumatua</i> | Randall & Caldwell, 1973 | 726 | 452 | | | | | | 1 | 1 | | | | |
| Pomacanthidae | <i>Centropyge lorica</i> | (Günther, 1874) | 727 | 453 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Pomacanthidae | <i>Centropyge multicolor</i> | Randall & Wass, 1974 | 728 | 454 | | 1 | 1 | 1 | | 1 | | | | | |
| Pomacanthidae | <i>Centropyge narcosis</i> | Pyle & Randall, 1993 | 729 | | | 1 | 1 | 1 | | | | | 1 | | |
| Pomacanthidae | <i>Centropyge nigriocella</i> | Woods & Schultz, 1953 | 730 | 456 | 1 | 1 | | | | 1 | | | | | |
| Pomacanthidae | <i>Genicanthus bellus</i> | Randall, 1975 | 731 | 457 | | 1 | 1 | 1 | | | | | | | |
| Pomacanthidae | <i>Genicanthus spinus</i> | Randall, 1975 | 732 | 458 | | 1 | | | | 1 | 1 | | | | |
| Pomacanthidae | <i>Genicanthus watanabei</i> | (Yasuda & Tominaga, 1970) | 733 | 459 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Pomacanthidae | <i>Paracentropyge multifasciata</i> | (Smith & Radcliffe, 1911) | 734 | 455 | 1 | 1 | 1 | 1 | | | | | | | |
| Pomacanthidae | <i>Pomacanthus imperator</i> | (Bloch, 1787) | 735 | 460 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Pomacanthidae | <i>Pygoplites diacanthus</i> | (Boddaert, 1772) | 736 | 461 | | 1 | 1 | 1 | 1 | | | | | | |
| Pentacerotidae | <i>Evistias acutirostris</i> | (Temminck & Schlegel, 1844) | 737 | | | | | | | | 1 | | | | |
| Pentacerotidae | <i>Pentaceros japonicus</i> | Steindachner, 1883 | 738 | | | | | | | | | | 1 | | |
| Pentacerotidae | <i>Pentaceros richardsoni</i> | Smith, 1844 | 739 | | | | | | | 1 | | | 1 | | |
| Cichlidae | <i>Oreochromis mossambicus</i> | (Peters, 1852) | 740 | | | 1 | 1 | 1 | 1 | 1 | | | | | 1 |
| Pomacentridae | <i>Abudefduf conformis</i> | Randall & Earle, 1999 | 741 | 462 | 1 | | | | | | | 1 | | | |
| Pomacentridae | <i>Abudefduf septemfasciatus</i> | (Cuvier, 1830) | 742 | 463 | | 1 | 1 | 1 | 1 | | | | | | |
| Pomacentridae | <i>Abudefduf sexfasciatus</i> | (Lacepède, 1801) | 743 | 464 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Pomacentridae | <i>Abudefduf sordidus</i> | (Forsskål, 1775) | 744 | 465 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Pomacentridae | <i>Abudefduf vaigiensis</i> | (Quoy & Gaimard, 1825) | 745 | | | 1 | 1 | | | | | | | | |
| Pomacentridae | <i>Amphiprion cf. chrysopterus</i> | Cuvier, 1830 | 746 | 466 | | 1 | 1 | 1 | 1 | | | | | | |
| Pomacentridae | <i>Chromis abrupta</i> | Randall, 2001 | 747 | | 1 | | | | | | | | 1 | | |
| Pomacentridae | <i>Chromis acares</i> | Randall & Swerdloff, 1973 | 748 | 467 | | 1 | 1 | 1 | 1 | | | | | | |
| Pomacentridae | <i>Chromis agilis</i> | Smith, 1960 | 749 | 468 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Pomacentridae | <i>Chromis alpha</i> | Randall, 1988 | 750 | | | 1 | 1 | | | | | | | | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|---------------|---|----------------------------|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Pomacentridae | <i>Chromis atripectoralis</i> | Welander & Schultz, 1951 | 751 | 469 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Pomacentridae | <i>Chromis bami</i> | Randall & McCosker, 1992 | 752 | | | 1 | | | 1 | 1 | 1 | | | | |
| Pomacentridae | <i>Chromis fatuhivae</i> | Randall, 2001 | 753 | | 1 | | | | | | | 1 | | | |
| Pomacentridae | <i>Chromis flavapicis</i> | Randall, 2001 | 754 | | 1 | | | | | | | 1 | | | |
| Pomacentridae | <i>Chromis iomelas</i> | Jordan & Seale, 1906 | 755 | 470 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Pomacentridae | <i>Chromis leucura</i> | Gilbert, 1905 | 756 | 471 | 1 | | | | | | | | | | |
| Pomacentridae | <i>Chromis margaritifer</i> | Fowler, 1946 | 757 | 472 | | 1 | 1 | 1 | | 1 | | | | | |
| Pomacentridae | <i>Chromis nitida</i> | (Whitley, 1928) | 758 | | | | | | | | | 1 | | | |
| Pomacentridae | <i>Chromis pamae</i> | Randall & McCosker, 1992 | 759 | | | | | | 1 | 1 | 1 | | | | |
| Pomacentridae | <i>Chromis planesi</i> | Lecchini & Williams, 2004 | 760 | | | | | | | | 1 | 1 | | | |
| Pomacentridae | <i>Chromis</i> sp. 1 | | 761 | | | 1 | | | | 1 | | | | | |
| Pomacentridae | <i>Chromis</i> sp. 2 (Tahiti Is.) | | 762 | | | 1 | | | | | | | 1 | | |
| Pomacentridae | <i>Chromis vanderbiltili</i> | (Fowler, 1941) | 763 | 473 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Pomacentridae | <i>Chromis viridis</i> | (Cuvier, 1830) | 764 | 474 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Pomacentridae | <i>Chromis xanthura</i> | (Bleeker, 1854) | 765 | 475 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Pomacentridae | <i>Chrysiptera galba</i> | (Allen & Randall, 1974) | 766 | 478 | | | | 1 | 1 | 1 | 1 | | | | |
| Pomacentridae | <i>Chrysiptera glauca</i> | (Cuvier, 1830) | 767 | 479 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Pomacentridae | <i>Chrysiptera leucopoma</i> | (Cuvier, 1830) | 768 | 480 | 1 | 1 | 1 | 1 | | 1 | 1 | | | | |
| Pomacentridae | <i>Dascyllus aruanus</i> | (Linnaeus, 1758) | 769 | 481 | 1 | 1 | 1 | 1 | 1 | | 1 | | | | |
| Pomacentridae | <i>Dascyllus flavicaudus</i> | Randall & Allen, 1977 | 770 | 482 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Pomacentridae | <i>Dascyllus strasburgi</i> | Klausewitz, 1960 | 771 | 483 | 1 | | | | | | | 1 | | | |
| Pomacentridae | <i>Dascyllus trimaculatus</i> | (Rüppell, 1829) | 772 | 484 | | 1 | 1 | 1 | | 1 | | | | | |
| Pomacentridae | <i>Lepidozygus tapeinosoma</i> | (Bleeker, 1856) | 773 | 485 | 1 | 1 | 1 | 1 | | | | | | | |
| Pomacentridae | <i>Plectroglyphidodon dickii</i> | (Liénard, 1839) | 774 | 486 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Pomacentridae | <i>Plectroglyphidodon flaviventris</i> | Allen & Randall, 1974 | 775 | 487 | | 1 | 1 | 1 | 1 | | | 1 | | | |
| Pomacentridae | <i>Plectroglyphidodon imparipennis</i> | (Vaillant & Sauvage, 1875) | 776 | 488 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Pomacentridae | <i>Plectroglyphidodon johnstonianus</i> | Fowler & Ball, 1924 | 777 | 489 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Pomacentridae | <i>Plectroglyphidodon lacrymatus</i> | (Quoy & Gaimard, 1825) | 778 | 490 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Pomacentridae | <i>Plectroglyphidodon leucozonus</i> | (Bleeker, 1859) | 779 | 491 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Pomacentridae | <i>Plectroglyphidodon phoenixensis</i> | (Schultz, 1943) | 780 | 492 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Pomacentridae | <i>Plectroglyphidodon sagmarius</i> | Randall & Earle, 1999 | 781 | | 1 | | | | | | | 1 | | | |
| Pomacentridae | Pomacentridae sp. (Rapa Is.) | | 782 | | | | | | | | 1 | | 1 | | |
| Pomacentridae | <i>Pomacentrus callainus</i> | Randall, 2002 | 783 | | | | | | | 1 | | | | | |
| Pomacentridae | <i>Pomacentrus coelestis</i> | Jordan & Starks, 1901 | 784 | 493 | 1 | 1 | 1 | 1 | | | | | | | |
| Pomacentridae | <i>Pomacentrus pavo</i> | (Bloch, 1787) | 785 | 494 | 1 | 1 | 1 | 1 | | | | | | | |
| Pomacentridae | <i>Pomacentrus vaiuli</i> | Jordan & Seale, 1906 | 786 | | | | | | | 1 | | | | | |
| Pomacentridae | <i>Pomachromis fuscidorsalis</i> | Allen & Randall, 1974 | 787 | 495 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Pomacentridae | <i>Pomachromis richardsoni</i> | (Snyder, 1909) | 788 | | | | | | 1 | | | | | | |
| Pomacentridae | <i>Stegastes albifasciatus</i> | (Schlegel & Müller, 1839) | 789 | 496 | | 1 | 1 | 1 | | | | | | | |
| Pomacentridae | <i>Stegastes aureus</i> | (Fowler, 1927) | 790 | 497 | 1 | 1 | | 1 | 1 | 1 | | | | | |
| Pomacentridae | <i>Stegastes emeryi</i> | (Allen & Randall, 1974) | 791 | 498 | | | | 1 | 1 | 1 | | | | | |
| Pomacentridae | <i>Stegastes</i> cf. <i>fasciolatus</i> | (Ogilby, 1889) | 792 | 499 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Pomacentridae | <i>Stegastes lividus</i> | (Forster, 1801) | 793 | 500 | 1 | | | | | | | 1 | | | |
| Pomacentridae | <i>Stegastes nigricans</i> | (Lacepède, 1802) | 794 | 501 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Pomacentridae | <i>Stegastes punctatus</i> | (Quoy & Gaimard, 1825) | 795 | | | 1 | 1 | | 1 | | | | | | |
| Labridae | <i>Anampses caeruleopunctatus</i> | Rüppell, 1829 | 796 | 502 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Labridae | <i>Anampses femininus</i> | Randall, 1972 | 797 | 503 | | | | | 1 | 1 | 1 | | | | |
| Labridae | <i>Anampses geographicus</i> | Valenciennes, 1840 | 798 | | | | | | 1 | | | | | | |
| Labridae | <i>Anampses melanurus</i> | Bleeker, 1857 | 799 | 504 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|----------|--|--|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Labridae | <i>Anampses meleagrides</i> | Valenciennes, 1840 | 800 | 505 | | 1 | 1 | 1 | | | | | | | |
| Labridae | <i>Anampses twistii</i> | Bleeker, 1856 | 801 | 506 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Labridae | <i>Bodianus anthioides</i> | (Bennett, 1832) | 802 | 507 | | 1 | | 1 | 1 | 1 | 1 | | | | |
| Labridae | <i>Bodianus axillaris</i> | (Bennett, 1832) | 803 | 508 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Labridae | <i>Bodianus busellatus</i> | Gomon, 2006 | 804 | 509 | 1 | | | | | 1 | | | | | |
| Labridae | <i>Bodianus loxozonus</i> | (Snyder, 1908) | 805 | 510 | | 1 | 1 | 1 | 1 | | 1 | | | | |
| Labridae | <i>Bodianus</i> nsp. (<i>neopercularis</i> complex) | | 806 | | | 1 | | 1 | | | | | | | |
| Labridae | <i>Bodianus oxycephalus</i> | (Bleeker, 1862) | 807 | | | | | | | | 1 | | | | |
| Labridae | <i>Bodianus paraleucosticticus</i> | Gomon, 2006 | 808 | | | 1 | | | | | | | 1 | | |
| Labridae | <i>Bodianus perditio</i> | (Quoy & Gaimard, 1834) | 809 | 511 | | 1 | | | 1 | 1 | 1 | | | | |
| Labridae | <i>Bodianus unimaculatus</i> | (Günther, 1862) | 810 | | | | | | | | 1 | | | | |
| Labridae | <i>Cheilinus chlorourus</i> | (Bloch, 1791) | 811 | 514 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Labridae | <i>Cheilinus oxycephalus</i> | Bleeker, 1853 | 812 | 515 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Labridae | <i>Cheilinus trilobatus</i> | Lacepède, 1801 | 813 | 516 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Labridae | <i>Cheilinus undulatus</i> | Rüppell, 1835 | 814 | 517 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Labridae | <i>Cheilio inermis</i> | (Forsskål, 1775) | 815 | 519 | 1 | 1 | 1 | | 1 | 1 | 1 | | | | |
| Labridae | <i>Cirrhilabrus claire</i> | Randall & Pyle, 2001 | 816 | | | 1 | | | | | | | 1 | | |
| Labridae | <i>Cirrhilabrus exquisitus</i> | Smith, 1957 | 817 | | | 1 | 1 | 1 | | 1 | | | | | |
| Labridae | <i>Cirrhilabrus scottorum</i> | Randall & Pyle, 1989 | 818 | 520 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Labridae | <i>Coris aygula</i> | Lacepède, 1801 | 819 | 522 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Labridae | <i>Coris gaimard</i> | (Quoy & Gaimard, 1824) | 820 | 523 | | 1 | 1 | 1 | | 1 | | | | | |
| Labridae | <i>Coris hewetti</i> | Randall, 1999 | 821 | 524 | 1 | | | | | | | 1 | | | |
| Labridae | <i>Coris marquesensis</i> | Randall, 1999 | 822 | 524 | 1 | | | | | | | 1 | | | |
| Labridae | <i>Coris roseoviridis</i> | Randall, 1999 | 823 | | | | | | 1 | 1 | 1 | | | | |
| Labridae | <i>Cymolutes praetextatus</i> | (Quoy & Gaimard, 1834) | 824 | 526 | | 1 | 1 | | | | | | | | |
| Labridae | <i>Cymolutes</i> sp. (Marquesas) | | 825 | | 1 | | | | | | | 1 | | | |
| Labridae | <i>Cymolutes torquatus</i> | (Valenciennes, 1840) | 826 | 527 | | 1 | | | | | | | | | |
| Labridae | <i>Epibulus insidiator</i> | (Pallas, 1770) | 827 | 528 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Labridae | <i>Gomphosus varius</i> | Lacepède, 1801 | 828 | 529 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Labridae | <i>Halichoeres claudia</i> | Randall & Rocha, 2009 | 829 | 534 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Labridae | <i>Halichoeres hortulanus</i> | (Lacepède, 1801) | 830 | 530 | | 1 | 1 | 1 | | 1 | 1 | | | | |
| Labridae | <i>Halichoeres margaritaceus</i> | (Valenciennes, 1839) | 831 | 531 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Labridae | <i>Halichoeres marginatus</i> | Rüppell, 1835 | 832 | 532 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Labridae | <i>Halichoeres melanurus</i> | (Bleeker, 1851) | 833 | | | | | | 1 | | | | | | |
| Labridae | <i>Halichoeres melasmapomus</i> | Randall, 1981 | 834 | 533 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Labridae | <i>Halichoeres trimaculatus</i> | (Quoy & Gaimard, 1834) | 835 | 535 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Labridae | <i>Hemigymnus fasciatus</i> | (Bloch, 1792) | 836 | 536 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Labridae | <i>Hologymnosus annulatus</i> | (Lacepède, 1801) | 837 | 537 | | 1 | 1 | | | 1 | 1 | | | | |
| Labridae | <i>Hologymnosus doliatus</i> | (Lacepède, 1801) | 838 | | | 1 | 1 | | | 1 | | | | | |
| Labridae | <i>Iniistius auropunctatus</i> | Randall, Earle & Robertson, 2002 | 839 | 569 | 1 | | | | | | | | 1 | | |
| Labridae | <i>Iniistius pavo</i> | (Valenciennes, 1840) | 840 | 567 | 1 | 1 | 1 | | | 1 | | | | | |
| Labridae | <i>Iniistius pentadactylus</i> | (Linnaeus, 1758) | 841 | | | 1 | | | | | | | | | |
| Labridae | <i>Labroides bicolor</i> | Fowler & Bean, 1928 | 842 | 538 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Labridae | <i>Labroides dimidiatus</i> | (Valenciennes, 1839) | 843 | 539 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Labridae | <i>Labroides rubrolabiatus</i> | Randall, 1958 | 844 | 540 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Labridae | <i>Labropsis polynesica</i> | Randall, 1981 | 845 | 541 | | 1 | 1 | 1 | | 1 | | | | | |
| Labridae | <i>Macropharyngodon meleagris</i> | (Valenciennes, 1839) | 846 | 542 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Labridae | <i>Macropharyngodon pakoko</i> | Delrieu-Trottin, Williams & Planes, 2014 | 847 | | 1 | | | | | | | 1 | | | |
| Labridae | <i>Novaculichthys taeniourus</i> | (Lacepède, 1801) | 848 | 543 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|----------|-------------------------------------|---------------------------------|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Labridae | <i>Novaculops halsteadi</i> | (Randall & Lobel, 2003) | 849 | | | 1 | | | | | | | | | |
| Labridae | <i>Oxycheilinus arenatus</i> | (Valenciennes, 1840) | 850 | | | 1 | | | | | | | | | |
| Labridae | <i>Oxycheilinus bimaculatus</i> | (Valenciennes, 1840) | 851 | 513 | 1 | 1 | 1 | 1 | | | 1 | | | | |
| Labridae | <i>Oxycheilinus digramma</i> | (Lacepède, 1801) | 852 | | | 1 | 1 | | 1 | | 1 | | | | |
| Labridae | <i>Oxycheilinus lineatus</i> | Randall, Westneat & Gomon, 2003 | 853 | | | 1 | 1 | | | 1 | | | 1 | | |
| Labridae | <i>Oxycheilinus unifasciatus</i> | (Streets, 1877) | 854 | 518 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Labridae | <i>Polylepion russelli</i> | (Gomon & Randall, 1975) | 855 | | | 1 | 1 | | | | | | 1 | | |
| Labridae | <i>Pseudocheilinus citrinus</i> | Randall, 1999 | 856 | | | | | | 1 | 1 | 1 | | | | |
| Labridae | <i>Pseudocheilinus evanidus</i> | Jordan & Evermann, 1903 | 857 | 544 | | 1 | 1 | 1 | | 1 | | | | | |
| Labridae | <i>Pseudocheilinus hexataenia</i> | (Bleeker, 1857) | 858 | 545 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Labridae | <i>Pseudocheilinus ocellatus</i> | Randall, 1999 | 859 | | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Labridae | <i>Pseudocheilinus octotaenia</i> | Jenkins, 1901 | 860 | 546 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Labridae | <i>Pseudocheilinus tetrataenia</i> | Schultz, 1960 | 861 | 547 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Labridae | <i>Pseudocoris aurantiofasciata</i> | Fourmanoir, 1971 | 862 | 549 | 1 | 1 | 1 | 1 | | | | | | | |
| Labridae | <i>Pseudodax moluccanus</i> | (Valenciennes, 1840) | 863 | 550 | 1 | 1 | 1 | 1 | | | | | | | |
| Labridae | <i>Pseudojuloides atavai</i> | Randall & Randall, 1981 | 864 | 551 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Labridae | <i>Pseudojuloides cerasinus</i> | (Snyder, 1904) | 865 | 552 | | 1 | 1 | 1 | | 1 | | | | | |
| Labridae | <i>Pseudojuloides pyrius</i> | Randall & Randall, 1981 | 866 | 553 | 1 | | | | | | | 1 | | | |
| Labridae | <i>Pseudolabrus fuentesi</i> | (Regan, 1913) | 867 | 554 | | | | | | 1 | 1 | | | | |
| Labridae | <i>Pseudolabrus torotai</i> | Russell & Randall, 1981 | 868 | 555 | | | | | | | 1 | 1 | | | |
| Labridae | <i>Pteragogus enneacanthus</i> | (Bleeker, 1853) | 869 | | | | | | 1 | | 1 | | | | |
| Labridae | <i>Stethojulis bandanensis</i> | (Bleeker, 1851) | 870 | 556 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Labridae | <i>Stethojulis marquesensis</i> | Randall, 2000 | 871 | 557 | 1 | | | | | | | 1 | | | |
| Labridae | <i>Stethojulis strigiventer</i> | (Bennett, 1833) | 872 | | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Labridae | <i>Thalassoma amblycephalum</i> | (Bleeker, 1856) | 873 | 558 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Labridae | <i>Thalassoma hardwicke</i> | (Bennett, 1830) | 874 | 559 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Labridae | <i>Thalassoma heiseri</i> | Randall & Edwards, 1984 | 875 | | | | | 1 | 1 | | 1 | | | | |
| Labridae | <i>Thalassoma lutescens</i> | (Lay & Bennett, 1839) | 876 | 560 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Labridae | <i>Thalassoma purpureum</i> | (Forsskål, 1775) | 877 | 561 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Labridae | <i>Thalassoma quinquevittatum</i> | (Lay & Bennett, 1839) | 878 | 562 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Labridae | <i>Thalassoma trilobatum</i> | (Lacepède, 1801) | 879 | 563 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Labridae | <i>Wetmorella albofasciata</i> | Schultz & Marshall, 1954 | 880 | 565 | | 1 | 1 | | | 1 | | | | | |
| Labridae | <i>Wetmorella nigropinnata</i> | (Seale, 1901) | 881 | 566 | 1 | 1 | 1 | 1 | 1 | | | | | | |
| Labridae | <i>Xyrichtys virens</i> | (Linnaeus, 1758) | 882 | 568 | | 1 | | | | | | | | | |
| Scaridae | <i>Calotomus carolinus</i> | (Valenciennes, 1840) | 883 | 571 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Scaridae | <i>Cetoscarus ocellatus</i> | (Valenciennes, 1840) | 884 | 572 | | 1 | 1 | 1 | 1 | | 1 | | | | |
| Scaridae | <i>Chlorurus frontalis</i> | (Valenciennes, 1840) | 885 | 579 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Scaridae | <i>Chlorurus microrhinos</i> | (Bleeker, 1854) | 886 | 581 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Scaridae | <i>Chlorurus spilurus</i> | (Forsskål, 1775) | 887 | 590 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Scaridae | <i>Hipposcarus longiceps</i> | (Valenciennes, 1840) | 888 | 573 | | 1 | 1 | 1 | 1 | | 1 | | | | |
| Scaridae | <i>Leptoscarus vaigiensis</i> | (Quoy & Gaimard, 1824) | 889 | 574 | | 1 | 1 | | 1 | 1 | 1 | | | | |
| Scaridae | <i>Scarus altipinnis</i> | (Steindachner, 1879) | 890 | 575 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Scaridae | <i>Scarus chameleon</i> | Choat & Randall, 1986 | 891 | | | 1 | 1 | 1 | 1 | | | | | | |
| Scaridae | <i>Scarus festivus</i> | Valenciennes, 1840 | 892 | 576 | | 1 | 1 | 1 | | 1 | | | | | |
| Scaridae | <i>Scarus forsteni</i> | (Bleeker, 1861) | 893 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Scaridae | <i>Scarus frenatus</i> | Lacepède, 1802 | 894 | 578 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Scaridae | <i>Scarus ghobban</i> | Forsskål, 1775 | 895 | 580 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Scaridae | <i>Scarus globiceps</i> | Valenciennes, 1840 | 896 | 582 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Scaridae | <i>Scarus koputea</i> | Randall & Choat, 1980 | 897 | 583 | 1 | | | | | | | 1 | | | |
| Scaridae | <i>Scarus longipinnis</i> | Randall & Choat, 1980 | 898 | 584 | | 1 | 1 | | 1 | 1 | 1 | | | | |
| Scaridae | <i>Scarus niger</i> | Forsskål, 1775 | 899 | 585 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|----------------|---|------------------------------|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Scaridae | <i>Scarus oviceps</i> | Valenciennes, 1840 | 900 | 586 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Scaridae | <i>Scarus psittacus</i> | Forsskål, 1775 | 901 | 587 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Scaridae | <i>Scarus rivulatus</i> | Valenciennes, 1840 | 902 | | | | | | 1 | | | | | | |
| Scaridae | <i>Scarus rubroviolaceus</i> | Bleeker, 1847 | 903 | 588 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Scaridae | <i>Scarus schlegeli</i> | (Bleeker, 1861) | 904 | 589 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Percophidae | <i>Chironema chlorotaenia</i> | McKay, 1971 | 905 | | 1 | | | | | | | | | | 1 |
| Percophidae | <i>Chironema</i> sp. | | 906 | | | | | | | | | | | | 1 |
| Percophidae | <i>Pteropsaron longipinnis</i> | Allen & Erdmann, 2012 | 907 | | | 1 | | | | | | | | | 1 |
| Pinguipedidae | <i>Paraperis clathrata</i> | Ogilby, 1910 | 908 | | | | | | | 1 | | | | | |
| Pinguipedidae | <i>Paraperis millepunctata</i> | (Günther, 1860) | 909 | 592 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Pinguipedidae | <i>Paraperis multiplicata</i> | Randall, 1984 | 910 | | | | | | | 1 | | | | | |
| Pinguipedidae | <i>Paraperis schauinslandii</i> | (Steindachner, 1900) | 911 | 593 | 1 | 1 | 1 | 1 | | 1 | | | | | |
| Creediidae | <i>Chalixodytes chameleontoculis</i> | Smith, 1957 | 912 | | | | | | 1 | | | | | | |
| Creediidae | <i>Chalixodytes tauensis</i> | Schultz, 1943 | 913 | 594 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Creediidae | <i>Crystallodytes enderburyensis</i> | Schultz, 1943 | 914 | 595 | 1 | 1 | | | | | | | | | |
| Creediidae | <i>Limnichthys fasciatus</i> | Waite, 1904 | 915 | | | | | | 1 | | | | | | |
| Creediidae | <i>Limnichthys nitidus</i> | Smith, 1958 | 916 | | 1 | 1 | 1 | | | 1 | 1 | | | | |
| Trypterygiidae | <i>Enneapterygius fuscoventer</i> | Fricke, 1997 | 917 | | | 1 | 1 | | | | | | | | |
| Trypterygiidae | <i>Enneapterygius hemimelas</i> | (Kner & Steindachner, 1867) | 918 | | | 1 | 1 | | | | | | | | |
| Trypterygiidae | <i>Enneapterygius nanus</i> | (Schultz, 1960) | 919 | | | | | | 1 | | 1 | | | | |
| Trypterygiidae | <i>Enneapterygius nigricauda</i> | Fricke, 1997 | 920 | | | 1 | | | | | | | | | |
| Trypterygiidae | <i>Enneapterygius pyramis</i> | Fricke, 1994 | 921 | | | 1 | 1 | 1 | 1 | | | | | | |
| Trypterygiidae | <i>Enneapterygius randalli</i> | Fricke, 1997 | 922 | | | | | | | 1 | 1 | 1 | | | |
| Trypterygiidae | <i>Enneapterygius rhabdotus</i> | Fricke, 1994 | 923 | | 1 | 1 | | | | | | | | | |
| Trypterygiidae | <i>Enneapterygius</i> sp. 1 (Australis) | | 924 | | | | | | | 1 | | 1 | | | |
| Trypterygiidae | <i>Enneapterygius</i> sp. 2 (Gambier Is.) | | 925 | | | | | | 1 | | | 1 | | | |
| Trypterygiidae | <i>Enneapterygius</i> sp. 3 (Rapa Is.) | | 926 | | | | | | | | 1 | 1 | | | |
| Trypterygiidae | <i>Enneapterygius</i> sp. 4 (Tahiti Is.) | | 927 | | | 1 | | | | | | | | | |
| Trypterygiidae | <i>Enneapterygius</i> sp. 5 (Tahiti Is.) | | 928 | | | 1 | | | | | | | | | |
| Trypterygiidae | <i>Enneapterygius triserialis</i> | Fricke, 1994 | 929 | | | 1 | | 1 | | | 1 | | | | |
| Trypterygiidae | <i>Enneapterygius tutuilae</i> | Jordan & Seale, 1906 | 930 | | | 1 | | | | | | | | | |
| Trypterygiidae | <i>Enneapterygius williamsi</i> | Fricke, 1997 | 931 | | | | | | | | 1 | | | | |
| Trypterygiidae | <i>Helcogramma capidata</i> | Rosenblatt, 1960 | 932 | | | 1 | 1 | | | | | | | | |
| Trypterygiidae | <i>Helcogramma chica</i> | Rosenblatt, 1960 | 933 | | | 1 | | | | | | | | | |
| Trypterygiidae | <i>Helcogramma</i> sp. 1 | | 934 | | | 1 | | 1 | | | | | | | |
| Trypterygiidae | <i>Helcogramma</i> sp. 2 (Rapa Is.) | | 935 | | | | | | | | 1 | 1 | | | |
| Trypterygiidae | <i>Norfolkia brachylepis</i> | (Schultz, 1960) | 936 | | | 1 | | | | | | | | | |
| Trypterygiidae | <i>Norfolkia thomasi</i> | Whitley, 1964 | 937 | | | 1 | | 1 | 1 | 1 | 1 | | | | |
| Trypterygiidae | <i>Ucla xenogrammus</i> | Holleman, 1993 | 938 | | | | | 1 | | | 1 | | | | |
| Blenniidae | <i>Alticus arnoldorum</i> | (Curtiss, 1938) | 939 | | | 1 | | | | | | | | | |
| Blenniidae | <i>Alticus saliens</i> | (Forster, 1788) | 940 | 596 | | 1 | | | | | 1 | | | | |
| Blenniidae | <i>Alticus simplicirrus</i> | Smith-Vaniz & Springer, 1971 | 941 | 597 | 1 | | | | | | | 1 | | | |
| Blenniidae | <i>Aspidontus dussumieri</i> | (Valenciennes, 1836) | 942 | 598 | | 1 | 1 | 1 | | | | | | | |
| Blenniidae | <i>Aspidontus taeniatus</i> | Quoy & Gaimard, 1834 | 943 | 599 | 1 | 1 | 1 | 1 | 1 | | | | | | |
| Blenniidae | <i>Atrosalarias fuscus</i> | (Rüppell, 1838) | 944 | 600 | | 1 | 1 | | | | | | | | |
| Blenniidae | <i>Blenniella caudolineata</i> | (Günther, 1877) | 945 | | 1 | 1 | | 1 | 1 | | | | | | |
| Blenniidae | <i>Blenniella chrysospilos</i> | (Bleeker, 1857) | 946 | | | 1 | | | | | | | | | |
| Blenniidae | <i>Blenniella gibbifrons</i> | (Quoy & Gaimard, 1824) | 947 | 621 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Blenniidae | <i>Blenniella interrupta</i> | (Bleeker, 1857) | 948 | 622 | | 1 | | | | | | | | | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|---------------|--|-----------------------------|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Blenniidae | <i>Blenniella</i> cf. <i>gibbifrons</i> (Marquesas) | | 949 | | 1 | | | | | | | 1 | | | |
| Blenniidae | <i>Blenniella paula</i> | (Bryan & Herre, 1903) | 950 | 624 | 1 | 1 | | 1 | 1 | | | | | | |
| Blenniidae | <i>Blenniella periophthalmus</i> | (Valenciennes, 1836) | 951 | 625 | | | | | 1 | | | | | | |
| Blenniidae | <i>Cirripectes alboapicalis</i> | (Ogilby, 1899) | 952 | 601 | | | | | 1 | 1 | 1 | | | | |
| Blenniidae | <i>Cirripectes fuscoguttatus</i> | Strasburg & Schultz, 1953 | 953 | 602 | | 1 | 1 | 1 | | 1 | | | | | |
| Blenniidae | <i>Cirripectes jenningsi</i> | Schultz, 1943 | 954 | 603 | | | | 1 | | 1 | | | | | |
| Blenniidae | <i>Cirripectes</i> cf. <i>variolosus</i> (Clark Bank) | | 955 | | 1 | | | | | | | 1 | | | |
| Blenniidae | <i>Cirripectes quagga</i> | (Fowler & Ball, 1924) | 956 | 604 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Blenniidae | <i>Cirripectes variolosus</i> | (Valenciennes, 1836) | 957 | 605 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Blenniidae | <i>Cirrisalarias bunares</i> | Springer, 1976 | 958 | | | | | | | 1 | | | | | |
| Blenniidae | <i>Ecsenius midas</i> | Starck, 1969 | 959 | 606 | 1 | | | | | | | | | | |
| Blenniidae | <i>Enchelyurus ater</i> | (Günther, 1877) | 960 | 607 | 1 | 1 | 1 | 1 | 1 | | 1 | | | | |
| Blenniidae | <i>Entomacrodus caudofasciatus</i> | (Regan, 1909) | 961 | 608 | 1 | 1 | | 1 | 1 | | 1 | | | | |
| Blenniidae | <i>Entomacrodus corneliae</i> | (Fowler, 1932) | 962 | 609 | 1 | | | | | | | 1 | | | |
| Blenniidae | <i>Entomacrodus cymatobiotus</i> | Schultz & Chapman, 1960 | 963 | | | 1 | 1 | 1 | | | 1 | | | | |
| Blenniidae | <i>Entomacrodus decussatus</i> | (Bleeker, 1858) | 964 | 610 | | 1 | | | | | | | | | |
| Blenniidae | <i>Entomacrodus epalzeocheilus</i> | (Bleeker, 1859) | 965 | 611 | | | | | | | 1 | | | | |
| Blenniidae | <i>Entomacrodus macropsilus</i> | Springer, 1967 | 966 | 612 | 1 | | | | | | | 1 | | | |
| Blenniidae | <i>Entomacrodus niuafoouensis</i> | (Fowler, 1932) | 967 | | | | | | 1 | | 1 | | | | |
| Blenniidae | <i>Entomacrodus randalli</i> | Springer, 1967 | 968 | 613 | 1 | | | | | | | 1 | | | |
| Blenniidae | <i>Entomacrodus rofeni</i> | Springer, 1967 | 969 | 614 | | | | 1 | | | | | | | |
| Blenniidae | <i>Entomacrodus sealei</i> | Bryan & Herre, 1903 | 970 | 615 | | | | 1 | 1 | 1 | 1 | | | | |
| Blenniidae | <i>Entomacrodus striatus</i> | (Valenciennes, 1836) | 971 | 616 | | 1 | | 1 | 1 | | 1 | | | | |
| Blenniidae | <i>Entomacrodus thalassinus</i> | (Jordan & Seale, 1906) | 972 | 617 | | 1 | 1 | 1 | | 1 | | | | | |
| Blenniidae | <i>Exallias brevis</i> | (Kner, 1868) | 973 | 618 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Blenniidae | <i>Glyptoparus delicatulus</i> | Smith, 1959 | 974 | | | 1 | 1 | | 1 | | | | | | |
| Blenniidae | <i>Istiblennius bellus</i> | (Günther, 1861) | 975 | | 1 | | | | | | | | | | |
| Blenniidae | <i>Istiblennius edentulus</i> | (Forster & Schneider, 1801) | 976 | 620 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Blenniidae | <i>Istiblennius lineatus</i> | (Valenciennes, 1836) | 977 | 623 | | 1 | | 1 | | | | | | | |
| Blenniidae | <i>Istiblennius</i> cf. <i>edentulus</i> (Marquesas) | | 978 | | 1 | | | | | | | 1 | | | |
| Blenniidae | <i>Medusablennius chani</i> | Springer, 1966 | 979 | | | | | 1 | | | | 1 | | | |
| Blenniidae | <i>Nannosalarias nativitatis</i> | (Regan, 1909) | 980 | | | 1 | 1 | | 1 | 1 | | | | | |
| Blenniidae | <i>Petroscirtes xestus</i> | Jordan & Seale, 1906 | 981 | 626 | | 1 | 1 | | 1 | | | | | | |
| Blenniidae | <i>Plagiotremus rhinorhynchus</i> | (Bleeker, 1852) | 982 | 627 | 1 | 1 | | 1 | | | | | | | |
| Blenniidae | <i>Plagiotremus tapeinosoma</i> | (Bleeker, 1857) | 983 | 628 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Blenniidae | <i>Praealticus caesius</i> | (Seale, 1906) | 984 | | | 1 | | 1 | 1 | 1 | 1 | | | | |
| Blenniidae | <i>Praealticus</i> sp. (Rapa Is.) | | 985 | 629 | | | | | | | 1 | 1 | | | |
| Blenniidae | <i>Rhabdoblennius rhabdotrachelus</i> | (Fowler & Ball, 1924) | 986 | 630 | 1 | 1 | | | 1 | 1 | | | | | |
| Blenniidae | <i>Rhabdoblennius snowi</i> | (Fowler, 1928) | 987 | | | 1 | | | | | | | | | |
| Blenniidae | <i>Stanulus seychellensis</i> | Smith, 1959 | 988 | | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Blenniidae | <i>Stanulus talboti</i> | Springer, 1968 | 989 | | | | | 1 | 1 | 1 | 1 | | | | |
| Ammodytidae | <i>Ammodytoides</i> nsp. (Marquesas) | | 990 | | 1 | | | | | | | 1 | | | |
| Callionymidae | <i>Callionymus filamentosus</i> | Valenciennes, 1837 | 991 | | | 1 | 1 | | | | | | | | |
| Callionymidae | <i>Callionymus marquesensis</i> | Fricke, 1989 | 992 | | 1 | | | | | | | 1 | | | |
| Callionymidae | <i>Callionymus simplicicornis</i> | Valenciennes, 1837 | 993 | 633 | 1 | 1 | 1 | 1 | 1 | | | | | | |
| Callionymidae | <i>Diplogrammus goramensis</i> | (Bleeker, 1858) | 994 | | | 1 | 1 | | 1 | 1 | 1 | | | | |
| Callionymidae | <i>Synchiropus laddi</i> | Schultz, 1960 | 995 | 634 | | 1 | | 1 | | | | | | | |
| Callionymidae | <i>Synchiropus ocellatus</i> | (Pallas, 1770) | 996 | 635 | 1 | 1 | | | | | | | | | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|----------|---|-------------------------------------|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Gobiidae | <i>Acentrogobius suluensis</i> | (Herre, 1927) | 997 | | | | | | | | 1 | | | | |
| Gobiidae | <i>Amblyeleotris fasciata</i> | (Herre, 1953) | 998 | | | 1 | 1 | 1 | | 1 | | | | | |
| Gobiidae | <i>Amblyeleotris periophtalma</i> | (Bleeker, 1853) | 999 | | | | | | | | 1 | | | | |
| Gobiidae | <i>Amblyeleotris marquesas</i> | Mohlmann & Randall, 2002 | 1000 | | 1 | | | | | | | 1 | | | |
| Gobiidae | <i>Amblygobius nocturnus</i> | (Herre, 1945) | 1001 | 637 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Gobiidae | <i>Amblygobius phalaena</i> | (Valenciennes, 1837) | 1002 | 638 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Gobiidae | <i>Amblygobius</i> sp. (Society Is.) | | 1003 | 639 | | 1 | | | | | | | | | |
| Gobiidae | <i>Asterropteryx ensifera</i> | (Bleeker, 1874) | 1004 | 640 | | 1 | 1 | | | | | | | | |
| Gobiidae | <i>Asterropteryx semipunctata</i> | Rüppell, 1830 | 1005 | 641 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Gobiidae | <i>Awaous</i> cf. <i>guamensis</i> (Rapa Is.) | | 1006 | | | | | | | | 1 | | | | 1 |
| Gobiidae | <i>Awaous ocellaris</i> | (Broussonet, 1782) | 1007 | 643 | | 1 | 1 | | | 1 | | | | | 1 |
| Gobiidae | <i>Bathygobius</i> cf. <i>cyclopterus</i> (Marquesas) | | 1008 | | 1 | | | | | | | | | | |
| Gobiidae | <i>Bathygobius</i> cf. <i>fuscus</i> (Gambier Is.) | | 1009 | | | | | | 1 | | | | | | |
| Gobiidae | <i>Bathygobius coalitus</i> | (Bennett, 1832) | 1010 | 646 | 1 | 1 | 1 | 1 | 1 | | | | | | |
| Gobiidae | <i>Bathygobius cocosensis</i> | (Bleeker, 1854) | 1011 | 644 | 1 | 1 | | 1 | 1 | | 1 | | | | |
| Gobiidae | <i>Bathygobius cotticeps</i> | (Steindachner, 1879) | 1012 | 645 | 1 | 1 | 1 | | | | | | | | |
| Gobiidae | <i>Bathygobius</i> sp. (Marquesas) | | 1013 | | 1 | | | | | | | | | | 1 |
| Gobiidae | <i>Bryaninops ridens</i> | Smith, 1959 | 1014 | | 1 | 1 | | 1 | | | | | | | |
| Gobiidae | <i>Bryaninops</i> sp. (Raivavae Is.) | | 1015 | | | | | | | 1 | | | | | |
| Gobiidae | <i>Bryaninops tigris</i> | Larson, 1985 | 1016 | | | 1 | 1 | | | | | | | | |
| Gobiidae | <i>Bryaninops yongei</i> | (Davis & Cohen, 1969) | 1017 | 689 | 1 | 1 | 1 | | 1 | | 1 | | | | |
| Gobiidae | <i>Cabillus</i> sp. (Gambier Is.) | | 1018 | 647 | | | | | 1 | | | | | | |
| Gobiidae | <i>Cabillus tongarevae</i> | (Fowler, 1927) | 1019 | | | 1 | 1 | | 1 | 1 | | | | | |
| Gobiidae | <i>Callogobius maculipinnis</i> | (Fowler, 1918) | 1020 | | | 1 | | | 1 | | 1 | | | | |
| Gobiidae | <i>Callogobius</i> nsp. (Marquesas) | | 1021 | | 1 | | | | | | | 1 | | | |
| Gobiidae | <i>Callogobius sclateri</i> | (Steindachner, 1879) | 1022 | 648 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Gobiidae | <i>Coryphopterus humeralis</i> | Randall, 2001 | 1023 | | | 1 | | | | | | | | | |
| Gobiidae | <i>Cryptocentrus</i> sp. (Society Is.) | | 1024 | 650 | | 1 | | | | | | | | | |
| Gobiidae | <i>Ctenogobius feroculus</i> | Lubbock & Polunin, 1977 | 1025 | 651 | | 1 | 1 | 1 | | | | | | | |
| Gobiidae | <i>Discordipinna griessingeri</i> | Hoese & Fourmanoir, 1978 | 1026 | 652 | 1 | 1 | | 1 | 1 | | | | | | |
| Gobiidae | <i>Eviota afelei</i> | Jordan & Seale, 1906 | 1027 | 653 | | 1 | 1 | 1 | 1 | | | | | | |
| Gobiidae | <i>Eviota albolineata</i> | Jewett & Lachner, 1983 | 1028 | 654 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Gobiidae | <i>Eviota deminuta</i> | Tornabene, Almadia & Williams, 2013 | 1029 | | 1 | | | | | | | 1 | | | |
| Gobiidae | <i>Eviota disrupta</i> | Karnella & Lachner, 1981 | 1030 | 655 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Gobiidae | <i>Eviota distigma</i> | Jordan & Seale, 1906 | 1031 | 656 | | 1 | | 1 | 1 | 1 | 1 | | | | |
| Gobiidae | <i>Eviota dorsimaculata</i> | Tornabene, Almadia & Williams, 2013 | 1032 | | 1 | | | | | | | 1 | | | |
| Gobiidae | <i>Eviota herrei</i> | Jordan & Seale, 1906 | 1033 | | | | | | | | 1 | | | | |
| Gobiidae | <i>Eviota hinanoae</i> | Tornabene, Ahmadia & Williams, 2013 | 1034 | | | 1 | | | 1 | 1 | 1 | | | | |
| Gobiidae | <i>Eviota infulata</i> | (Smith, 1957) | 1035 | 657 | 1 | 1 | 1 | 1 | 1 | | 1 | | | | |
| Gobiidae | <i>Eviota lacrimosa</i> | Tornabene, Ahmadia & Williams, 2013 | 1036 | | 1 | | | | | | | 1 | | | |
| Gobiidae | <i>Eviota latifasciata</i> | Jewett & Lachner, 1983 | 1037 | | | 1 | | | | 1 | | | | | |
| Gobiidae | <i>Eviota melasma</i> | Lachner & Karnella, 1980 | 1038 | | | | | | | 1 | | | | | |
| Gobiidae | <i>Eviota nebulosa</i> | Smith, 1958 | 1039 | | | | | | 1 | | | | | | |
| Gobiidae | <i>Eviota pellucida</i> | Larson, 1976 | 1040 | | | | | | | | 1 | 1 | | | |
| Gobiidae | <i>Eviota prasites</i> | Jordan & Seale, 1906 | 1041 | | | 1 | 1 | | 1 | | | | | | |
| Gobiidae | <i>Eviota pseudostigma</i> | Lachner & Karnella, 1980 | 1042 | 658 | | 1 | | | | | | | | | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|----------|---|--------------------------------|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Gobiidae | <i>Eviota randalli</i> | Greenfield, 2009 | 1043 | | | | | | | 1 | | | | | |
| Gobiidae | <i>Eviota saipanensis</i> | Fowler, 1945 | 1044 | 659 | | | | | | | 1 | | | | |
| Gobiidae | <i>Eviota</i> sp. (<i>epiphanes</i> complex) | | 1045 | | | | | | 1 | | 1 | | | | |
| Gobiidae | <i>Eviota</i> sp. (Gambier Is.) | | 1046 | | | | | | 1 | | | | | | |
| Gobiidae | <i>Eviota</i> sp. 2 (Gambier Is.) | | 1047 | | | | | | 1 | | | | | | |
| Gobiidae | <i>Eviota</i> sp. 3 (Gambier Is.) | | 1048 | | | | | | 1 | | | | | | |
| Gobiidae | <i>Eviota</i> sp. 4 (Gambier Is.) | | 1049 | | | | | | 1 | | | | | | |
| Gobiidae | <i>Eviota</i> sp. 5 (Raiatea Is.) | | 1050 | | | 1 | | | | | | 1 | | | |
| Gobiidae | <i>Eviota</i> sp. 6 (Rangiroa Is.) | | 1051 | | | | | 1 | | | | 1 | | | |
| Gobiidae | <i>Eviota storthynx</i> | (Rofen, 1959) | 1052 | | | | | | 1 | | 1 | | | | |
| Gobiidae | <i>Feia nympha</i> | Smith, 1959 | 1053 | 660 | | | | 1 | | 1 | 1 | | | | |
| Gobiidae | <i>Fusigobius duospilus</i> | Hoese & Reader, 1985 | 1054 | | 1 | 1 | 1 | 1 | | | | | | | |
| Gobiidae | <i>Fusigobius humeralis</i> | (Randall, 2001) | 1055 | | | 1 | 1 | | | | | | | | |
| Gobiidae | <i>Fusigobius inframaculatus</i> | (Randall, 1994) | 1056 | | 1 | | | | | | | | | | |
| Gobiidae | <i>Fusigobius neophytus</i> | (Günther, 1877) | 1057 | 661 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Gobiidae | <i>Gladiogobius ensifer</i> | Herre, 1933 | 1058 | | | 1 | | | | | | | | | |
| Gobiidae | <i>Gnatholepis anjerensis</i> | (Bleeker, 1851) | 1059 | 663 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Gobiidae | <i>Gnatholepis cauerensis</i> | (Bleeker, 1853) | 1060 | | 1 | 1 | 1 | | 1 | 1 | 1 | | | | |
| Gobiidae | <i>Gnatholepis</i> sp. (Gambier Is.) | | 1061 | 664 | | | | | 1 | | | 1 | | | |
| Gobiidae | <i>Gobiodon ceramensis</i> | (Bleeker, 1853) | 1062 | | | | | | | | 1 | | | | |
| Gobiidae | <i>Gobiodon citrinus</i> | (Rüppell, 1838) | 1063 | | | | | | | | 1 | | | | |
| Gobiidae | <i>Gobiodon histrio</i> | (Valenciennes, 1837) | 1064 | | | 1 | | 1 | | | 1 | | | | |
| Gobiidae | <i>Gobiodon oculolineatus</i> | Wu, 1979 | 1065 | | | 1 | | | | | 1 | | | | |
| Gobiidae | <i>Gobiodon prolixus</i> | Winterbottom & Harold, 2005 | 1066 | | | 1 | | | | | | | | | |
| Gobiidae | <i>Gobiodon quinquestrigatus</i> | (Valenciennes, 1837) | 1067 | | | 1 | 1 | 1 | 1 | | 1 | | | | |
| Gobiidae | <i>Gobiodon rivulatus</i> | (Rüppell, 1830) | 1068 | | | 1 | | | | | 1 | | | | |
| Gobiidae | <i>Gobiodon</i> sp. (yellow, Gambier Is.) | | 1069 | | | | | | 1 | | | | | | |
| Gobiidae | <i>Gobiodon</i> sp. (black, Gambier Is.) | | 1070 | | | | | | 1 | | | | | | |
| Gobiidae | <i>Gobiodon</i> sp. 1 (Rapa Is.) | | 1071 | | | | | | | | 1 | 1 | | | |
| Gobiidae | <i>Gobiodon</i> sp. 2 (Rapa Is.) | | 1072 | | | | | | | | 1 | 1 | | | |
| Gobiidae | <i>Gobiodon unicolor</i> | (Castelnau, 1873) | 1073 | | | 1 | | | | | | | | | |
| Gobiidae | <i>Gobiopsis exigua</i> | Lachner & McKinney, 1979 | 1074 | | | 1 | 1 | | | | | | | | |
| Gobiidae | <i>Kelloggella tricuspadata</i> | (Herre, 1935) | 1075 | 668 | 1 | | | | | | | 1 | | | |
| Gobiidae | <i>Lentipes rubrofasciatus</i> | Maugé, Marquet & Laboute, 1992 | 1076 | | 1 | | | | | | | 1 | | | 1 |
| Gobiidae | <i>Oligolepis</i> cf. <i>pacificus</i> (Moorea Is.) | | 1077 | | | 1 | 1 | | | | | 1 | | | |
| Gobiidae | <i>Oplopomus caninoides</i> | (Bleeker, 1852) | 1078 | | | 1 | 1 | | | | | | | | |
| Gobiidae | <i>Oplopomus oplopomus</i> | (Valenciennes, 1837) | 1079 | 671 | | 1 | 1 | 1 | 1 | | | | | | |
| Gobiidae | <i>Oxyurichthys cornutus</i> | McCulloch & Waite, 1918 | 1080 | | | 1 | | | | | | | | | |
| Gobiidae | <i>Oxyurichthys notonema</i> | (Weber, 1909) | 1081 | | | 1 | | | | | | | | | |
| Gobiidae | <i>Oxyurichthys papuensis</i> | (Valenciennes, 1837) | 1082 | 672 | | 1 | | | | | | | | | |
| Gobiidae | <i>Oxyurichthys rapa</i> | Pezold & Larsen, 2015 | 1083 | | | | | | | | 1 | 1 | | | |
| Gobiidae | <i>Oxyurichthys tentacularis</i> | (Valenciennes, 1837) | 1084 | 673 | | 1 | | | | | | | | | |
| Gobiidae | <i>Palutrus pruinosa</i> | (Jordan & Seale, 1906) | 1085 | | | 1 | | | | | | | | | |
| Gobiidae | <i>Paragobiodon echinocephalus</i> | (Rüppell, 1830) | 1086 | 675 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Gobiidae | <i>Paragobiodon lacunicolus</i> | (Kendall & Goldsborough, 1911) | 1087 | | | 1 | 1 | 1 | 1 | | | | | | |
| Gobiidae | <i>Paragobiodon modestus</i> | (Regan, 1908) | 1088 | | | 1 | 1 | | 1 | | | | | | |
| Gobiidae | <i>Paragobiodon</i> sp. (Marquesas) | | 1089 | | 1 | | | | | | | | | | |
| Gobiidae | <i>Pascua sticta</i> | (Hoese & Larson, 2005) | 1090 | 666 | | | | | | | 1 | 1 | | | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|----------|--|----------------------------------|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Gobiidae | <i>Pleurosicya australis</i> | Larson, 1990 | 1091 | | | | | | | | 1 | 1 | | | |
| Gobiidae | <i>Pleurosicya coerulea</i> | Larson, 1990 | 1092 | | | 1 | | | | | 1 | | | | |
| Gobiidae | <i>Pleurosicya fringilla</i> | Larson, 1991 | 1093 | | | | | 1 | 1 | | | | | | |
| Gobiidae | <i>Pleurosicya labiata</i> | (Weber, 1913) | 1094 | | 1 | 1 | 1 | | | | | | | | |
| Gobiidae | <i>Pleurosicya micheli</i> | Fourmanoir, 1971 | 1095 | | | 1 | 1 | | 1 | | 1 | | | | |
| Gobiidae | <i>Pleurosicya mossambica</i> | Smith, 1959 | 1096 | | 1 | 1 | 1 | | | | | | | | |
| Gobiidae | <i>Pleurosicya plicata</i> | Larson, 1990 | 1097 | | 1 | | | | | | | | | | |
| Gobiidae | <i>Priolepis ailina</i> | Winterbottom & Burrige, 1993 | 1098 | | 1 | 1 | 1 | | 1 | | | 1 | | | |
| Gobiidae | <i>Priolepis cincta</i> | (Regan, 1908) | 1099 | 677 | | 1 | 1 | | 1 | | | | | | |
| Gobiidae | <i>Priolepis compita</i> | Winterbottom, 1985 | 1100 | | 1 | 1 | 1 | | | | | | | | |
| Gobiidae | <i>Priolepis fallacincta</i> | Winterbottom & Burrige, 1992 | 1101 | | | | | | | 1 | | | | | |
| Gobiidae | <i>Priolepis inhaca</i> | (Smith, 1949) | 1102 | | | 1 | 1 | | | | | | | | |
| Gobiidae | <i>Priolepis nocturna</i> | (Smith, 1957) | 1103 | 679 | 1 | | | | | | | | | | |
| Gobiidae | <i>Priolepis semidoliata</i> | (Valenciennes, 1837) | 1104 | 678 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Gobiidae | <i>Priolepis</i> sp. 1 (Marquesas) | | 1105 | | 1 | | | | | | | 1 | | | |
| Gobiidae | <i>Priolepis</i> sp. 2 (Rapa Is.) | | 1106 | | | | | | | | 1 | 1 | | | |
| Gobiidae | <i>Priolepis squamogena</i> | Winterbottom & Burrige, 1989 | 1107 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Gobiidae | <i>Priolepis triops</i> | Winterbottom & Burrige, 1993 | 1108 | | 1 | 1 | 1 | | 1 | | | | | | |
| Gobiidae | <i>Rotuma</i> nsp. (Rimatara Is.) | | 1109 | | | | | | | 1 | | 1 | | | |
| Gobiidae | <i>Sicyopterus lagocephalus</i> | (Pallas, 1770) | 1110 | 685 | | 1 | 1 | | 1 | 1 | | | | | 1 |
| Gobiidae | <i>Sicyopterus marquesensis</i> | Fowler, 1932 | 1111 | | 1 | | | | | | | 1 | | | 1 |
| Gobiidae | <i>Sicyopterus pugnans</i> | (Ogilvie-Grant, 1884) | 1112 | | | 1 | 1 | | | | | | | | 1 |
| Gobiidae | <i>Sicyopterus rapa</i> | Parenti & Maciolek, 1996 | 1113 | | | | | | | | 1 | 1 | | | 1 |
| Gobiidae | <i>Smilosicyopus bitaeniatus</i> | (Maugé, Marquet & Laboute, 1992) | 1114 | | 1 | | | | | | | 1 | | | 1 |
| Gobiidae | <i>Stenogobius caudimaculosus</i> | Watson, 1991 | 1115 | | 1 | | | | | | | 1 | | | 1 |
| Gobiidae | <i>Stenogobius</i> cf. <i>caudimaculosus</i> (Marquesas) | | 1116 | | 1 | | | | | | | 1 | | | 1 |
| Gobiidae | <i>Stenogobius genivittatus</i> | (Valenciennes, 1837) | 1117 | 642 | | 1 | | | | | | 1 | | | 1 |
| Gobiidae | <i>Stenogobius marqueti</i> | Watson, 1991 | 1118 | | 1 | | | | | | | 1 | | | 1 |
| Gobiidae | <i>Stenogobius randalli</i> | Watson, 1991 | 1119 | | | | | | | 1 | | 1 | | | 1 |
| Gobiidae | <i>Stenogobius squamosus</i> | Watson, 1991 | 1120 | | 1 | | | | | | | 1 | | | 1 |
| Gobiidae | <i>Stiphodon discotorquatus</i> | Watson, 1995 | 1121 | | | | | | | 1 | | 1 | | | 1 |
| Gobiidae | <i>Stiphodon elegans</i> | (Steindachner, 1879) | 1122 | | | 1 | 1 | | | 1 | | | | | 1 |
| Gobiidae | <i>Stiphodon julieni</i> | Keith, Watson & Marquet, 2002 | 1123 | | | | | | | | 1 | 1 | | | 1 |
| Gobiidae | <i>Stiphodon oatea</i> | Keith, Feunteun & Vigneux, 2010 | 1124 | | 1 | | | | | | | 1 | | | 1 |
| Gobiidae | <i>Stiphodon tuivi</i> | Watson, 1995 | 1125 | | 1 | | | | | | | 1 | | | 1 |
| Gobiidae | <i>Stonogobiops medon</i> | Hoese & Randall, 1982 | 1126 | 688 | 1 | | | | | | | 1 | | | |
| Gobiidae | <i>Trimma emeryi</i> | Winterbottom, 1985 | 1127 | | | 1 | 1 | | | | | | | | |
| Gobiidae | <i>Trimma erwani</i> | Viviani, Williams & Planes 2016 | 1128 | | 1 | | | | | | | 1 | | | |
| Gobiidae | <i>Trimma lutea</i> | Viviani, Williams & Planes 2016 | 1129 | | | | | | | 1 | | | | | |
| Gobiidae | <i>Trimma milta</i> | Winterbottom, 2002 | 1130 | | | 1 | 1 | | | | | | | | |
| Gobiidae | <i>Trimma</i> sp. (Rapa Is.) | | 1131 | | | | | | | | 1 | 1 | | | |
| Gobiidae | <i>Trimma taylori</i> | Lobel, 1979 | 1132 | | | 1 | | | | | | | | | |
| Gobiidae | <i>Trimma unisquamae</i> | (Gosline, 1959) | 1133 | | | 1 | | | 1 | 1 | | | | | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|------------------|-------------------------------------|-------------------------------|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Gobiidae | <i>Trimma woutsii</i> | Winterbottom, 2002 | 1134 | | 1 | | | | | | | 1 | | | |
| Gobiidae | <i>Trimmatom eviotops</i> | (Schultz, 1943) | 1135 | 690 | | 1 | | 1 | 1 | 1 | 1 | | | | |
| Gobiidae | <i>Trimmatom nanus</i> | Winterbottom & Emery, 1981 | 1136 | | | 1 | 1 | | 1 | | | | | | |
| Gobiidae | <i>Trimmatom</i> nsp. (Fatuiwa Is.) | | 1137 | | 1 | | | | | | | 1 | | | |
| Gobiidae | <i>Trimmatom</i> sp. (Rapa Is.) | | 1138 | | | | | | | | 1 | 1 | | | |
| Gobiidae | <i>Valenciennea helsdingenii</i> | (Bleeker, 1858) | 1139 | 692 | 1 | | | | | | | | | | |
| Gobiidae | <i>Valenciennea puellaris</i> | (Tomiyama, 1956) | 1140 | | | | | | | | 1 | | | | |
| Gobiidae | <i>Valenciennea strigata</i> | (Broussonet, 1782) | 1141 | 693 | 1 | 1 | 1 | 1 | | 1 | | | | | |
| Gobiidae | <i>Vanderhorstia ornattissima</i> | Smith, 1959 | 1142 | | 1 | 1 | 1 | 1 | 1 | | 1 | | | | |
| Gobiidae | <i>Vanderhorstia steelei</i> | Randall & Munday, 2008 | 1143 | | | 1 | 1 | | | | | | | | |
| Eleotridae | <i>Calumia godeffroyi</i> | (Günther, 1877) | 1144 | 649 | | 1 | 1 | | | | | | | | |
| Eleotridae | <i>Eleotris acanthopoma</i> | Bleeker, 1853 | 1145 | | | 1 | | | | | | | | | 1 |
| Eleotridae | <i>Eleotris fusca</i> | (Forster, 1801) | 1146 | | 1 | 1 | 1 | | 1 | 1 | 1 | | | | 1 |
| Eleotridae | <i>Eleotris melanosoma</i> | Bleeker, 1853 | 1147 | | | 1 | | | | 1 | | | | | 1 |
| Xenisthmidae | <i>Xenisthmus polyzonatus</i> | (Klunzinger, 1871) | 1148 | | 1 | | | | | | | | | | |
| Kraemeriidae | <i>Kraemia samoensis</i> | Steindachner, 1906 | 1149 | 698 | | 1 | | | | | | | | | |
| Microdesmidae | <i>Gunnellichthys curiosus</i> | Dawson, 1968 | 1150 | 699 | | 1 | 1 | | | | | | | | |
| Microdesmidae | <i>Gunnellichthys monostigma</i> | Smith, 1958 | 1151 | 700 | 1 | 1 | 1 | | | | | | | | |
| Microdesmidae | <i>Gunnellichthys viridescens</i> | Dawson, 1968 | 1152 | | | 1 | | | | | | | | | |
| Microdesmidae | <i>Nemateleotris helfrichi</i> | Randall & Allen, 1973 | 1153 | 669 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Microdesmidae | <i>Nemateleotris magnifica</i> | Fowler, 1938 | 1154 | 670 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Microdesmidae | <i>Parioglossus galzini</i> | Williams & Lecchini, 2004 | 1155 | | | | | | | | 1 | 1 | | | |
| Microdesmidae | <i>Ptereleotris evides</i> | (Jordan & Hubbs, 1925) | 1156 | 680 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Microdesmidae | <i>Ptereleotris hanae</i> | (Jordan & Snyder, 1901) | 1157 | | | 1 | 1 | | | | | | | | |
| Microdesmidae | <i>Ptereleotris heteroptera</i> | (Bleeker, 1855) | 1158 | 681 | 1 | 1 | 1 | | | | | | | | |
| Microdesmidae | <i>Ptereleotris melanopogon</i> | Randall & Hoese, 1985 | 1159 | | 1 | | | | | | | 1 | | | |
| Microdesmidae | <i>Ptereleotris microlepis</i> | (Bleeker, 1856) | 1160 | 682 | | 1 | 1 | 1 | 1 | | | | | | |
| Microdesmidae | <i>Ptereleotris monoptera</i> | Randall & Hoese, 1985 | 1161 | | | 1 | 1 | 1 | 1 | | | | | | |
| Microdesmidae | <i>Ptereleotris zebra</i> | (Fowler, 1938) | 1162 | 683 | 1 | 1 | 1 | 1 | | | | | | | |
| Gempylidae | <i>Diplospinus multistriatus</i> | Maul, 1948 | 1163 | | | 1 | | | | | | | 1 | | |
| Gempylidae | <i>Neopinnula orientalis</i> | (Gilchrist & von Bonde, 1924) | 1164 | | 1 | | | | | | | | 1 | | |
| Gempylidae | <i>Promethichthys prometheus</i> | (Cuvier, 1832) | 1165 | 702 | 1 | 1 | | | | 1 | 1 | | 1 | | |
| Gempylidae | <i>Ruvettus pretiosus</i> | Cocco, 1833 | 1166 | 703 | | 1 | | | | 1 | 1 | | 1 | | |
| Gempylidae | <i>Thyrsitoides marleyi</i> | Fowler, 1929 | 1167 | | | | | | | 1 | | | 1 | | |
| Gibberichthyidae | <i>Gibberichthys latifrons</i> | (Thorp, 1969) | 1168 | | 1 | | | | | | | | 1 | | |
| Schindleriidae | <i>Schindleria praematura</i> | (Schindler, 1930) | 1169 | | | | | 1 | | | | | | | |
| Scombridae | <i>Acanthocybium solandri</i> | (Cuvier, 1832) | 1170 | 704 | 1 | 1 | | 1 | 1 | 1 | 1 | | | | 1 |
| Scombridae | <i>Euthynnus affinis</i> | (Cantor, 1849) | 1171 | 705 | 1 | 1 | 1 | | | | 1 | | | | 1 |
| Scombridae | <i>Grammatorcynus bilineatus</i> | (Rüppell, 1836) | 1172 | | | | | | 1 | | | | | | 1 |
| Scombridae | <i>Gymnosarda unicolor</i> | (Rüppell, 1836) | 1173 | 706 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Scombridae | <i>Katsuwonus pelamis</i> | (Linnaeus, 1758) | 1174 | 707 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | 1 |
| Scombridae | <i>Thunnus alalunga</i> | (Bonnaterre, 1788) | 1175 | 708 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | 1 |
| Scombridae | <i>Thunnus albacares</i> | (Bonnaterre, 1788) | 1176 | 709 | 1 | 1 | | 1 | 1 | 1 | 1 | | | | 1 |
| Scombridae | <i>Thunnus maccoyii</i> | (Castelnau, 1872) | 1177 | | | | | | | | | 1 | | 1 | 1 |
| Scombridae | <i>Thunnus obesus</i> | (Lowe, 1839) | 1178 | 710 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | 1 |
| Centrolophidae | <i>Hyperoglyphe antarctica</i> | (Carmichael, 1819) | 1179 | | | | | | | | | 1 | | 1 | |
| Centrolophidae | <i>Schedophilus velaini</i> | (Sauvage, 1879) | 1180 | 711 | | | | | | | | 1 | | 1 | |
| Nomeidae | <i>Cubiceps pauciradiatus</i> | Günther, 1872 | 1181 | | | 1 | 1 | | | | | | | 1 | |
| Nomeidae | <i>Psenes arafurensis</i> | Günther, 1889 | 1182 | | | | | 1 | | | | | | 1 | 1 |
| Nomeidae | <i>Psenes cyanophrys</i> | Valenciennes, 1833 | 1183 | 712 | | | | | | | | | | 1 | 1 |
| Xiphiidae | <i>Xiphias gladius</i> | Linnaeus, 1758 | 1184 | 713 | | | | | | | | 1 | | 1 | 1 |
| Istiophoridae | <i>Istiompax indica</i> | (Cuvier, 1832) | 1185 | 715 | | | | | | | | | | 1 | 1 |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|---------------|--|---------------------------|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Istiophoridae | <i>Istiophorus platypterus</i> | (Shaw, 1792) | 1186 | 714 | | | | | | | | | | | 1 |
| Istiophoridae | <i>Kajikia audax</i> | (Philippi, 1887) | 1187 | | | | | 1 | | 1 | | | | | 1 |
| Istiophoridae | <i>Makaira nigricans</i> | (Graves & MacDOWell 2015) | 1188 | 716 | | | | | | | | | | | 1 |
| Zanclidae | <i>Zanclus cornutus</i> | (Linnaeus, 1758) | 1189 | 718 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Acanthuridae | <i>Acanthurus achilles</i> | Shaw, 1803 | 1190 | 719 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Acanthuridae | <i>Acanthurus blochii</i> | Valenciennes, 1835 | 1191 | | 1 | 1 | 1 | 1 | 1 | | | | | | |
| Acanthuridae | <i>Acanthurus guttatus</i> | Forster, 1801 | 1192 | 722 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Acanthuridae | <i>Acanthurus leucopareius</i> | (Jenkins, 1903) | 1193 | 723 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Acanthuridae | <i>Acanthurus lineatus</i> | (Linnaeus, 1758) | 1194 | 724 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Acanthuridae | <i>Acanthurus mata</i> | (Cuvier, 1829) | 1195 | | 1 | 1 | 1 | 1 | 1 | | 1 | | | | |
| Acanthuridae | <i>Acanthurus nigricans</i> | (Linnaeus, 1758) | 1196 | 721 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Acanthuridae | <i>Acanthurus nigricauda</i> | Duncker & Mohr, 1929 | 1197 | 726 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Acanthuridae | <i>Acanthurus nigrofuscus</i> | (Forsskål, 1775) | 1198 | 727 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Acanthuridae | <i>Acanthurus nigros</i> | Valenciennes, 1835 | 1199 | 728 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Acanthuridae | <i>Acanthurus nubilus</i> | (Fowler & Bean, 1929) | 1200 | 729 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Acanthuridae | <i>Acanthurus olivaceus</i> | Bloch & Schneider, 1801 | 1201 | 730 | | 1 | 1 | 1 | | 1 | | | | | |
| Acanthuridae | <i>Acanthurus pyroferus</i> | Kittlitz, 1834 | 1202 | 731 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Acanthuridae | <i>Acanthurus reversus</i> | Randall & Earle, 1999 | 1203 | | 1 | | | 1 | | | | 1 | | | |
| Acanthuridae | <i>Acanthurus thompsoni</i> | (Fowler, 1923) | 1204 | 732 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Acanthuridae | <i>Acanthurus triostegus</i> | (Linnaeus, 1758) | 1205 | 733 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Acanthuridae | <i>Acanthurus xanthopterus</i> | Valenciennes, 1835 | 1206 | 734 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Acanthuridae | <i>Ctenochaetus binotatus</i> | Randall, 1955 | 1207 | 735 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Acanthuridae | <i>Ctenochaetus flavicauda</i> | Fowler, 1938 | 1208 | 739 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Acanthuridae | <i>Ctenochaetus hawaiiensis</i> | Randall, 1955 | 1209 | 736 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Acanthuridae | <i>Ctenochaetus marginatus</i> | (Valenciennes, 1835) | 1210 | 737 | 1 | 1 | | | | | | | | | |
| Acanthuridae | <i>Ctenochaetus striatus</i> | (Quoy & Gaimard, 1825) | 1211 | 738 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Acanthuridae | <i>Naso annulatus</i> | (Quoy & Gaimard, 1825) | 1212 | 740 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Acanthuridae | <i>Naso brachycentron</i> | (Valenciennes, 1835) | 1213 | 741 | 1 | 1 | 1 | | | 1 | | | | | |
| Acanthuridae | <i>Naso brevirostris</i> | (Cuvier, 1829) | 1214 | 742 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Acanthuridae | <i>Naso caesioides</i> | Randall & Bell, 1992 | 1215 | | | 1 | | | | | | | | | |
| Acanthuridae | <i>Naso hexacanthus</i> | (Bleeker, 1855) | 1216 | 743 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Acanthuridae | <i>Naso lituratus</i> | (Forster, 1801) | 1217 | 744 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Acanthuridae | <i>Naso thynnoides</i> | (Cuvier, 1829) | 1218 | | | 1 | | 1 | | | | | | | |
| Acanthuridae | <i>Naso unicornis</i> | (Forsskål, 1775) | 1219 | 745 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Acanthuridae | <i>Naso vlamingii</i> | (Valenciennes, 1835) | 1220 | 746 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Acanthuridae | <i>Zebrasoma rostratum</i> | (Günther, 1875) | 1221 | 747 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Acanthuridae | <i>Zebrasoma scopas</i> | (Cuvier, 1829) | 1222 | 748 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Acanthuridae | <i>Zebrasoma velifer</i> | (Bloch, 1795) | 1223 | 749 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Siganidae | <i>Siganus argenteus</i> | (Quoy & Gaimard, 1825) | 1224 | 750 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Siganidae | <i>Siganus spinus</i> | (Linnaeus, 1758) | 1225 | 751 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Trichiuridae | <i>Benthodesmus tenuis</i> | (Günther 1877) | 1226 | | | 1 | | | | | | | | 1 | |
| Trichiuridae | <i>Evoxymetopon poeyi</i> | Günther, 1887 | 1227 | | | 1 | | | | | | | | | |
| Bothidae | <i>Arnoglossus japonicus</i> | Hubbs, 1915 | 1228 | | 1 | | | | | | | | | 1 | |
| Bothidae | <i>Arnoglossus</i> sp. (Nuku Hiva Is.) | | 1229 | | 1 | | | | | | | 1 | 1 | | |
| Bothidae | <i>Asterorhombus filifer</i> | Hensley & Randall, 2003 | 1230 | | | 1 | 1 | | 1 | | | | | | |
| Bothidae | <i>Bothus mancus</i> | (Broussonet, 1782) | 1231 | 752 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Bothidae | <i>Bothus pantherinus</i> | (Rüppell, 1830) | 1232 | 753 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Bothidae | <i>Chascanopsetta lugubris</i> | Alcock, 1894 | 1233 | | 1 | 1 | 1 | | | | | | | 1 | |
| Bothidae | <i>Chascanopsetta prognatha</i> | Norman, 1939 | 1234 | | 1 | 1 | | | | | | | | 1 | |
| Bothidae | <i>Chascanopsetta prorigera</i> | Gilbert, 1905 | 1235 | | | 1 | 1 | | | | | | | 1 | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|------------------|---------------------------------------|--------------------------------|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Bothidae | <i>Engyprosopon bellonaensis</i> | Amaoka, Mihara & Rivaton, 1993 | 1236 | | 1 | | | | | | | | 1 | | |
| Bothidae | <i>Engyprosopon macrolepis</i> | (Regan, 1908) | 1237 | | 1 | | | | | | | | | | |
| Bothidae | <i>Engyprosopon marquisensis</i> | Amaoka & Séret, 2005 | 1238 | | 1 | | | | | | | 1 | 1 | | |
| Bothidae | <i>Engyprosopon rostratum</i> | Amaoka, Mihara & Rivaton, 1993 | 1239 | | 1 | | | | | | | | 1 | | |
| Bothidae | <i>Psettina multisquamea</i> | Fedorov & Foroshchuk, 1988 | 1240 | | 1 | | | | | | | | 1 | | |
| Bothidae | <i>Taenioipsetta ocellata</i> | (Günther, 1880) | 1241 | | 1 | | | | | | | | 1 | | |
| Samaridae | <i>Samariscus corallinus</i> | Gilbert, 1905 | 1242 | | 1 | | | | | | | | 1 | | |
| Samaridae | <i>Samariscus triocellatus</i> | Woods, 1960 | 1243 | 755 | 1 | 1 | 1 | | 1 | | | | | | |
| Soleidae | <i>Aseraggodes lateralis</i> | Randall, 2005 | 1244 | 759 | 1 | | | | | | | 1 | | | |
| Soleidae | <i>Aseraggodes melanostictus</i> | (Peters, 1877) | 1245 | 756 | | 1 | 1 | | | | | | | | |
| Soleidae | <i>Aseraggodes whitakeri</i> | Woods, 1966 | 1246 | 758 | | 1 | | | | | | | | | |
| Soleidae | <i>Aseraggodes xenicus</i> | (Matsubara & Ochiai, 1963) | 1247 | 757 | | 1 | | | | | | | | | |
| Soleidae | <i>Soleichthys heterorhinos</i> | (Bleeker, 1856) | 1248 | | | 1 | | | | | | | | | |
| Poecilopsettidae | <i>Nematops nanosquama</i> | Amaoka, Kawai & Séret, 2006 | 1249 | | 1 | | | | | | | 1 | 1 | | |
| Poecilopsettidae | <i>Poecilopsetta colorata</i> | Günther, 1880 | 1250 | | | 1 | | | | | | | 1 | | |
| Poecilopsettidae | <i>Poecilopsetta praelonga</i> | Alcock, 1894 | 1251 | | 1 | | | | | | | | 1 | | |
| Balistidae | <i>Balistapus undulatus</i> | (Park, 1797) | 1252 | 760 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Balistidae | <i>Balistes polylepis</i> | Steindachner, 1876 | 1253 | | 1 | | | | | | | | | | |
| Balistidae | <i>Balistooides viridescens</i> | (Bloch & Schneider, 1801) | 1254 | 762 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Balistidae | <i>Canthidermis maculata</i> | (Bloch, 1786) | 1255 | 763 | | 1 | 1 | 1 | | | | | | 1 | |
| Balistidae | <i>Melichthys niger</i> | (Bloch, 1786) | 1256 | 764 | 1 | 1 | 1 | 1 | 1 | | 1 | | | | |
| Balistidae | <i>Melichthys vidua</i> | (Richardson, 1845) | 1257 | 765 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Balistidae | <i>Odonus niger</i> | (Rüppell, 1836) | 1258 | 766 | 1 | 1 | 1 | 1 | | | | | | | |
| Balistidae | <i>Pseudobalistes flavimarginatus</i> | (Rüppell, 1829) | 1259 | 767 | | 1 | 1 | 1 | | 1 | 1 | | | | |
| Balistidae | <i>Pseudobalistes fuscus</i> | (Bloch & Schneider, 1801) | 1260 | 761 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Balistidae | <i>Rhinecanthus aculeatus</i> | (Linnaeus, 1758) | 1261 | 768 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Balistidae | <i>Rhinecanthus lunula</i> | Randall & Steene, 1983 | 1262 | 769 | | 1 | 1 | 1 | | 1 | | | | | |
| Balistidae | <i>Rhinecanthus rectangulus</i> | (Bloch & Schneider, 1801) | 1263 | 770 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Balistidae | <i>Sufflamen bursa</i> | (Bloch & Schneider, 1801) | 1264 | 771 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Balistidae | <i>Sufflamen fraenatum</i> | (Latreille, 1804) | 1265 | 772 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Balistidae | <i>Xanthichthys auromarginatus</i> | (Bennett, 1832) | 1266 | | 1 | 1 | 1 | 1 | | | | | | | |
| Balistidae | <i>Xanthichthys caeruleolineatus</i> | Randall, Matsuura & Zama, 1978 | 1267 | 773 | 1 | 1 | | 1 | | | | | | | |
| Balistidae | <i>Xanthichthys mento</i> | (Jordan & Gilbert, 1882) | 1268 | | | | | | | | | | 1 | | |
| Monacanthidae | <i>Aluterus scriptus</i> | (Osbeck, 1765) | 1269 | 774 | 1 | 1 | 1 | 1 | 1 | | | | | | |
| Monacanthidae | <i>Amanses scopas</i> | (Cuvier, 1829) | 1270 | 775 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Monacanthidae | <i>Cantherhines dumerilii</i> | (Hollard, 1854) | 1271 | 776 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Monacanthidae | <i>Cantherhines longicaudus</i> | Hutchins & Randall, 1982 | 1272 | 777 | | 1 | | 1 | 1 | 1 | | | | | |
| Monacanthidae | <i>Cantherhines nukuhiva</i> | Randall, 2011 | 1273 | | 1 | | | | | | | | 1 | | |
| Monacanthidae | <i>Cantherhines sandwichiensis</i> | (Quoy & Gaimard, 1824) | 1274 | | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Monacanthidae | <i>Pervagor aspricaudus</i> | (Hollard, 1854) | 1275 | 779 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| Monacanthidae | <i>Pervagor marginalis</i> | Hutchins, 1986 | 1276 | | 1 | | | | | | | 1 | | | |
| Triacanthodidae | <i>Halimochirurgus alcocki</i> | Weber, 1913 | 1277 | | 1 | | | | | | | | | 1 | |
| Ostraciidae | <i>Lactoria cornuta</i> | (Linnaeus, 1758) | 1278 | 781 | 1 | 1 | 1 | 1 | | 1 | | | | | |
| Ostraciidae | <i>Lactoria fornasini</i> | (Bianconi, 1846) | 1279 | 782 | | | | | | | | 1 | | | |
| Ostraciidae | <i>Ostracion cubicus</i> | Linnaeus, 1758 | 1280 | 783 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Ostraciidae | <i>Ostracion meleagris</i> | Shaw, 1796 | 1281 | 784 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Ostraciidae | <i>Ostracion whitleyi</i> | Fowler, 1931 | 1282 | 785 | 1 | 1 | | 1 | | 1 | | | | | |
| Tetraodontidae | <i>Arothron hispidus</i> | (Linnaeus, 1758) | 1283 | 786 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Tetraodontidae | <i>Arothron meleagris</i> | Lacepède, 1798 | 1284 | 787 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |

| Family | Genus-species | Author & date | N° Siu | N° Ran | M | S | Mo | T | G | A | R | E | D | P | F |
|----------------|-----------------------------------|--|-----------|-----------|---|---|----|---|---|---|---|---|---|---|---|
| Tetraodontidae | <i>Arothron stellatus</i> | (Bloch & Schneider, 1801) | 1285 | 788 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Tetraodontidae | <i>Canthigaster amboinensis</i> | (Bleeker, 1864) | 1286 | 789 | 1 | 1 | 1 | | 1 | 1 | | | | | |
| Tetraodontidae | <i>Canthigaster axiologus</i> | Whitley, 1931 | 1287 | | | | | | 1 | 1 | 1 | | | | |
| Tetraodontidae | <i>Canthigaster bennetti</i> | (Bleeker, 1854) | 1288 | 790 | | 1 | 1 | 1 | 1 | | | | | | |
| Tetraodontidae | <i>Canthigaster criobe</i> | Williams, Delrieu-Trottin & Planes, 2012 | 1289 | | 1 | | | | 1 | | | 1 | | | |
| Tetraodontidae | <i>Canthigaster epilampra</i> | (Jenkins, 1903) | 1290 | 791 | | 1 | | 1 | | 1 | | | | | |
| Tetraodontidae | <i>Canthigaster janthinoptera</i> | (Bleeker, 1855) | 1291 | 792 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Tetraodontidae | <i>Canthigaster leoparda</i> | Lubbock & Allen, 1979 | 1292 | | | 1 | | 1 | | | | | | | |
| Tetraodontidae | <i>Canthigaster marquesensis</i> | Allen & Randall, 1977 | 1293 | 793 | 1 | | | | | | | 1 | | | |
| Tetraodontidae | <i>Canthigaster ocellicincta</i> | Allen & Randall, 1977 | 1294 | | | 1 | | 1 | | | | | | | |
| Tetraodontidae | <i>Canthigaster rapaensis</i> | Allen & Randall, 1977 | 1295 | 794 | | | | | 1 | | 1 | 1 | | | |
| Tetraodontidae | <i>Canthigaster solandri</i> | (Richardson, 1845) | 1296 | 795 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Tetraodontidae | <i>Canthigaster valentini</i> | (Bleeker, 1853) | 1297 | 796 | | 1 | 1 | 1 | 1 | | | | | | |
| Tetraodontidae | <i>Spheroides pachygaster</i> | (Müller & Troschel, 1848) | 1298 | | | 1 | | | | | | | 1 | | |
| Diodontidae | <i>Diodon hystrix</i> | Linnaeus, 1758 | 1299 | 798 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Diodontidae | <i>Diodon liturosus</i> | Shaw, 1804 | 1300 | 799 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| Molidae | <i>Ranzania laevis</i> | (Pennant, 1776) | 1301 | 800 | | | | | | | | | | | 1 |