

## References for core data:

de Abreu, L., Shackleton, N. J., Schönfeld, J., Hall, M. and Chapman, M.: Millennial-scale oceanic climate variability off the Western Iberian margin during the last two glacial periods, *Marine Geology*, 196(1), 1–20, doi:10.1016/S0025-3227(03)00046-X, 2003.

Bickert, T. and Mackensen, A.: Last Glacial to Holocene Changes in South Atlantic Deep Water Circulation, in *The South Atlantic in the Late Quaternary: Reconstruction of Material Budgets and Current Systems*, edited by G. Wefer, S. Mulitza, and V. Ratmeyer, pp. 671–693, Springer, Berlin, Heidelberg., 2004.

Bickert, T. and Wefer, G.: Late Quaternary Deep Water Circulation in the South Atlantic: Reconstruction from Carbonate Dissolution and Benthic Stable Isotopes, in *The South Atlantic: Present and Past Circulation*, edited by G. Wefer, W. H. Berger, G. Siedler, and D. J. Webb, pp. 599–620, Springer, Berlin, Heidelberg., 1996.

Bickert, T., Curry, W. B. and Wefer, G.: Late Pliocene to Holocene (2.6 – 0 Ma) western equatorial Atlantic deep-water circulation: inferences from benthic stable isotopes, vol. 154, pp. 239–254, *Proc. Ocean Drill. Program Sci. Results.*, 1997.

Boyle, E. A.: Cadmium and  $\delta^{13}\text{C}$  Paleochemical Ocean Distributions during the Stage 2 Glacial Maximum, *Annual Review of Earth and Planetary Sciences*, 20, 245, 1992.

Boyle, E. A. and Keigwin, L. D.: Comparison of Atlantic and Pacific paleochemical records for the last 215,000 years: changes in deep ocean circulation and chemical inventories, *Earth and Planetary Science Letters*, 76(1), 135–150, doi:10.1016/0012-821X(85)90154-2, 1985.

Came, R. E., Oppo, D. W. and Curry, W. B.: Atlantic Ocean circulation during the Younger Dryas: Insights from a new Cd/Ca record from the western subtropical South Atlantic, *Paleoceanography*, 18(4), doi:10.1029/2003PA000888, 2003.

Chapman, M. R. and Shackleton, N. J.: Late Quaternary North Atlantic IRD and Isotope Data, IGBP PAGES/World Data Center for Paleoclimatology., 1999.

Chen, J., Farrell, J. W., Murray, D. W. and Prell, W. L.: Timescale and paleoceanographic implications of a 3.6 m.y. oxygen isotope record from the northeast Indian Ocean (Ocean Drilling Program Site 758), *Paleoceanography*, 10(1), 21–47, doi:10.1029/94PA02290, 1995.

Cheng, X., J. Tian and P. Wang: Stable isotopes from Site 1143., 2004.

CLIMAP Project Members: Stable isotopes measured on foraminifera from the 120 kyr time slice reconstruction in sediment core RC12-339, , doi:https://doi.org/10.1594/PANGAEA.358927, 2006.

Collins, J. A., Schefuß, E., Heslop, D., Mulitza, S., Prange, M., Zabel, M., Tjallingii, R., Dokken, T. M., Huang, E., Mackensen, A., Schulz, M., Tian, J., Zarriess, M. and Wefer, G.: Interhemispheric symmetry of the tropical African rainbelt over the past 23,000 years, *Nature Geoscience*, 4, 42–45, doi:10.1038/ngeo1039, 2011.

Cortijo, E.: Stable isotope analysis on sediment core SU90-39, PANGAEA, doi:https://doi.org/10.1594/PANGAEA.106761, 2003.

Curry, W. B. and Lohmann, G. P.: Carbon isotopic changes in benthic foraminifera from the western South Atlantic: Reconstruction of glacial abyssal circulation patterns, *Quaternary Research*, 18(2), 218–235, doi:10.1016/0033-5894(82)90071-0, 1982.

Curry, W. B. and Oppo, D. W.: Synchronous, high-frequency oscillations in tropical sea surface temperatures and North Atlantic Deep Water production during the Last Glacial Cycle, *Paleoceanography*, 12(1), 1–14, doi:10.1029/96PA02413, 1997.

Curry, W. B. and Oppo, D. W.: Glacial water mass geometry and the distribution of  $\delta^{13}\text{C}$  of  $\Sigma\text{CO}_2$  in the western Atlantic Ocean, *Paleoceanography*, 20(1), doi:10.1029/2004PA001021, 2005.

Curry, W. B., Duplessy, J. C., Labeyrie, L. D. and Shackleton, N. J.: Changes in the distribution of  $\delta^{13}\text{C}$  of deep water  $\Sigma\text{CO}_2$  between the Last Glaciation and the Holocene, *Paleoceanography*, 317–341, doi:10.1029/PA003i003p00317@10.1002/(ISSN)1944-9186.QUATDWC1, 1988.

Curry, W. B., Shackleton, N. J. and Richter, C.: Proc. ODP, Init. Repts, 154: College Station, TX (Ocean Drilling Program), doi:10.2973/odp.proc.ir.154.1995, 1995.

Duplessy, J. C.: Quaternary paleoceanography: unpublished stable isotope records. IGBP PAGES/World Data Center for Paleoclimatology Data Contribution Series: #1996-035., NOAA/NGDC Paleoclimatology Program, Boulder, Colorado, USA., 1996.

Duplessy, J. C., Shackleton, N. J., Matthews, R. K., Prell, W. and Ruddiman, W. F.:  $^{13}\text{C}$  record of benthic foraminifera in the last interglacial ocean: implications for the carbon cycle and the global deep water circulation, *Quaternary research*, 1984.

Freudenthal, T., Meggers, H., Henderiks, J., Kuhlmann, H., Moreno, A. and Wefer, G.: Upwelling intensity and filament activity off Morocco during the last 250,000 years, *Deep Sea Research Part II: Topical Studies in Oceanography*, 49(17), 3655–3674, doi:10.1016/S0967-0645(02)00101-7, 2002.

Galaasen, E. V., Ninnemann, U. S., Irvall, N., Kleiven, H. F., Rosenthal, Y., Kissel, C. and Hodell, D. A.: Stable isotope ratios of *C. wuellerstorfi* from sediment core MD03-2664, Bjerknes Centre for Climate Research, doi:10.1594/PANGAEA.830079, 2014.

Gebhardt, H., Sarnthein, M., Grootes, P. M., Kiefer, T., Kuehn, H., Schmieder, F. and Röhl, U.: Paleonutrient and productivity records from the subarctic North Pacific for Pleistocene glacial terminations I to V, *Paleoceanography*, 23(4), doi:10.1029/2007PA001513, 2008.

Hodell, D. A., Charles, C. D. and Ninnemann, U. S.: Comparison of interglacial stages in the South Atlantic sector of the Southern Ocean for the past 450 kyr: Implications for Marine Isotope Stage (MIS) 11 | Request PDF, ResearchGate, doi:http://dx.doi.org/10.1016/S0921-8181(99)00069-7, 2000.

Hodell, D. A., Charles, C. D. and Sierro, F. J.: Late Pleistocene evolution of the ocean's carbonate system, *Earth and Planetary Science Letters*, 192(2), 109–124, doi:10.1016/S0012-821X(01)00430-7, 2001.

Hodell, D. A., Charles, C. D., Curtis, J. H., Mortyn, P., Ninnemann, U. and Venz, K. A.: Data report: Oxygen isotope stratigraphy of ODP Leg 177 Sites 1088, 1089, 1090, 1093, and 1094, in *Proc. Ocean Drill. Prog. Sci. Results*, vol. 177., 2003.

Hodell, D. A., Channell, J. E. T., Curtis, J. H., Romero, O. E. and Röhl, U.: Onset of “Hudson Strait” Heinrich events in the eastern North Atlantic at the end of the middle Pleistocene transition ( $\sim 640$  ka)?, *Paleoceanography*, 23(4), doi:10.1029/2008PA001591, 2008.

Holbourn, A., Kuhnt, W., Schulz, M. and Erlenkeuser, H.: Impacts of orbital forcing and atmospheric carbon dioxide on Miocene ice-sheet expansion, *Nature*, 438(7067), 483–487, doi:10.1038/nature04123, 2005.

Hüls, M.: Calculated sea surface temperature of sediment core M35003-4, PANGAEA, doi:https://doi.org/10.1594/PANGAEA.55761, 1999.

- Jansen, E., Raymo, M. E. and Blum, P.: Proc. ODP, Init. Repts, 154: College Station, TX (Ocean Drilling Program), doi:10.2973/odp.proc.ir.162.1996, 1996.
- Jullien, E., Grousset, F. E., Hemming, S. R., Peck, V. L., Hall, I. R., Jeantet, C. and Billy, I.: Contrasting conditions preceding MIS3 and MIS2 Heinrich events, *Global and Planetary Change*, 54(3), 225–238, doi:10.1016/j.gloplacha.2006.06.021, 2006.
- Keigwin, L. D. and Jones, G. A.: Glacial-Holocene stratigraphy, chronology, and paleoceanographic observations on some North Atlantic sediment drifts, *Deep Sea Research Part A. Oceanographic Research Papers*, 36(6), 845–867, doi:10.1016/0198-0149(89)90032-0, 1989.
- Keigwin, L. D. and Schlegel, M. A.: Ocean ventilation and sedimentation since the glacial maximum at 3 km in the western North Atlantic, *Geochemistry, Geophysics, Geosystems*, 3(6), 1–14, doi:10.1029/2001GC000283, 2002.
- Keigwin, L. D., Jones, G. A., Lehman, S. J. and Boyle, E. A.: Deglacial meltwater discharge, North Atlantic Deep Circulation, and abrupt climate change, *Journal of Geophysical Research: Oceans*, 96(C9), 16811–16826, doi:10.1029/91JC01624, 1991.
- Labeyrie, L., Vidal, L., Cortijo, E., Paterne, M., Arnold, M., Duplessy, J. C., Vautravers, M., Labracherie, M., Duprat, J., Turon, J. L., Grousset, F. and Van Weering, T.: Surface and Deep Hydrology of the Northern Atlantic Ocean during the past 150 000 Years, *Philosophical Transactions: Biological Sciences*, 348(1324), 255–264, 1995.
- Labeyrie, L., Labracherie, M., Gorfti, N., Pichon, J. J., Vautravers, M., Arnold, M., Duplessy, J.-C., Paterne, M., Michel, E., Duprat, J., Caralp, M. and Turon, J.-L.: Hydrographic changes of the Southern Ocean (southeast Indian Sector) Over the last 230 kyr, *Paleoceanography*, 11(1), 57–76, doi:10.1029/95PA02255, 1996.
- Labeyrie, L., Leclaire, H., Waelbroeck, C., Cortijo, E., Duplessy, J.-C., Vidal, L., Elliot, M., Coat, B. L. and Auffret, G.: Temporal Variability of the Surface and Deep Waters of the North West Atlantic Ocean at Orbital and Millennial Scales, in *Mechanisms of Global Climate Change at Millennial Time Scales*, pp. 77–98, American Geophysical Union (AGU), 1999.
- Lebreiro, S. M., Voelker, A. H. L., Vizcaino, A., Abrantes, F. G., Alt-Epping, U., Jung, S., Thouveny, N. and Gràcia, E.: Sediment instability on the Portuguese continental margin under abrupt glacial climate changes (last 60kyr), *Quaternary Science Reviews*, 28(27), 3211–3223, doi:10.1016/j.quascirev.2009.08.007, 2009.
- Lee, M., Wei, K. C. J. and Chen, Y.-G.: High Resolution Oxygen Isotope Stratigraphy for the Last 150,000 Years in the Southern South China Sea: Core MD972151., 1999.
- Lyle, M., Mix, A. and Pisias, N.: Patterns of CaCO<sub>3</sub> deposition in the eastern tropical Pacific Ocean for the last 150 Kyr: Evidence for a southeast Pacific depositional spike during marine isotope stage (MIS) 2, *Paleoceanography*, 17, 3–1, doi:10.1029/2000PA000538, 2002.
- Lynch-Stieglitz, J., Curry, W. B., Oppo, D. W., Ninneman, U. S., Charles, C. D. and Munson, J.: Meridional overturning circulation in the South Atlantic at the last glacial maximum, *Geochemistry, Geophysics, Geosystems*, 7(10), doi:10.1029/2005GC001226, 2006.
- Mackensen, A. and Bickert, T.: Stable Carbon Isotopes in Benthic Foraminifera: Proxies for Deep and Bottom Water Circulation and New Production, in *Use of Proxies in Paleoceanography: Examples from the South Atlantic*, edited by G. Fischer and G. Wefer, pp. 229–254, Springer, Berlin, Heidelberg., 1999.

- Mackensen, A., Rudolph, M. and Kuhn, G.: Late Pleistocene deep-water circulation in the subantarctic eastern Atlantic, *Global and Planetary Change*, 30(3), 197–229, doi:10.1016/S0921-8181(01)00102-3, 2001.
- McCorkle, D. and Holder, A.: Calibration Studies of Benthic Foraminiferal Isotopic Composition: Results from the Southeast Pacific, AGU Fall Meeting Abstracts, 2001.
- McIntyre, K., Ravelo, A. C. and Delaney, M. L.: North Atlantic Intermediate Waters in the Late Pliocene to Early Pleistocene, *Paleoceanography*, 14(3), 324–335, doi:10.1029/1998PA900005, 1999.
- McManus, J. F., Oppo, D. W. and Cullen, J. L.: A 0.5-Million-Year Record of Millennial-Scale Climate Variability in the North Atlantic, *Science*, 283(5404), 971–975, doi:10.1126/science.283.5404.971, 1999.
- Millo, C., Sarnthein, M., Voelker, A. and Erlenkeuser, H.: Variability of the Denmark Strait Overflow during the Last Glacial Maximum, *Boreas*, 35, 50–60, doi:10.1080/03009480500359244, 2006.
- Mix, A. C. and Fairbanks, R. G.: North Atlantic surface-ocean control of Pleistocene deep-ocean circulation, *Earth and Planetary Science Letters*, 73(2), 231–243, doi:10.1016/0012-821X(85)90072-X, 1985.
- Mix, A. C., Pisias, N. G., Zahn, R., Rugh, W., Lopez, C. and Nelson, K.: Carbon 13 in Pacific Deep and Intermediate Waters, 0-370 ka: Implications for Ocean Circulation and Pleistocene CO<sub>2</sub>, *Paleoceanography*, 6(2), 205–226, doi:10.1029/90PA02303, 1991.
- Mulitza, S., Prange, M., Stuut, J.-B., Zabel, M., Dobeneck, T. von, Itambi, A. C., Nizou, J., Schulz, M. and Wefer, G.: Sahel megadroughts triggered by glacial slowdowns of Atlantic meridional overturning, *Paleoceanography*, 23(4), doi:10.1029/2008PA001637, 2008.
- Oliver, K. I. C., Hoogakker, B. A. A., Crowhurst, S., Henderson, G. M., Rickaby, R. E. M., Edwards, N. R. and Elderfield, H.: A synthesis of marine sediment core  $\delta^{13}\text{C}$  data over the last 150 000 years, *Climate of the Past*, 5, 2497–2554, doi:10.5194/cpd-5-2497-2009, 2010.
- Oppo, D. W. and Fairbanks, R. G.: Variability in the deep and intermediate water circulation of the Atlantic Ocean during the past 25,000 years: Northern Hemisphere modulation of the Southern Ocean, *Earth and Planetary Science Letters*, 86(1), 1–15, doi:10.1016/0012-821X(87)90183-X, 1987.
- Oppo, D. W. and Horowitz, M.: Glacial deep water geometry: South Atlantic benthic foraminiferal Cd/Ca and  $\delta^{13}\text{C}$  evidence, *Paleoceanography*, 15(2), 147–160, doi:10.1029/1999PA000436, 2000.
- Oppo, D. W. and Lehman, S. J.: Suborbital timescale variability of North Atlantic Deep Water during the past 200,000 years, *Paleoceanography*, 10(5), 901–910, doi:10.1029/95PA02089, 1995.
- Oppo, D. W., McManus, J. F. and Cullen, J. L.: Abrupt Climate Events 500,000 to 340,000 Years Ago: Evidence from Subpolar North Atlantic Sediments, *Science*, 279(5355), 1335–1338, doi:10.1126/science.279.5355.1335, 1998.
- Pahnke, K. and Zahn, R.: Southern Hemisphere water mass conversion linked with North Atlantic climate variability, *Science*, 307(5716), 1741–1746, doi:10.1126/science.1102163, 2005.

- Pisias, N. G. and Mix, A. C.: Spatial and temporal oceanographic variability of the eastern equatorial Pacific during the Late Pleistocene: Evidence from radiolaria microfossils, *Paleoceanography*, 12(3), 381–393, doi:10.1029/97PA00583, 1997.
- Poirier, R. K. and Billups, K.: The intensification of northern component deepwater formation during the mid-Pleistocene climate transition., *Paleoceanography*, (29(11)), 1046–1061, doi:10.1002/2014PA002661, 2014.
- Rau, A. J., Rogers, J., Lutjeharms, J. R. E., Giraudeau, J., Lee-Thorp, J. A., Chen, M.-T. and Waelbroeck, C.: A 450-kyr record of hydrological conditions on the western Agulhas Bank Slope, south of Africa, *Marine Geology*, 180(1), 183–201, doi:10.1016/S0025-3227(01)00213-4, 2002.
- Raymo, M. E., Oppo, D. W. and Curry, W.: The Mid-Pleistocene climate transition: A deep sea carbon isotopic perspective, *Paleoceanography*, 12(4), 546–559, doi:10.1029/97PA01019, 1997.
- Raymo, M. E., Oppo, D. W., Flower, B. P., Hodell, D. A., McManus, J. F., Venz, K. A., Kleiven, K. F. and McIntyre, K.: Stability of North Atlantic water masses in face of pronounced climate variability during the Pleistocene, *Paleoceanography*, 19(2), doi:10.1029/2003PA000921, 2004.
- Russon, T., Elliot, M., Kissel, C., Cabioch, G., Deckker, P. D. and Corrège, T.: Middle-late Pleistocene deep water circulation in the southwest subtropical Pacific, *Paleoceanography*, 24(4), doi:10.1029/2009PA001755, 2009.
- Samson, C. R., Sikes, E. L. and Howard, W. R.: Deglacial paleoceanographic history of the Bay of Plenty, New Zealand, *Paleoceanography*, 20(4), doi:10.1029/2004PA001088, 2005.
- Sarnthein, M.: Age model of sediment core GIK16772-1, PANGAEA, doi:<https://doi.org/10.1594/PANGAEA.134239>, 2003.
- Sarnthein, M., Winn, K., Jung, S. J. A., Duplessy, J.-C., Labeyrie, L., Erlenkeuser, H. and Ganssen, G.: Changes in East Atlantic Deepwater Circulation over the last 30,000 years: Eight time slice reconstructions, *Paleoceanography*, 9(2), 209–267, doi:10.1029/93PA03301, 1994.
- Schmiedl, G. and Mackensen, A.: Late Quaternary paleoproductivity and deep water circulation in the eastern South Atlantic Ocean: Evidence from benthic foraminifera, *Palaeogeography, Palaeoclimatology, Palaeoecology*, 130(1), 43–80, doi:10.1016/S0031-0182(96)00137-X, 1997.
- Schmiedl, G. and Mackensen, A.: Multispecies stable isotopes of benthic foraminifers reveal past changes of organic matter decomposition and deepwater oxygenation in the Arabian Sea, *Paleoceanography*, 21(4), doi:10.1029/2006PA001284, 2006.
- Schönfeld, J., Zahn, R. and de Abreu, L.: Surface and deep water response to rapid climate changes at the Western Iberian Margin, *Global and Planetary Change*, 36(4), 237–264, doi:10.1016/S0921-8181(02)00197-2, 2003.
- Shackleton, N. J.: Stable carbon and oxygen isotope ratios of benthic and planktic foraminifera from the Atlantic Ocean, Supplement to: Shackleton, NJ (1977): Carbon-13 in *Uvigerina*: Tropical rain forest history and the equatorial Pacific carbonate dissolution cycle. In: Andersen, N R & Malahoff, A (eds.), *The Fate of Fossil Fuel in the Oceans*. New York (Plenum), 401–427, doi:<https://doi.org/10.1594/PANGAEA.692091>, 1977.

Shackleton, N. J. and Hall, M. A.: Stable isotope record of DSDP Hole 81-552A in the northeastern Atlantic Ocean, Supplement to: Shackleton, N.J.; Hall, M.A. (1984): Oxygen and carbon isotope stratigraphy of Deep Sea Drilling Project Hole 552A: Plio-Pleistocene glacial history. In: Roberts, D.G.; Schnittker, D.; et al. (eds.), Initial Reports of the Deep Sea Drilling Project, Washington (U.S. Govt. Printing Office), 81, 599-609, <https://doi.org/10.2973/dsdp.proc.81.116.1984>, doi:<https://doi.org/10.1594/PANGAEA.698993>, 1984.

Shackleton, N. J. and Hall, M. A.: Stable isotope history of the Pleistocene at ODP Site 677., 1989.

Shackleton, N. J., Berger, A. and Peltier, W. R.: An alternative astronomical calibration of the lower Pleistocene timescale based on ODP Site 677, Earth and Environmental Science Transactions of The Royal Society of Edinburgh, 81(4), 251–261, doi:10.1017/S0263593300020782, 1990.

Shackleton, N. J., Hall, M. A. and Pate, D.: Pliocene stable isotope stratigraphy of ODP Site 846., 1995.

Shackleton, N. J., Hall, M. A. and Vincent, E. R.: Phase relationships between millennial-scale events 64,000–24,000 years ago., 2000.

Sikes, E. L., Howard, W. R., Samson, C. R., Mahan, T. S., Robertson, L. G. and Volkman, J. K.: Southern Ocean seasonal temperature and Subtropical Front movement on the South Tasman Rise in the late Quaternary, Paleoceanography, 24(2), doi:10.1029/2008PA001659, 2009.

Sirocko, F., Garbe-Schönberg, D. and Devey, C.: Processes controlling trace element geochemistry of Arabian Sea sediments during the last 25,000 years, Global and Planetary Change, 26(1), 217–303, doi:10.1016/S0921-8181(00)00046-1, 2000.

Skinner, L. C. and Shackleton, N. J.: Rapid transient changes in northeast Atlantic deep water ventilation age across Termination I, Paleoceanography, 19(2), doi:10.1029/2003PA000983, 2004.

Skinner, L. C. and Shackleton, N. J.: An Atlantic lead over Pacific deep-water change across Termination I: implications for the application of the marine isotope stage stratigraphy, Quaternary Science Reviews, 24(5), 571–580, doi:10.1016/j.quascirev.2004.11.008, 2005.

Skinner, L. C., Shackleton, N. J. and Elderfield, H.: Millennial-scale variability of deep-water temperature and  $\delta^{18}\text{O}_{\text{dw}}$  indicating deep-water source variations in the Northeast Atlantic, 0–34 cal. ka BP, Geochemistry, Geophysics, Geosystems, 4(12), doi:10.1029/2003GC000585, 2003.

Sowers, T., Bender, M., Labeyrie, L., Martinson, D., Jouzel, J., Raynaud, D., Pichon, J. J. and Korotkevich, Y. S.: A 135,000-year Vostok-Specmap Common temporal framework, Paleoceanography, 8(6), 737–766, doi:10.1029/93PA02328, 1993.

Stott, L. D., Neumann, M. and Hammond, D.: Intermediate water ventilation on the Northeastern Pacific Margin during the Late Pleistocene inferred from benthic foraminiferal  $\delta^{13}\text{C}$ , Paleoceanography, 15(2), 161–169, doi:10.1029/1999PA000375, 2000.

Tjallingii, R., Claussen, M., Stuut, J.-B. W., Fohlmeister, J., Jahn, A., Bickert, T., Lamy, F. and Röhl, U.: Coherent high- and low-latitude control of the northwest African hydrological balance, Nature Geoscience, 1(10), 670–675, doi:10.1038/ngeo289, 2008.

- Venz, K. A. and Hodell, D. A.: New evidence for changes in Plio–Pleistocene deep water circulation from Southern Ocean ODP Leg 177 Site 1090, *Palaeogeography, Palaeoclimatology, Palaeoecology*, 182(3), 197–220, doi:10.1016/S0031-0182(01)00496-5, 2002.
- Venz, K. A., Hodell, D. A., Stanton, C. and Warnke, D. A.: A 1.0 Myr Record of Glacial North Atlantic Intermediate Water Variability from ODP Site 982 in the Northeast Atlantic, *Paleoceanography*, 14(1), 42–52, doi:10.1029/1998PA900013, 1999.
- Vidal, L., Schneider, R. R., Marchal, O., Bickert, T., Stocker, T. F. and Wefer, G.: Link between the North and South Atlantic during the Heinrich events of the last glacial period, *Climate Dynamics*, 15(12), 909–919, doi:10.1007/s003820050321, 1999.
- Waelbroeck, C., Duplessy, J.-C., Michel, E., Labeyrie, L., Paillard, D. and Duprat, J.: The timing of the last deglaciation in North Atlantic climate records, *Nature*, 412(6848), 724–727, doi:10.1038/35089060, 2001.
- Waelbroeck, C., Skinner, L. C., Labeyrie, L., Duplessy, J.-C., Michel, E., Riveiros, N. V., Gherardi, J.-M. and Dewilde, F.: The timing of deglacial circulation changes in the Atlantic, *Paleoceanography*, 26(3), doi:10.1029/2010PA002007, 2011.
- Wang, L., Sarnthein, M., Erlenkeuser, H., Grimalt, J., Grootes, P., Heilig, S., Ivanova, E., Kienast, M., Pelejero, C. and Pflaumann, U.: East Asian monsoon climate during the Late Pleistocene: high-resolution sediment records from the South China Sea, *Marine Geology*, 156(1), 245–284, doi:10.1016/S0025-3227(98)00182-0, 1999.
- Wei, G.-J., Huang, C.-Y., Wang, C.-C., Lee, M.-Y. and Wei, K.-Y.: High-resolution benthic foraminifer  $\delta^{13}\text{C}$  records in the South China Sea during the last 150 ka, *Marine Geology*, 232(3), 227–235, doi:10.1016/j.margeo.2006.08.005, 2006.
- Zahn, R. and Stüber, A.: Suborbital intermediate water variability inferred from paired benthic foraminiferal Cd/Ca and  $\delta^{13}\text{C}$  in the tropical West Atlantic and linking with North Atlantic climates, *Earth and Planetary Science Letters*, 200, 191–205, doi:10.1016/S0012-821X(02)00613-1, 2002.
- Zahn, R., Winn, K. and Sarnthein, M.: Benthic foraminiferal  $\delta^{13}\text{C}$  and accumulation rates of organic carbon: *Uvigerina Peregrina* group and *Cibicidoides Wuellerstorfi*, *Paleoceanography*, 1(1), 27–42, doi:10.1029/PA001i001p00027, 1986.
- Zarriess, M. and Mackensen, A.: The tropical rainbelt and productivity changes off northwest Africa: A 31,000-year high-resolution record, *Marine Micropaleontology*, 76(3), 76–91, doi:10.1016/j.marmicro.2010.06.001, 2010.
- Zarriess, M. and Mackensen, A.: Testing the impact of seasonal phytodetritus deposition on  $\delta^{13}\text{C}$  of epibenthic foraminifer *Cibicidoides wuellerstorfi*: A 31,000 year high-resolution record from the northwest African continental slope., 2011.
- Zarriess, M., Johnstone, H., Prange, M., Steph, S., Groeneveld, J., Mulitza, S. and Mackensen, A.: Bipolar seesaw in the northeastern tropical Atlantic during Heinrich stadials, *Geophysical Research Letters*, 38(4), doi:10.1029/2010GL046070, 2011.
- Zhang, J., Wang, P., Li, Q., Cheng, X., Jin, H. and Zhang, S.: Western equatorial Pacific productivity and carbonate dissolution over the last 550 kyr: Foraminiferal and nannofossil evidence from ODP Hole 807A, *Marine Micropaleontology*, 64(3), 121–140, doi:10.1016/j.marmicro.2007.03.003, 2007.