Hatching success (survival proportion)
1.0
0.8
0.6
0.4
0.2
0.0
20
25
30
35
40
C. caretta
Atlantic, Northwest
Sex ratio (male proportion)
1.0
0.8
0.6
0.4
0.2
0.0
20
25
30
35
40
Constant incubation temperature (°C)

Hatching success (survival proportion)
1.0
0.8
0.6
0.4
0.2
0.0
20
25
30
35
40
C. mydas
no data for the RMUs studied here
Sex ratio (male proportion)
1.0
0.8
0.6
0.4
0.2
0.0
20
25
30
35
40
Constant incubation temperature (°C)

Hatching success (survival proportion)
1.0
0.8
0.6
0.4
0.2
0.0
20
25
30
35
40
E. imbricata
Atlantic, Western Caribbean/USA
Sex ratio (male proportion)
1.0
0.8
0.6
0.4
0.2
0.0
20
25
30
35
40
Constant incubation temperature (°C)

Hatching success (survival proportion)
1.0
0.8
0.6
0.4
0.2
0.0
20
25
30
35
40
L. olivacea
Pacific, East
Sex ratio (male proportion)
1.0
0.8
0.6
0.4
0.2
0.0
20
25
30
35
40
Constant incubation temperature (°C)