




Contents lists available at ScienceDirect



Ecological Modelling

journal homepage: www.elsevier.com/locate/ecolmodel

Corrigendum

Corrigendum to “Site-level and spatially-explicit modelling provides some insights on key factors driving seasonal dynamics of an intertidal seagrass” [Ecological Modelling 495 (September 2024) 1–13/110802 (13p.)]

H. Muller^{a,*}, E. Auclair^a, A. Woehrel^a, F. Ganthy^c, P. Tandeo^d, P.PY. Wu^e, C. Chercham^a, M.P. Marzloff^b

^a IFREMER-DYNECO/DHYSED, Centre de Bretagne, CS1007, 29280, Plouzané, France

^b IFREMER-DYNECO/LEBCO, Centre de Bretagne, CS1007, 29280, Plouzané, France

^c IFREMER LER/AR, Quai du Commandant Silhouette, FR33120, Arcachon, France

^d IMT Atlantique, Lab-STICC, UMR CNRS 6285, 29238, France

^e Queensland University of Technology, Mathematical Sciences School, 2 George Street, Brisbane, Australia

The authors regret having forgotten to thank in their acknowledgments the Life Marha project (LIFE16 IPE/FR001) funded by the

European Union, which enabled this study.

The authors would like to apologise for any inconvenience caused.

DOI of original article: <https://doi.org/10.1016/j.ecolmodel.2024.110802>.

* Corresponding author at: Héloïse Muller IFREMER-DYNECO/DHYSED, Centre de Bretagne, CS1007 29280, Plouzané, France.

E-mail address: heloise.muller@ifremer.fr (H. Muller).

<https://doi.org/10.1016/j.ecolmodel.2024.110888>

0304-3800/© 2024 The Author(s). Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).