

Risk Assessment**Questionnaire improvements in second-generation, multilingual decision support tools for invasion risk screening of non-native taxa**

Lorenzo Vilizzi^{1,2}, Marina Piria^{1,3}, Gábor Herczeg^{4,5}, David Almeida⁶, Zainab Al-Wazzan⁷, Rigers Bakiu^{8,9}, Angela Boggero¹⁰, Ratcha Chaichana¹¹, Dimitriy Dashinov¹², Mahanama De Zoysa¹³, Allan S. Gilles Jr.², Philippe Gouilletquer¹⁴, Elena Interesova^{15,16,17}, Oldřich Kopecký¹⁸, Nicholas Koutsikos¹⁹, Akihiko Koyama²⁰, Petra Kristan³, Shan Li²¹, Juliane Lukas^{22,23}, Seyed Daryoush Moghaddas²⁴, João G. Monteiro^{25,26}, Levan Mumladze²⁷, Chulhong Oh²⁸, Karin H. Olsson^{29,30}, Richard T. Pavia Jr.², Costas Perdikaris³¹, Renanel Pickholtz²⁹, Cristina Preda³², Milica Ristovska³³, Kristína Slovák Švolíková³⁴, Barbora Števo³⁴, Kieu Anh T. Ta³⁵, Eliza Uzunova¹², Leonidas Vardakas¹⁹, Hugo Verreycken³⁶, Hui Wei³⁷, Baran Yoğurtçuoğlu³⁸, Daniela Giannetto³⁹, Dariusz Pietraszewski¹

¹University of Lodz, Faculty of Biology and Environmental Protection, Department of Ecology and Vertebrate Zoology, 90-237 Lodz, Poland; ²Department of Biological Sciences, College of Science, Research Center for the Natural and Applied Sciences, The Graduate School, University of Santo Tomas, Manila, 1008 Metro Manila, Philippines; ³University of Zagreb Faculty of Agriculture, Department of Fisheries, Apiculture, Wildlife Management and Special Zoology, 10000 Zagreb, Croatia; ⁴Department of Systematic Zoology and Ecology, Institute of Biology, ELTE-Eötvös Loránd University, Pázmány Péter ave 1/C, Budapest 1117, Hungary; ⁵HUN-REN-ELTE-MTM Integrative Ecology Research Group, Pázmány Péter ave 1/C, Budapest 1117, Hungary; ⁶Department of Basic Medical Sciences, School of Medicine, Universidad San Pablo-CEU, CEU Universities, Urbanización Montepríncipe, 28668 Boadilla del Monte, Spain.; ⁷Environment Public Authority, Shuwaikh Industrial 70050, Kuwait; ⁸Department of Aquaculture and Fisheries, Faculty of Agriculture and Environment, Agricultural University of Tirana, Tirana 1000, Albania; ⁹Albanian Center for Environmental Protection and Sustainable Development, Tirana 1000, Albania; ¹⁰National Research Council-Water Research Institute (CNR-IRSA), 28922 Verbania Pallanza, Italy; ¹¹Department of Environmental Technology and Management, Faculty of Environment, Kasetsart University, Bangkok, 10900 Thailand; ¹²Department of General and Applied Hydrobiology, Faculty of Biology, Sofia University, 1164 Sofia, Bulgaria; ¹³College of Veterinary Medicine and Research Institute of Veterinary Medicine, Chungnam National University, Daejeon 34134, Republic of Korea; ¹⁴Scientific Direction, French Research Institute for Exploitation of the Sea (IFREMER), 44311 Nantes, France; ¹⁵Tomsk State University, Tomsk 634050, Russia; ¹⁶Institute of Systematics and Ecology of Animals, Siberian Branch of the Russian Academy of Sciences, Novosibirsk 630090, Russia; ¹⁷Novosibirsk branch of Russian Federal Research Institute of Fisheries and Oceanography, Novosibirsk 630090, Russia; ¹⁸Department of Biology, Faculty of Science, Humanities and Education, Technical University of Liberec, Třebízského 1244/2, Liberec 460 01, Czech Republic; ¹⁹Hellenic Centre for Marine Research, Institute of Marine Biological Resources & Inland Waters, Anavissos PO 19013, Attica, Greece; ²⁰Fishery Research Laboratory, Kyushu University, Fukuoka 811-3304, Japan; ²¹Natural History Research Center, Shanghai Natural History Museum, Branch of Shanghai Science & Technology Museum, Shanghai 200041, China; ²²Department of Biology and Ecology of Fishes, Leibniz-Institute of Freshwater Ecology and Inland Fisheries, 12587 Berlin, Germany; ²³Albrecht Daniel Thaer-Institute of Agricultural and Horticultural Sciences, Faculty of Life Sciences, Humboldt University of Berlin, 10099 Berlin, Germany; ²⁴Department of Biodiversity and Ecosystems Management, Environmental Sciences Research Institute, Shahid Beheshti University, 1983963113 Tehran, Iran; ²⁵Faculty of Life Sciences, University of Madeira, 9000-072 Funchal, Portugal; ²⁶MARE - Marine and Environmental Sciences Centre, Regional Agency for the Development of Research (ARDITI), 9000-072 Funchal, Portugal; ²⁷Institute of Zoology, Ilia State University, Tbilisi 0162, Georgia; ²⁸Jeju Bio Research Center, Korea Institute of Ocean Science and Technology, Gujwa-eup, Jeju 63349, Republic of Korea; ²⁹School of Zoology, Tel Aviv University, Tel Aviv 6997801, Israel; ³⁰The Inter-University Institute for Marine Sciences in Eilat, Coral Beach, Eilat 8810302, Israel; ³¹Department of Fisheries, Regional Unit of Thesprotia, Region of Epirus, 46 100 Igoumenitsa, Greece; ³²Faculty of Natural and Agricultural Sciences, Ovidius University of Constanta, Constanta 900470, Romania; ³³Institute of biology, Faculty of Natural Sciences and Mathematics, University “Ss. Cyril and Methodius”, 1000 Skopje, Republic of North Macedonia; ³⁴Department of Ecology, Faculty of Natural Sciences, Comenius University, 842 15 Mlynská dolina, Bratislava, Slovakia; ³⁵Nature and Biodiversity Conservation Agency, Ministry of Natural Resources and Environment, 10 Ton That Thuyet, Nam Tu Liem District, Hanoi, Vietnam; ³⁶Research Institute for Nature and Forest (INBO), B-1630 Linkebeek, Belgium; ³⁷Key Laboratory of Prevention and Control for Aquatic Invasive Alien Species (Ministry of Agriculture and Rural Affairs), Key Laboratory of Alien Species and Ecological Security (CAFS), Pearl River Fisheries Research Institute, Chinese Academy of Fisheries Science, Guangzhou, Guangdong, 510380, PR China; ³⁸Hydrobiology section, Department of Biology, Faculty of Science, Hacettepe University, Çankaya-Ankara 06800, Türkiye; ³⁹Department of Biology, Faculty of Science, Muğla Sıtkı Koçman University, 48000 Muğla, Türkiye

Corresponding author: Lorenzo Vilizzi (lorenzo.vilizzi@gmail.com)

Co-Editors' Note: This paper was contributed as part of the Special Issue “Advances in the study of the management of biological invasions in inland waters and the legacy of Gordon Howard Copp (1956–2023)”. This collaborative effort has attracted some of the most prominent invasion biologists who have contributed a diverse collection of high-profile papers addressing current knowledge gaps, research advances, and future opportunities in the management of biological invasions.

Citation: Vilizzi L, Piria M, Herczeg G, Almeida D, Al-Wazzan Z, Bakiu R, Boggero A, Chaichana R, Dashinov D, De Zoysa M, Gilles AS Jr., Goulletquer P, Interesova E, Kopecký O, Koutsikos N, Koyama A, Kristan P, Li S, Lukas J, Moghaddas SD, Monteiro JG, Mumladze L, Oh C, Olsson KH, Pavia RT Jr., Perdikaris C, Pickholtz R, Preda C, Ristovska M, Slovák Švolíková K, Števoe B, Ta KAH, Uzunova E, Vardakas L, Verreycken H, Wei H, Yoğurtçuoğlu B, Giannetto D, Pietraszewski D (2025) Questionnaire improvements in second-generation, multilingual decision support tools for invasion risk screening of non-native taxa. *Management of Biological Invasions* 16(1): 33–44, <https://doi.org/10.3391/mbi.2025.16.1.03>

Received: 16 January 2024

Accepted: 3 March 2024

Published: 15 January 2025

Handling editor: Calum MacNeil

Copyright: © Vilizzi et al.

This is an open access article distributed under terms of the Creative Commons Attribution License ([Attribution 4.0 International - CC BY 4.0](https://creativecommons.org/licenses/by/4.0/)).

OPEN ACCESS

Abstract

As a result of the increasing threats posed by non-native species invasions, there has been a rise in the demand for decision support tools that can more efficiently identify those non-native species likely to become invasive. As part of the risk screening (first) step in the environmental risk analysis process, three multilingual decision support tools are currently available for the screening of aquatic and terrestrial organisms: the Aquatic Species Invasiveness Screening Kit (AS-ISK), the Terrestrial Animal Species Invasiveness Screening Kit (TAS-ISK) and the Terrestrial Plant Species Invasiveness Screening Kit (TPS-ISK). Here, we describe the recent improvements to the questionnaire that forms the base of these second-generation Weed Risk Assessment-type tools. We subjected the AS-ISK and TAS-ISK questionnaires to a thorough revision and extended these improvements for the development of the TPS-ISK. Overall, this involved an improvement of the AS-ISK and TAS-ISK questionnaires, an alignment of the questionnaires across the three toolkits, and the translation of the three resulting questionnaires in all 30 non-English languages supported by the toolkits. Given the most extensive usage of the AS-ISK and, in perspective, of the recently released TAS-ISK and TPS-ISK, it is timely to provide researchers and decision-makers in the field of invasion biology with a suite of updated toolkits designed to streamline and improve the risk screening process. These enhancements will be crucial for the delivery of reports to stakeholders and decision-makers also in the languages supported by the toolkits as applicable, and in line with the ecology-of-language paradigm at the base of the toolkits' multilingual interface development.

Key words: biological invasions, risk analysis, Aquatic Species Invasiveness Screening Kit (AS-ISK), Terrestrial Animal Species Invasiveness Screening Kit (TAS-ISK), Terrestrial Plant Species Invasiveness Screening Kit (TPS-ISK)

Introduction

The global introduction and establishment of non-native species has experienced a significant surge over the past two centuries (Bailey et al. 2020; Pyšek et al. 2022) and has resulted in substantial ecological damage and economic losses to the native biota (Pimentel et al. 2000; Bradshaw et al. 2021). Consequently, there is a demand for decision support tools that can more efficiently identify those non-native species likely to become invasive (Srèbalienė et al. 2019). The identification of species carrying a higher risk of invasiveness is a crucial aspect in environmental risk analysis, which consists of three sequential components: risk screening, risk assessment, and risk management and communication. Risk screening assists in identifying those non-native species with the higher invasive potential within a predetermined risk assessment area, which would then qualify for follow-up risk assessment (Copp et al. 2016a). Therefore, clear and detailed risk screening outcomes are essential to inform decision-makers and stakeholders about the prioritisation of measures for prevention and management strategies to counteract biological invasions (Copp et al. 2021).

Among the most widely applied screening tools is the Australian Weed Risk Assessment (WRA) for terrestrial and aquatic plants (Pheloung et al. 1999; Gordon et al. 2008). The WRA is a semi-quantitative scheme based on a questionnaire consisting of 49 questions, which is made available as a self-automated workbook. The WRA formed the basis for the Fish

Invasiveness Screening Kit (FISK: Copp et al. 2005a, 2005b; Lawson et al. 2013) and related taxon-specific toolkits (Copp 2013). These first-generation WRA-type tools have been widely applied worldwide (Vilizzi et al. 2019) and were eventually replaced by the taxon-generic, multilingual Aquatic Species Invasiveness Screening Kit (AS-ISK: Copp et al. 2016b, 2021), which is designed as a turnkey application. Following the successful uptake and implementation by the scientific community worldwide of the AS-ISK for screening aquatic organisms (see Vilizzi et al. 2021, 2022a, b; Vilizzi and Piria 2022), the Terrestrial Animal Species Invasiveness Screening Kit (TAS-ISK: Vilizzi et al. 2022c) and the Terrestrial Plant Species Invasiveness Screening Kit (TPS-ISK: Vilizzi et al. 2024) were recently developed as “siblings” of the AS-ISK. Together, the AS-ISK, TAS-ISK and TPS-ISK are second-generation WRA-type tools that allow the screening of all non-native taxa (i.e. aquatic and terrestrial animals and plants).

The aim of this paper is to describe the recent improvements to the questionnaire of the second-generation WRA-type tools relative to the previous versions of the AS-ISK and TAS-ISK, and with reference to the recently released TPS-ISK. Given the most extensive usage of the AS-ISK and the prospect of a similar fate by the TAS-ISK and TPS-ISK, we thought it timely to provide researchers and decision-makers in the field of invasion biology with a suite of updated toolkits designed to streamline and improve the risk screening process. To achieve this objective, we subjected the AS-ISK and TAS-ISK questionnaires to a thorough revision and extended these improvements to the development of the TPS-ISK. Overall, this joint effort involved an improvement of the AS-ISK and TAS-ISK questionnaires, an alignment of the questionnaires across the three toolkits (i.e. including the TPS-ISK), and the updated translation of the three resulting questionnaires in all 30 non-English languages supported by the toolkits.

Methods

The second-generation WRA-type tools AS-ISK, TAS-ISK and TPS-ISK comply with the “minimum standards” for screening non-native species under EC Regulation No. 1143/2014 on the prevention and management of the introduction and spread of invasive alien species (Roy et al. 2018). The questionnaire in these toolkits comprises 55 questions in total (Copp et al. 2016b; Vilizzi et al. 2022a) with the text for each question consisting of two components: Text and Guidance (note the capitalisation of the term Text with reference to the first component of a question). The Text represents the actual question, whereas the Guidance provides an explanation on how to respond correctly to the question. The first 49 questions, which have been adapted from those of the WRA through the first-generation ISK tools, comprise the Basic Risk Assessment (BRA), and the last six questions the Climate Change Assessment (CCA). The BRA part of the questionnaire consists of two sections with eight categories: Section A

Biogeography/Historical including Categories *Domestication/Cultivation*, *Climate, distribution and introduction risk*, and *Invasive elsewhere*; Section B *Biology/Ecology*, including Categories *Undesirable (or persistence) traits*, *Resource exploitation*, *Reproduction*, *Dispersal mechanisms* and *Tolerance attributes*. The CCA part of the questionnaire consists of Section C (and Category) *Climate change*. To achieve a valid screening, the assessor must provide for each question a response, a confidence level and a justification based on literature sources (Vilizzi and Piria 2022). Upon completion of a screening, a BRA score and a BRA+CCA score are computed by which a species is ranked as low, medium or high risk based on threshold values (Vilizzi et al. 2022b).

Improvement of the AS-ISK, TAS-ISK and TPS-ISK questionnaires in their new v2.4 was the outcome of a four-stage process. Firstly, the questionnaires of the AS-ISK and TAS-ISK in their v2.3.3 were upgraded to v2.4 by revising both Text and Guidance for all 55 questions. Secondly, the TAS-ISK questionnaire was adapted to terrestrial plants to develop the TPS-ISK. Thirdly, the questionnaires for the three toolkits were “aligned” in terms of both structure and consistency. Lastly, the translation of the three resulting questionnaires into the languages supported by the toolkits was updated mirror exactly the improvements in the English language. In this last process, 37 native speakers (and authors of this study) of each language with expertise in invasion biology were involved. Of note, the adaptation of the TAS-ISK to develop the TPS-ISK as part of the second stage of the process is described elsewhere (Vilizzi et al. 2024). The AS-ISK, TAS-ISK and TPS-ISK in their v2.4 are available for free download at <http://www.cefas.co.uk/nns/tools/>, where full details can be found in the corresponding User Guide of each toolkit.

Results

Upgrade

Changes in the questionnaire from v2.3.3 to v2.4 involved 50 questions for the Text and 54 for the Guidance in the AS-ISK (Supplementary material Tables S1 and S2), and 49 questions for the Text and 52 for the Guidance in the TAS-ISK (Tables S3 and S4). These changes could be grouped into five categories: (i) improved text, (ii) removed text relevant to the question Guidance so that only text applicable to the question Text category remained, (iii) consistent usage of the term “taxon”, (iv) improved grammar, (v) removal of acronym.

Text improvements were made in 24 questions for the Text and 34 questions for the Guidance in the AS-ISK, and in 22 questions for the Text and 31 questions for the Guidance in the TAS-ISK. These improvements consisted in ensuring across-questionnaire consistency when formulating a question (i.e. replacement in the Text for Qs 14, 15, 20, 21, 22 of “Is it likely

that the taxon will” with “Is the taxon likely to” in line with Qs 18, 19, 25–31, 47), increased thoroughness of a question (e.g. addition of “by the taxon” in the Text for Qs 51, 53–55), usage of more appropriate terminology (e.g. “pathogens” instead of “infectious agents” in both Text and Guidance for Qs 20, 21, 49; “suppress the growth” instead of “smother” in AS-ISK Text for Q 15; “generalist” instead of “eurybionts” in TAS-ISK Guidance for Q 23), removal of unnecessary text or locally relevant species lists in parentheses (i.e. Text for Qs 15, 33, 36, 44, 45; Guidance for Qs 16, 26), provision of both more detailed (e.g. Guidance for Qs 8, 12, 37) and more generalised and simplified examples (e.g. Guidance for Qs 4, 11, 15, 42), inclusion of DOIs for references (Guidance for Qs 4, 27), and capitalisation of the term “Response” throughout as a graphical user interface keyword (Guidance for Qs 10, 16, 19, 23, 26, 27, 35, 49).

The question Text was modified to remove any text that was relevant to the Guidance only for five (albeit not all the same) questions in both AS-ISK and TAS-ISK. Specifically, AS-ISK and TAS-ISK Qs 9, 24, 37, 49, AS-ISK Q 23 and TAS-ISK Q 27 were simplified by removal of text in parentheses relevant to the corresponding Guidance. In this way, the Text and Guidance for all questions in both toolkits was made consistent by ensuring that no redundant information would be provided in the Text and that the Guidance would include all necessary details relevant to the specific question.

The consistent usage of the term “taxon” involved changes in six questions for their respective Text and 31 questions for their respective Guidance in the AS-ISK, and changes in six questions for their respective Text and 28 questions for their respective Guidance (same questions as for the AS-ISK) in the TAS-ISK. Usage of the term taxon was limited to reference to the taxonomic entity under screening (i.e. noting that the ISK tools are by definition “taxon-generic”), whereas the term “species” was restricted to the native organism(s) that the taxon may impact.

Improvements to the grammar involved changes in 20 questions for their respective Text and 24 questions for their respective Guidance in the AS-ISK, and changes in 21 questions for their respective Text and 22 questions for their respective Guidance in the TAS-ISK. These improvements consisted of grammar corrections (i.e. “enter” instead of “enter in/into” in Qs 7 and 8 Text; “are there any known” instead of “are there known” in Qs 11–13 Text; “persist” instead of “persisting” in Q 25 Text; “the data used are” instead of “are the data used” in Q5 Guidance; “freshwater” instead of “freshwaters” in Q 22 Text for AS-ISK; “grown” instead of “grown on” in Q 2 Guidance for AS-ISK), replacement of slashes (/) throughout with “and”, “or” or a comma (,), and removal of unnecessary hyphens (-).

Acronym removal involved changes in 21 questions for their respective Text and 16 questions for their respective Guidance in the AS-ISK, and changes in 21 questions for their respective Text and 15 questions for their

respective Guidance in the TAS-ISK. Specifically, the term “risk assessment area” was used throughout in lieu of “RA area”. This was to avoid the unnecessary use of “technical” (or “report-like”) terms in the English language and to make translation consistent across all other languages for most of which no acronym was previously used. In the case of those languages that previously used the acronym (i.e. Filipino, Swedish, Turkish and Greek), this also was removed from the updated translations.

Alignment

Upon comparison of the questionnaires across the three toolkits, the Text differed for 14 (25.5%) questions and was the same for the other 41 (74.5%) (Table 1; Table S5), whereas the Guidance differed for 28 (50.9%) questions and was the same for the other 27 (49.1%) (Table 1; Table S6). In both cases and in all languages (see Tables S7 and S8 for an example in the Polish language), differences were limited to key terms and parts of text specific to the organism group pertaining to the toolkit and could be categorised based on their relevance to (i) aquatic organisms (AS-ISK) *vs* terrestrial animals and plants (TAS-ISK and TPS-ISK), (ii) aquatic organisms and terrestrial animals (AS-ISK and TAS-ISK) *vs* plants (TPS-ISK), and (iii) aquatic organisms (AS-ISK) *vs* terrestrial animals (TAS-ISK) *vs* terrestrial plants (TPS-ISK).

For the Text, the number (and proportion) of questions with differences in the three categories was 3 (5.5%), 4 (7.3%) and 7 (12.7%), respectively. In the first case (i.e. AS-ISK *vs* TAS-ISK and TPS-ISK), differences were related to impacts to aquaculture *vs* agriculture or forestry (Q 11), and to the taxon being out of water *vs* in water (Q 44) and tolerant of a range of water *vs* soil or air quality conditions (Q 45). In the second case (i.e. AS-ISK and TAS-ISK *vs* TPS-ISK), differences were related to the taxon's captivity *vs* cultivation status (Qs 6 and 22), predation or competitive pressure *vs* competitive pressure only (Q 26), and production of gametes or propagules *vs* propagules only (Q 29). In the third case (i.e. AS-ISK *vs* TAS-ISK *vs* TPS-ISK), differences were related to the disruption of food-web structure or ecosystem function (Q 18), production of offspring or propagules (Q 33), means of hiding or attachment (Q 37), dispersal as eggs, seeds or spores (Q 38), larvae, juveniles, fragments or seedlings (Q 39) and propagules or eggs (Q 41), and to tolerance of salinity, soil acidity or other parameter levels (Q 48).

For the Guidance, the number (and proportion) of questions with differences in the three categories was 5 (9.1%), 5 (9.1%) and 18 (32.7%), respectively. Differences applied to all questions for which the Text differed as above except for Q 29 for which the Guidance remained the same across the three toolkits. However, when differences for the Guidance were categorised based on their relevance to aquatic organisms, terrestrial animals and terrestrial plants, there was not always a one-to-one correspondence relative to the differences in the Text. This was because of

Table 1. Comparison of differences in question (Q) Text and Guidance for the Aquatic Species Invasiveness Screening Kit (AS-ISK), Terrestrial Animal Species Invasiveness Screening Kit (TAS-ISK) and Terrestrial Plant Species Invasiveness Screening Kit (TPS-ISK). AO = Aquatic organisms (AS-ISK); TA = Terrestrial animals (TAS-ISK); TP = Terrestrial plants (TPS-ISK).

	Q	AO vs (TA, TP)	(AO, TA) vs TP	AO vs TA vs TP
Text				
	6		√	
	11	√		
	18			√
	22		√	
	26		√	
	29		√	
	33			√
	37			√
	38			√
	39			√
	41			√
	44	√		
	45	√		
	48			√
Guidance				
	1			√
	2			√
	6		√	
	8	√		
	9		√	
	11	√		
	12			√
	18		√	
	19			√
	22			√
	23			√
	24			√
	26			√
	28	√		
	32			√
	33			√
	34			√
	36			√
	37			√
	38			√
	39			√
	40		√	
	41			√
	44			√
	45	√		
	47	√		
	48			√
	49		√	

the provision of examples that were specific to the different types of taxa. As a result, the Guidance differed for an additional 14 questions (i.e. Qs 1, 2, 8, 9, 12, 19, 23, 24, 28, 32, 34, 36, 40, 47, 49) whose Text remained unchanged.

Translation update

The translation update process involved 30 languages in total: Albanian, Arabic, Bulgarian, Chinese (simplified), Croatian, Czech, Dutch, Filipino, French, Georgian, German, Greek, Hebrew, Hungarian, Italian, Japanese, Korean, Macedonian, Persian, Polish, Portuguese, Romanian, Russian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkish, Vietnamese. Of note, the pooled “Croatian, Serbian and related languages” option in v2.3.3 was restricted to Croatian only. A multi-stage quality-control check ensured that the final translation of the three questionnaires mirrored exactly the

original English text in terms of keywords (both specific to the questionnaire and pertaining to the graphical user interface: i.e. “taxon”, “species”, “risk assessment area”, “native range”, “introduced range”, “justification”, “response”) and consistency in the structure of the questions’ Text and Guidance. As per the English, consistency was ensured also between and among related questions as well as in terms of keywords between Text and Guidance for all questions (e.g. “establishment”, “naturalised”, “pathogens”, “pathways”, “pests”, “vectors”). Grammatically, for all 30 languages in which the questionnaires were translated, the format of quotation marks (as in e.g. “best estimate”) followed that specific to each language (see https://en.wikipedia.org/wiki/Quotation_mark).

Discussion

Since its release (Copp et al. 2016b), the AS-ISK has been applied worldwide to screen non-native aquatic taxa for a total of almost 100 published applications (as of 29/06/2024). These applications by far outnumber those of the other available screening toolkits *Harmonia+* for plants, animals and their pathogens (D’hondt et al. 2015; 15 published applications) and Canadian Marine Invasive Screening Tool for aquatic invertebrates (Drolet et al. 2016; six published applications). The strengths of the second-generation WRA-type tools are numerous and can be summarised into: (i) compliance with the minimum standards against which a protocol should be evaluated for invasion process and management approaches (Roy et al. 2018), (ii) questionnaire comprehensiveness with inclusion of a climate change component (Copp et al. 2016b), (iii) provision of a level of confidence (Copp et al. 2016b), (iv) multilingual support (Copp et al. 2021), (v) possibility for across-study comparisons of screening outcomes (Vilizzi et al. 2021), and (vi) a powerful graphical user interface coupled with seamless software deployment and accessibility and with improved data exchange (Copp et al. 2016b).

As a result of the upgrade from v2.3.3 to v2.4, the changes in the AS-ISK and TAS-ISK questionnaires involved almost all questions. However, these improvements are not expected to affect substantially a species’ screening outcomes in terms of the resulting BRA and BRA+CCA scores and related risk ranks, even for the same species and risk assessment area. This is because the foundation of all questions in terms of rationale, scope and applicability has been fully preserved in this upgrade, thereby ensuring full compatibility of v2.4 with previous versions. These improvements, albeit substantial, have been in terms of enhanced clarity, correctness and consistency of each question both within and between its corresponding Text and Guidance, and of repartitioning of information across the latter (i.e. with examples provided exclusively in the Guidance). It is therefore envisaged that assessors will be able to conduct their screenings more

efficiently by taking advantage of the more streamlined and accurate questionnaires provided by the latest version of the toolkits. These enhancements will also be crucial for the delivery of reports to stakeholders and decision-makers in the languages supported by the toolkits as applicable, hence in line with the ecology-of-language paradigm at the base of the AS-ISK, TAS-ISK and TPS-ISK multilingual interface (Copp et al. 2021).

The alignment across the toolkits questionnaires, where differences are limited to key terms and parts of text specific to the organism under screening, highlights both the parsimonious approach that was followed in the development of the questionnaires themselves and their versatility in terms of adaptation to the different types of taxa (i.e. aquatic organisms, terrestrial animals and terrestrial plants). This versatility was already shown by the development of the FISK for freshwater fishes as an adaptation of the WRA for plants (Copp et al. 2005a, 2005b), by the further adaptation of the FISK into its “sister” toolkits for the screening of amphibians, freshwater invertebrates, marine fishes and marine invertebrates (Copp 2013), and, more recently, by the adaptation of the AS-ISK to the screening of terrestrial animals with the TAS-ISK (Vilizzi et al. 2022c).

The questionnaires in the 30 languages of the second-generation WRA-type tools in their v2.4 have undergone meticulous quality-control checks to ensure compliance with the highest standards expected of this state-of-the-art suite of electronic decision support tools (see also Srebalienė et al. 2019). This reinforces the recent evaluation of the multilingual AS-ISK as one of the “significant developments” in the field of ecolinguistics in 2021 (Zhang 2022). The removal of ‘Serbian and related languages’ from the Croatian language interface during the recent development of the AS-ISK, TAS-ISK and TPS-ISK indicates the evolution of each language identity after the breakup of Yugoslavia, particularly in Croatia and Serbia but also in Bosnia-Herzegovina and Montenegro (Greenberg 2004). This highlights the need to follow specificities and development of new terms, especially in invasion biology where terminology is still in a developmental phase. Finally, there is still potential for inclusion of additional languages not currently supported by the toolkits (see Copp et al. 2021), noting that any contribution in this regard will have to include the AS-ISK, TAS-ISK and TPS-ISK questionnaire as a joint “package”.

In conclusion, the transition from v2.3.3 to v2.4 brought modifications to both the AS-ISK and TAS-ISK, encompassing improvements in questions’ content and language structure. Enhancements to the text were substantial, involving modifications to a considerable number of questions across both their Text and Guidance. These improvements were aimed at achieving consistency in question formulation, enhancing question thoroughness, adopting a more appropriate terminology and removing unnecessary details. The translation process involved a meticulous effort by author-translators across 30 languages, ensuring consistency with the original English text in

terms of keywords and structural elements. The transition to version v2.4 represents therefore a comprehensive refinement of the second-generation WRA-type tools that is expected to enhance their effectiveness and global applicability.

Author's contribution

LV, MP and DP designed the concept; LV and MP wrote the first draft of the manuscript; MP, GH, DA, ZA-W, RB, AB, RC, DD, MDZ, ASG, PG, EI, OK, NK, AK, PK, SL, JL, SDM, JGM, LM, CO, KHO, RTP, CPe, RP, CPr, MR, KŠŠ, BŠ, KATT, EU, LVa, HV, HW, BY and DP contributed the translations in their corresponding language; DG coordinated several logistical aspects of the study; All authors inspected and approved the final version of the manuscript prior to submission.

Funding declaration

Publication of this study was supported by the European Union's Horizon Europe HORIZON-CL6-2024-BIODIV-01 project "GuardIAS - Guarding European Waters from IAS", under grant agreement no. 101181413 (Katsanevakis et al. 2024).

Acknowledgements

We wish to thank two anonymous reviewers.

References

- Bailey SA, Brown L, Campbell ML, Canning-Clode J, Carlton JT, Castro N, Chainho P, Chan FTJ, Creed JC, Curd A, Darling J, Fofonoff P, Galil BS, Hewitt CL, Inglis GJ, Keith I, Mandrak NE, Marchini A, McKenzie CH, Occhipinti-Ambrogi A, Ojaveer H, Pires-Teixeira LM, Robinson TB, Ruiz GM, Seaward K, Schwindt E, Son MO, Theriault TW, Zhan A (2020) Trends in the detection of aquatic non-indigenous species across global marine, estuarine and freshwater ecosystems: A 50-year perspective. *Diversity and Distributions* 26: 1780–1797, <https://doi.org/10.1111/ddi.13167>
- Bradshaw CJ, Hoskins AJ, Haubrock PJ, Cuthbert RN, Diagne C, Leroy B, Andrews L, Page B, Cassey P, Shepard AW, Courchamp F (2021) Detailed assessment of the reported economic costs of invasive species in Australia. *NeoBiota* 67: 511–550, <https://doi.org/10.3897/neobiota.67.58834>
- Copp GH (2013) The Fish Invasiveness Screening Kit (FISK) for non-native freshwater fishes - a summary of current applications. *Risk Analysis* 33: 1394–1396, <https://doi.org/10.1111/risa.12095>
- Copp GH, Garthwaite R, Gozlan RE (2005b) Risk identification and assessment of non-native freshwater fishes: a summary of concepts and perspectives on protocols for the UK. *Journal of Applied Ichthyology* 21: 371–373, <https://doi.org/10.1111/j.1439-0426.2005.00692.x>
- Copp GH, Russell IC, Peeler EJ, Gherardi F, Tricarico E, MacLeod A, Cowx IG, Nunn AN, Occhipinti-Ambrogi A, Savini D, Mumford J, Britton JR (2016a) European Non-native Species in Aquaculture Risk Analysis Scheme - a summary of assessment protocols and decision making tools for use of alien species in aquaculture. *Fisheries Management and Ecology* 23: 1–11, <https://doi.org/10.1111/fme.12074>
- Copp GH, Vilizzi L, Tidbury H, Stebbing PD, Tarkan AS, Moissac L, Gouletquer P (2016b) Development of a generic decision-support tool for identifying potentially invasive aquatic taxa: AS-ISK. *Management of Biological Invasions* 7: 343–350, <https://doi.org/10.3391/mbi.2016.7.4.04>
- Copp GH, Vilizzi L, Wei H, Li S, Piria M, Al-Faisal AJ, Almeida D, Atique U, Al-Wazzan Z, Bakiu R, Bašić T, Bui TD, Canning-Clode J, Castro N, Chaichana R, Çoker T, Dashinov D, Ekmekçi FG, Erős T, Ferincz Á, Ferreira T, Giannetto D, Gilles AS, Głowacki Ł, Gouletquer P, Interesova E, Iqbal S, Jakubčínová K, Kanongdate K, Kim JE, Kopecký O, Kostov V, Koutsikos N, Kozić S, Kristan P, Kurita Y, Lee HG, Leuven RSEW, Lipinskaya T, Lukas J, Marchini A, González-Martínez AI, Masson L, Memedemin D, Moghaddas SD, Monteiro J, Mumladze L, Naddafi R, Năvodaru I, Olsson KH, Onikura N, Paganelli D, Pavia RT, Perdikaris C, Pickholtz R, Pietraszewski D, Povž M, Preda C, Ristovska M, Rosíková K, Santos JM, Semenchenko V, Senanan W, Simonović P, Smeti E, Števoe B, Švolíková K, Ta KAT, Tarkan AS, Top N, Tricarico E, Uzunova E, Vardakas L, Verreycken H, Zięba G, Mendoza R (2021) Speaking their language - Development of a multilingual decision-support tool for communicating invasive species risks to decision makers and stakeholders. *Environmental Modelling and Software* 135: 104900, <https://doi.org/10.1016/j.envsoft.2020.104900>
- D'hondt B, Vanderhoeven S, Roelandt S, Mayer F, Versteirt V, Adriaens T, Ducheyne E, Martin GS, Grégoire J, Stiers I, Quoilin S, Cigar J, Heughebaert A, Branquart E (2015) Harmonia+ and Pandora+: risk screening tools for potentially invasive plants, animals and their pathogens. *Biological Invasions* 17: 1869–1883, <https://doi.org/10.1007/s10530-015-0843-1>

- Drolet D, DiBacco C, Locke A, McKenzie CH, McKindsey CW, Moore AM, Webb JL, Therriault TW (2016) Evaluation of a new screening-level risk assessment tool applied to non-indigenous marine invertebrates in Canadian coastal waters. *Biological Invasions* 18: 279–294, <https://doi.org/10.1007/s10530-015-1008-y>
- Gordon DR, Onderdonk DA, Fox AM, Stocker RK (2008) Consistent accuracy of the Australian weed risk assessment system across varied geographies. *Diversity and Distributions* 14: 234–242, <https://doi.org/10.1111/j.1472-4642.2007.00460.x>
- Greenberg RD (2004) Language and identity in the Balkans: Serbo-Croatian and its disintegration. Oxford University Press Inc., New York, USA, 187 pp
- Katsanevakis S, Zaiko A, Olenin S, Costello MJ, Gallardo B, Tricarico E, Adriaens T, Jeschke JM, Sini M, Burke N, Ellinas K, Rutten S, Poursanidis D, Marchini A, Brys R, Raeymaekers JAM, Noé N, Hermoso V, Blaaliid R, Lucy FE, Verbrugge LNH, Staehr PAU, Vandepitte L, de Groot D, Elliott M, Reuver M, Maclaren J, Li M, Oldoni D, Mazaris A, Trygonis V, Hablützel PI, Everts T, Pisteos JCA, Dekeyzer S, Kimmig SE, Rickowski FS, Panov VE (2024) GuardIAS – Guarding European Waters from Invasive Alien Species. *Management of Biological Invasions* 15(4): 701–730, <https://doi.org/10.3391/mbi.2024.15.4.14>
- Lawson LL Jr, Vilizzi L, Hill JE, Hardin S, Copp GH (2013) Revisions of the Fish Invasiveness Screening Kit (FISK) for its application in warmer climatic zones, with particular reference to peninsular Florida. *Risk Analysis* 33: 1414–1431, <https://doi.org/10.1111/j.1539-6924.2012.01896.x>
- Pheloung PC, Williams PA, Halloy SR (1999) A weed risk assessment model for use as a biosecurity tool evaluating plant introductions. *Journal of Environmental Management* 57: 239–251, <https://doi.org/10.1006/jema.1999.0297>
- Pimentel D, Lach L, Zuniga R, Morrison D (2000) Environmental and economic costs of nonindigenous species in the United States. *BioScience* 50: 53–65, [https://doi.org/10.1641/0006-3568\(2000\)050\[0053:EAECON\]2.3.CO;2](https://doi.org/10.1641/0006-3568(2000)050[0053:EAECON]2.3.CO;2)
- Pyšek P, Pergl J, Dawson W, Essl F, Kreft H, Weigelt P, Winter M, van Kleunen M (2022) European plant invasions. In: Clements DR, Upadhyaya MK, Joshi S, Shrestha A (eds), *Global Plant Invasions*. Springer, Cham, pp 151–165, https://doi.org/10.1007/978-3-030-89684-3_7
- Roy HE, Rabitsch W, Scalera R, Stewart A, Gallardo B, Genovesi P, Essl F, Adriaens T, Bacher S, Booy O, Branquart E, Brunel S, Copp GH, Dean H, D'hondt B, Josefsson M, Kenis M, Kettunen M, Linnamagi, M, Lucy F, Martinou A, Moore N, Nentwig W, Nieto A, Pergl J, Peyton J, Roques A, Schindler S, Schönrogge K, Solarz W, Stebbing PD, Trichkova T, Vanderhoeven S, van Valkenburg J, Zenetos A (2018) Developing a framework of minimum standards for the risk assessment of alien species. *Journal of Applied Ecology* 55: 526–538, <https://doi.org/10.1111/1365-2664.13025>
- Srèbaliènè G, Olenin S, Minchin D, Naršcius A (2019) A comparison of impact and risk assessment methods based on the IMO Guidelines and EU invasive alien species risk assessment frameworks. *PeerJ* 7: e6965, <https://doi.org/10.7717/peerj.6965>
- Vilizzi L, Piria M (2022) Providing scientifically defensible evidence and correct calibrated thresholds for risk screening non-native species with second-generation Weed Risk Assessment-type decision-support tools. *Journal of Vertebrate Biology* 71: 22047, <https://doi.org/10.25225/jvb.22047>
- Vilizzi L, Copp GH, Adamovich B, Almeida D, Chan J, Davison PI, Dembski S, Ekmekçi FG, Ferincz Á, Forneck SC, Hill JE, Kim J-E, Koutsikos N, Leuven RSEW, Luna SA, Magalhães F, Marr SM, Mendoza R, Mourão CF, Neal JW, Onikura N, Perdikaris C, Piria M, Poulet N, Puntila R, Range IL, Simonović P, Ribeiro F, Tarkan AS, Troca DFA, Vardakas L, Verreycken H, Vintsek L, Weyl OLF, Yeo DCJ, Zeng Y (2019) A global review and meta-analysis of applications of the freshwater Fish Invasiveness Screening Kit. *Reviews in Fish Biology and Fisheries* 29: 529–568, <https://doi.org/10.1007/s11160-019-09562-2>
- Vilizzi L, Copp GH, Hill JE, Adamovich B, Aislabie L, Akin D, Al-Faisal AJ, Almeida D, Azmai MNA, Bakiu R, Bellati A, Bernier R, Bies JM, Bilge G, Branco P, Bui TD, Canning-Clode J, Cardoso Ramos HA, Castellanos-Galindo GA, Castro N, Chaichana R, Chainho P, Chan J, Cunico AM, Curd A, Dangchana P, Dashinov D, Davison PI, de Camargo MP, Dodd JA, Durland Donahou AL, Edsman L, Ekmekçi FG, Elphinstone-Davis J, Erős T, Evangelista C, Fenwick G, Ferincz Á, Ferreira T, Feunteun E, Filiz H, Forneck SC, Gajduchenko HS, Gama Monteiro J, Gestoso I, Giannetto D, Gilles AS, Jr Gizzi F, Glamuzina B, Glamuzina L, Goldsmit J, Gollasch S, Gouilletquer P, Grabowska J, Harmer R, Haubrock PJ, He D, Hean JW, Herczeg G, Howland KL, İlhan A, Interesova E, Jakubčínová K, Jelmert A, Johnsen SI, Kakareko T, Kanongdate K, Killi N, Kim J-E, Kirankaya ŞG, Kňazovická D, Kopecký O, Kostov V, Koutsikos N, Kozic S, Kuljanishvili T, Kumar B, Kumar L, Kurita Y, Kurtul I, Lazzaro L, Lee L, Lehtiniemi M, Leonardi G, Leuven RSEW, Li S, Lipinskaya T, Liu F, Lloyd L, Lorenzoni M, Luna SA, Lyons TJ, Magellan K, Malmstrøm M, Marchini A, Marr SM, Masson G, Masson L, McKenzie CH, Memedemin D, Mendoza R, Minchin D, Miossec L, Moghaddas SD, Moshobane MC, Mumladze L, Naddafi R, Najafi-Majd E, Năstase A, Năvodaru I, Neal JW, Nienhuis S, Nimtim M, Nolan ET, Occhipinti-Ambrogi A, Ojaveer H, Olenin S, Olsson K, Onikura N, O'Shaughnessy K, Paganelli D, Parretti P, Patoka J, Pavia RTB, Jr Pellitteri-Rosa D, Pelletier-Rousseau M, Peralta EM, Perdikaris C, Pietraszewski D, Piria M, Pitois S, Pompei L, Poulet N, Preda C, Puntila-Dodd R, Qashqaei AT, Radočaj T, Rahmani H, Raj S, Reeves D, Ristovska M, Rizevsky V, Robertson DR, Robertson P, Ruykys L, Saba AO, Santos JM, Sari HM, Segurado P, Semenchenko V, Senanan W, Simard N, Simonović P, Skóra ME, Slovák Švolíková K, Smeti E, Šmídová T, Špelić I, Srèbaliènè G, Stasolla G, Stebbing P, Števoe B, Suresh VR, Szajbert B, Ta KAT, Tarkan AS, Tempesti J, Therriault TW, Tidbury HJ, Top-Karakuş N, Tricarico E, Troca

- DFA, Tsiamis K, Tuckett QM, Tutman P, Uyan U, Uzunova E, Vardakas L, Velle G, Verreycken H, Vintsek L, Wei H, Weiperth A, Weyl OLF, Winter ER, Włodarczyk R, Wood LE, Yang R, Yapıcı S, Yeo SSB, Yoğurtçuoğlu B, Yunnice ALE, Zhu Y, Zięba G, Žitňanová K, Clarke S (2021) A global-scale screening of non-native aquatic organisms to identify potentially invasive species under current and future climate conditions. *Science of the Total Environment* 788: 147868, <https://doi.org/10.1016/j.scitotenv.2021.147868>
- Vilizzi L, Copp GH, Hill JE, Piria M (2022a) A protocol for screening potentially invasive non-native species using Weed Risk Assessment-type decision-support toolkits. *Science of the Total Environment* 832: 154966, <https://doi.org/10.1016/j.scitotenv.2022.154966>
- Vilizzi L, Piria M, Copp GH (2022b) Which calibrated threshold is appropriate for ranking non-native species using scores generated by WRA-type screening toolkits that assess risks under both current and future climate conditions? *Management of Biological Invasions* 13: 593–608, <https://doi.org/10.3391/mbi.2022.13.4.01>
- Vilizzi L, Piria M, Pietraszewski D, Kopecký O, Špelić I, Radočaj T, Šprem N, Ta KAT, Tarkan AS, Weiperth A, Yoğurtçuoğlu B, Candan O, Herczeg G, Killi N, Lemić D, Szajbert B, Almeida D, Al-Wazzan Z, Atique U, Bakiu R, Chaichana R, Dashinov D, Ferincz Á, Flieller G, Gilles AS Jr, Gouletquier Ph, Interesova E, Iqbal S, Koyama A, Kristan P, Li S, Lukas J, Moghaddas SD, Monteiro JG, Mumladze L, Olsson KH, Paganelli D, Perdikaris C, Pickholtz R, Preda C, Ristovska M, Slovák Švolíková K, Števove B, Uzunova E, Vardakas L, Verreycken H, Wei H, Zięba G (2022c) Development and application of a multilingual electronic decision-support tool for risk screening non-native terrestrial animals under current and future climate conditions. *NeoBiota* 76: 211–236, <https://doi.org/10.3897/neobiota.76.84268>
- Vilizzi L, Piria M, Pietraszewski D, Giannetto D, Flory SL, Herczeg G, Baş Sermenli H, Britvec M, Jukoniene I, Petulaitis L, Vitasović-Kosić I, Almeida D, Al-Wazzan Z, Bakiu R, Boggero A, Chaichana R, Dashinov D, De Zoysa M, Gilles AS Jr, Gouletquier P, Interesova E, Kopecký O, Koutsikos N, Koyama A, Kristan P, Li S, Lukas J, Moghaddas SD, Monteiro JG, Mumladze L, Oh C, Olsson KH, Pavia RT Jr, Perdikaris C, Pickholtz R, Preda C, Ristovska M, Slovák Švolíková K, Števove B, Ta KAT, Uzunova E, Vardakas L, Verreycken H, Wei H, Yoğurtçuoğlu B, Ferincz Á, Kirkendall L, Marszał Ł, Paganelli D, Stojchevska C, Tarkan AS, Yazlık A (2024) Development and application of a second-generation multilingual tool for invasion risk screening of non-native terrestrial plants. *Science of the Total Environment* 917: 170475, <https://doi.org/10.1016/j.scitotenv.2024.170475>
- Zhang R (2022) The year's work in ecolinguistics 2021. *Journal of World Languages* 8: 141–163, <https://doi.org/10.1515/jwl-2022-0009>

Web sites, online databases and software

- Copp GH, Garthwaite R, Gozlan RE (2005a) Risk identification and assessment of non-native freshwater fishes: concepts and perspectives on protocols for the UK. Cefas Science Technical Report. Cefas, Lowestoft, UK. www.cefas.co.uk/publications/techrep/tech129.pdf

Supplementary material

The following supplementary material is available for this article:

Table S1. Improvements to the Text for the 55 questions (Q) of the Aquatic Species Invasiveness Screening Kit (AS-ISK) from v2.3.3 to v2.4.

Table S2. Improvements to the Guidance for the 55 questions (Q) of the AS-ISK from v2.3.3 to v2.4.

Table S3. Improvements to the Text for the 55 questions (Q) of the Terrestrial Animal Species Invasiveness Screening Kit (TAS-ISK) from v2.3.3 to v2.4

Table S4. Improvements to the Guidance for the 55 questions (Q) of the TAS-ISK from v2.3.3 to v2.4.

Table S5. List of the Text for the 55 questions (Q) comprising the questionnaire of the three toolkits AS-ISK, TAS-ISK and Terrestrial Plant Species Invasiveness Screening Kit (TPS-ISK).

Table S6. List of the Guidance for the 55 questions (Q) comprising the questionnaire of the three toolkits AS-ISK, TAS-ISK and TPS-ISK.

Table S7. List of the Text for the 55 questions (Q) comprising the questionnaire in the Polish language of the three toolkits AS-ISK, TAS-ISK and TPS-ISK.

Table S8. List of the Guidance for the 55 questions (Q) comprising the questionnaire in the Polish language of the three toolkits AS-ISK, TAS-ISK and TPS-ISK.

This material is available as part of online article from:

http://www.reabic.net/journals/mbi/2025/Supplements/MBI_2025_Vilizzi_etal_2_SupplementaryMaterial.pdf